

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Afrosoricida	Chrysochloridae	golden moles	<i>Amblysomus</i>	<i>hottentotus</i>	Hottentot Golden Mole	Eastern Cape Prov., KwaZulu-Natal, NE Free State and Mpumalanga (South Africa); Lesotho; possibly Swaziland.	2314	Lateral view of entire animal	2 June 2013	York HA	South Africa, KwaZulu-Natal, Eshowe (28°52'59.67"S, 31°27'37.08"E)
Afrosoricida	Chrysochloridae	golden moles	<i>Amblysomus</i>	<i>hottentotus</i>	Hottentot Golden Mole	Eastern Cape Prov., KwaZulu-Natal, NE Free State and Mpumalanga (South Africa); Lesotho; possibly Swaziland.	2315	Close up of head and front feet	2 June 2013	York HA	South Africa, KwaZulu-Natal, Eshowe (28°52'59.67"S, 31°27'37.08"E)
Afrosoricida	Chrysochloridae	golden moles	<i>Amblysomus</i>	<i>hottentotus</i>	Hottentot Golden Mole	Eastern Cape Prov., KwaZulu-Natal, NE Free State and Mpumalanga (South Africa); Lesotho; possibly Swaziland.	2316	Close up of front feet	2 June 2013	York HA	South Africa, KwaZulu-Natal, Eshowe (28°52'59.67"S, 31°27'37.08"E)
Afrosoricida	Chrysochloridae	golden moles	<i>Amblysomus</i>	<i>hottentotus</i>	Hottentot Golden Mole	Eastern Cape Prov., KwaZulu-Natal, NE Free State and Mpumalanga (South Africa); Lesotho; possibly Swaziland.	2317	Close up of underside of head	2 June 2013	York HA	South Africa, KwaZulu-Natal, Eshowe (28°52'59.67"S, 31°27'37.08"E)
Afrosoricida	Chrysochloridae	golden moles	<i>Chryso spalax</i>	<i>villosus</i>	Rough-haired Golden Mole	Eastern Cape Prov., KwaZulu-Natal, Gauteng and S Mpumalanga (South Africa)	009	Ventral view	1976	Hickman GC	South Africa, KwaZulu-Natal, Pietermaritzburg
Afrosoricida	Chrysochloridae	golden moles	<i>Chryso spalax</i>	<i>villosus</i>	Rough-haired Golden Mole	Eastern Cape Prov., KwaZulu-Natal, Gauteng and S Mpumalanga (South Africa)	010	Front view, standing posture	1976	Hickman GC	South Africa, KwaZulu-Natal, Pietermaritzburg
Afrosoricida	Tenrecidae	tenrecs	<i>Echinops</i>	<i>telfairi</i>	Lesser Hedgehog-tenrec	Western deciduous forest and spiny bush of S Madagascar	025	Side view		Eisenberg JF	USA, DC, Washington, National Zoological Park
Afrosoricida	Tenrecidae	tenrecs	<i>Hemicentetes</i>	<i>semispinosus</i>	Lowland Streaked Tenrec	Eastern humid forest, central highlands of E Madagascar	024	Side view		Eisenberg JF	USA, DC, Washington, National Zoological Park
Afrosoricida	Tenrecidae	tenrecs	<i>Microgale</i>	<i>dobsoni</i>	Dobson's Shrew Tenrec	Eastern humid forest of N, E and SE, and central highlands, Madagascar	027	Side view		Eisenberg JF	USA, DC, Washington, National Zoological Park
Afrosoricida	Tenrecidae	tenrecs	<i>Tenrec</i>	<i>ecaudatus</i>	Tailless Tenrec	All latitudes and phytographic zones: eastern humid forest, central highlands, northern highlands, sambirano, western deciduous forest, spiny bush, Madagascar; Comoro Isls. Introduced on Reunion, Mauritius, and the Seychelle Isls.	026	Side view, subadult		Eisenberg JF	USA, DC, Washington, National Zoological Park
Afrosoricida	Tenrecidae	tenrecs	<i>Tenrec</i>	<i>ecaudatus</i>	Tailless Tenrec	All latitudes and phytographic zones: eastern humid forest, central highlands, northern highlands, sambirano, western deciduous forest, spiny bush, Madagascar; Comoro Isls. Introduced on Reunion, Mauritius, and the Seychelle Isls.	1988	Lateral view of mounted skeleton		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Artiodactyla	Antilocapridae	pronghorns	<i>Antilocapra</i>	<i>americana</i>	Pronghorn	S AB and S Saskatchewan (Canada) south through W USA to Hidalgo, Baja California, W Sonora (Mexico). Introduced to Lanai Isl (Hawaiian Isls).	166	Side view of male	1975	Gunderson HL	USA, SD, Custer Co., Wind Cave National Park
Artiodactyla	Antilocapridae	pronghorns	<i>Antilocapra</i>	<i>americana</i>	Pronghorn	S AB and S Saskatchewan (Canada) south through W USA to Hidalgo, Baja California, W Sonora (Mexico). Introduced to Lanai Isl (Hawaiian Isls).	717	Side view of adult male		Loeffler C	
Artiodactyla	Antilocapridae	pronghorns	<i>Antilocapra</i>	<i>americana</i>	Pronghorn	S AB and S Saskatchewan (Canada) south through W USA to Hidalgo, Baja California, W Sonora (Mexico). Introduced to Lanai Isl (Hawaiian Isls).	718	Side view of adult female		Loeffler C	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Antilocapridae	pronghorns	<i>Antilocapra</i>	<i>americana</i>	Pronghorn	S AB and S Saskatchewan (Canada) south through W USA to Hidalgo, Baja California, W Sonora (Mexico). Introduced to Lanai Isl (Hawaiian Isls).	823	Adult male scent-marking with cheek gland	1983	Wolff JO	USA, SD
Artiodactyla	Antilocapridae	pronghorns	<i>Antilocapra</i>	<i>americana</i>	Pronghorn	S AB and S Saskatchewan (Canada) south through W USA to Hidalgo, Baja California, W Sonora (Mexico). Introduced to Lanai Isl (Hawaiian Isls).	1310	Side view of head, neck, and anterior half of trunk, showing male characteristics of long horns, and black regions on face and neck	1975	Best TL	USA, MT, National Bison Range
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Addax</i>	<i>nasomaculatus</i>	Addax	Extinct in Algeria, Egypt, Libya, Morocco, Tunisia, and probably Sudan. Vagrants still enter Algeria and Sudan. Survives in Chad, N Mali, Mauritania, and Niger.	614	Side view of head and shoulders of adult and young	1975	Joseph BE	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Addax</i>	<i>nasomaculatus</i>	Addax	Extinct in Algeria, Egypt, Libya, Morocco, Tunisia, and probably Sudan. Vagrants still enter Algeria and Sudan. Survives in Chad, N Mali, Mauritania, and Niger.	1066	Side view of male standing, feeding from ground,		Kutunidisz K	Czech Republic, Hradec Kralove, Dvur Kralove Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Aepyceros</i>	<i>melampus</i>	Impala	S Angola, N and E Botswana, Burundi (extinct?), Dem. Rep. Congo (SE Shaba Prov.), Kenya, Malawi, Mozambique, N Namibia, Rwanda, South Africa (North-West, Limpopo, and Mpumalanga Provs. and KwaZulu-Natal; formerly in N Northern Cape Prov.), Swaziland, Tanzania, Uganda (marginally in NE and SW), Zambia, Zimbabwe.	155	Side view of male	1968	Ramsay ED (contributed by ED Cougrough)	South Africa, Limpopo or Mpumalanga, Kruger National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Aepyceros</i>	<i>melampus</i>	Impala	S Angola, N and E Botswana, Burundi (extinct?), Dem. Rep. Congo (SE Shaba Prov.), Kenya, Malawi, Mozambique, N Namibia, Rwanda, South Africa (North-West, Limpopo, and Mpumalanga Provs. and KwaZulu-Natal; formerly in N Northern Cape Prov.), Swaziland, Tanzania, Uganda (marginally in NE and SW), Zambia, Zimbabwe.	299	Front view of male's head, showing curvature of horns	1978	Gordon DC	Kenya, Rift Valley province, Samburu county, Samburu National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Aepyceros</i>	<i>melampus</i>	Impala	S Angola, N and E Botswana, Burundi (extinct?), Dem. Rep. Congo (SE Shaba Prov.), Kenya, Malawi, Mozambique, N Namibia, Rwanda, South Africa (North-West, Limpopo, and Mpumalanga Provs. and KwaZulu-Natal; formerly in N Northern Cape Prov.), Swaziland, Tanzania, Uganda (marginally in NE and SW), Zambia, Zimbabwe.	300	Males in ritualized fighting	1976	Hickman GC	
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Aepyceros</i>	<i>melampus</i>	Impala	S Angola, N and E Botswana, Burundi (extinct?), Dem. Rep. Congo (SE Shaba Prov.), Kenya, Malawi, Mozambique, N Namibia, Rwanda, South Africa (North-West, Limpopo, and Mpumalanga Provs. and KwaZulu-Natal; formerly in N Northern Cape Prov.), Swaziland, Tanzania, Uganda (marginally in NE and SW), Zambia, Zimbabwe.	713	Small herd of male and many females	1965	Emmrich AJ (contrib. by LC Emmrich)	Kenya, Rift Valley province, Kajiado county, Amboseli National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Aepyceros</i>	<i>melampus</i>	Impala	S Angola, N and E Botswana, Burundi (extinct?), Dem. Rep. Congo (SE Shaba Prov.), Kenya, Malawi, Mozambique, N Namibia, Rwanda, South Africa (North-West, Limpopo, and Mpumalanga Provs. and KwaZulu-Natal; formerly in N Northern Cape Prov.), Swaziland, Tanzania, Uganda (marginally in NE and SW), Zambia, Zimbabwe.	1148	Side view, female with young	1992	Shoemaker AH	Kenya, Rift Valley province, Samburu county, Samburu National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Aepyceros</i>	<i>melampus</i>	Impala	S Angola, N and E Botswana, Burundi (extinct?), Dem. Rep. Congo (SE Shaba Prov.), Kenya, Malawi, Mozambique, N Namibia, Rwanda, South Africa (North-West, Limpopo, and Mpumalanga Provs. and KwaZulu-Natal; formerly in N Northern Cape Prov.), Swaziland, Tanzania, Uganda (marginally in NE and SW), Zambia, Zimbabwe.	1959	Small group of females. Also as <i>A. petersi</i> , Black-faced Impala	July, 2011	Groves CP	South Africa, Gauteng, Pretoria, National Zoological Gardens
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Aepyceros</i>	<i>melampus</i>	Impala	S Angola, N and E Botswana, Burundi (extinct?), Dem. Rep. Congo (SE Shaba Prov.), Kenya, Malawi, Mozambique, N Namibia, Rwanda, South Africa (North-West, Limpopo, and Mpumalanga Provs. and KwaZulu-Natal; formerly in N Northern Cape Prov.), Swaziland, Tanzania, Uganda (marginally in NE and SW), Zambia, Zimbabwe.	2096		27 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Aepyceros</i>	<i>melampus</i>	Impala	S Angola, N and E Botswana, Burundi (extinct?), Dem. Rep. Congo (SE Shaba Prov.), Kenya, Malawi, Mozambique, N Namibia, Rwanda, South Africa (North-West, Limpopo, and Mpumalanga Provs. and KwaZulu-Natal; formerly in N Northern Cape Prov.), Swaziland, Tanzania, Uganda (marginally in NE and SW), Zambia, Zimbabwe.	2097		27 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Aepyceros</i>	<i>melampus</i>	Impala	S Angola, N and E Botswana, Burundi (extinct?), Dem. Rep. Congo (SE Shaba Prov.), Kenya, Malawi, Mozambique, N Namibia, Rwanda, South Africa (North-West, Limpopo, and Mpumalanga Provs. and KwaZulu-Natal; formerly in N Northern Cape Prov.), Swaziland, Tanzania, Uganda (marginally in NE and SW), Zambia, Zimbabwe.	2098		25 September 2007	Perry P	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Alcelaphus</i>	<i>buselaphus</i>	Hartebeest	In N Africa, now extinct but within historic times occurred in N Algeria, Libya (marginally), N Morocco, and Tunisia. In West and Equatorial Africa in Benin, Burkina Faso, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N Dem. Rep. Congo, N Eritrea, Ethiopia (outside highlands), Gambia (extinct or vagrant), Ghana, E Guinea Bissau, Guinea, S Kenya, S Mali, Niger (marginal in SW), Nigeria, Senegal, NW Somalia (extinct), S Sudan, N Tanzania, Togo, and Uganda. No authentic records from Sierra Leone.	181	Side view. A. b. cokii. Also as A. cokii, Kongoni.	1976	Gordon DC	Kenya, Rift Valley province, Narok county, Maasai Mara Plain
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Alcelaphus</i>	<i>buselaphus</i>	Hartebeest	In N Africa, now extinct but within historic times occurred in N Algeria, Libya (marginally), N Morocco, and Tunisia. In West and Equatorial Africa in Benin, Burkina Faso, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N Dem. Rep. Congo, N Eritrea, Ethiopia (outside highlands), Gambia (extinct or vagrant), Ghana, E Guinea Bissau, Guinea, S Kenya, S Mali, Niger (marginal in SW), Nigeria, Senegal, NW Somalia (extinct), S Sudan, N Tanzania, Togo, and Uganda. No authentic records from Sierra Leone.	722	View of small herd. A. b. cokii. Also as A. cokii, Kongoni.	1981	Hickman GC	Kenya, Nairobi National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Alcelaphus</i>	<i>buselaphus</i>	Hartebeest	In N Africa, now extinct but within historic times occurred in N Algeria, Libya (marginally), N Morocco, and Tunisia. In West and Equatorial Africa in Benin, Burkina Faso, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N Dem. Rep. Congo, N Eritrea, Ethiopia (outside highlands), Gambia (extinct or vagrant), Ghana, E Guinea Bissau, Guinea, S Kenya, S Mali, Niger (marginal in SW), Nigeria, Senegal, NW Somalia (extinct), S Sudan, N Tanzania, Togo, and Uganda. No authentic records from Sierra Leone.	2099	A. b. cokii. Also as A. cokii, Kongoni.	24 September 2007	Perry P	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Alcelaphus</i>	<i>caama</i>	Red Hartebeest	S Angola, Botswana, Lesotho (extinct), Namibia, South Africa, Swaziland (introduced), and W Zimbabwe.	180	Side view	1976	Anderson Jeremy	South Africa, Northern Cape, Kalahari Gemsbok National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Ammotragus</i>	<i>lervia</i>	Barbary Sheep	Algeria, N Chad, Egypt, Libya, N Mali, Mauritania, Morocco (including Western Sahara), Niger, Sudan (west of Nile and east of Nile in Red Sea Hills), and Tunisia; introduced to USA, N Mexico and Spain.	932	Side view of animal standing	1983	McLellan LJ	France, Paris, Paris Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Ammotragus</i>	<i>lervia</i>	Barbary Sheep	Algeria, N Chad, Egypt, Libya, N Mali, Mauritania, Morocco (including Western Sahara), Niger, Sudan (west of Nile and east of Nile in Red Sea Hills), and Tunisia; introduced to USA, N Mexico and Spain.	1147	Side view of family group		Andera M	Czech Republic, Prague Zoological Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Antidorcas</i>	<i>marsupialis</i>	Springbok	SW Angola, Botswana, Namibia, and South Africa (range here now much reduced).	165	Side view, linked defecation/urination sequence	1975	Anderson Jeremy	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Antidorcas</i>	<i>marsupialis</i>	Springbok	SW Angola, Botswana, Namibia, and South Africa (range here now much reduced).	1387	Single male, walking	May 10, 1996	Andera M	France, captive
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Antidorcas</i>	<i>marsupialis</i>	Springbok	SW Angola, Botswana, Namibia, and South Africa (range here now much reduced).	1648	Left lateral view of three males grazing. Also as <i>A. hofmeyri</i> , Hofmeyr's Springbok	November 27, 2008	Harding LE	Botswana, Central, Makgadikgadi Pan
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Antilope</i>	<i>cervicapra</i>	Blackbuck	Bangladesh (extinct), India (Punjab south to Madras and east to Bihar; formerly up to Assam; now localized), Nepal (Terai; now very localized), and E Pakistan (extinct but vagrants occur); introduced to Texas (USA), and Argentina.	933	Side view of young male. <i>A. c. rajputanae</i> .	1983	Fontaine RP	USA, CA or FL, Lion Country Safari
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Antilope</i>	<i>cervicapra</i>	Blackbuck	Bangladesh (extinct), India (Punjab south to Madras and east to Bihar; formerly up to Assam; now localized), Nepal (Terai; now very localized), and E Pakistan (extinct but vagrants occur); introduced to Texas (USA), and Argentina.	934	Side view of young male (older than #933) showing some black in coat and longer horns. <i>A. c. rajputanae</i> .	1983	Fontaine RP	USA, CA or FL, Lion Country Safari
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Antilope</i>	<i>cervicapra</i>	Blackbuck	Bangladesh (extinct), India (Punjab south to Madras and east to Bihar; formerly up to Assam; now localized), Nepal (Terai; now very localized), and E Pakistan (extinct but vagrants occur); introduced to Texas (USA), and Argentina.	935	Oblique view of old male with black coat, long horns. <i>A. c. rajputanae</i> .	1983	Fontaine RP	USA, CA or FL, Lion Country Safari
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Beatragus</i>	<i>hunteri</i>	Hunter's Hartebeest	N Kenya, S Somalia. Introduced into Tsavo National Park, Kenya.	1728	Lateral view of two adult males	2011	Ali, AH (contributed by Goheen, JR)	Kenya, North Eastern province, Garissa county, Ijara District
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bison</i>	<i>bison</i>	American Bison	Formerly NW and C Canada, south through USA, to Chihuahua, Coahuila (Mexico). Exterminated in the wild except in Yellowstone Park, Wyoming (USA) and Wood Buffalo Park, Northwest Territory (Canada). Reintroduced widely within native range and in C Alaska.	167	Side view of bull	1976	Twiest GL	USA, SD, Custer Co., Wind Cave National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bison</i>	<i>bison</i>	American Bison	Formerly NW and C Canada, south through USA, to Chihuahua, Coahuila (Mexico). Exterminated in the wild except in Yellowstone Park, Wyoming (USA) and Wood Buffalo Park, Northwest Territory (Canada). Reintroduced widely within native range and in C Alaska.	304	Close-up view of head of adult bull	1976	Twiest GL	USA, SD, Custer Co., Wind Cave National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bison</i>	<i>bison</i>	American Bison	Formerly NW and C Canada, south through USA, to Chihuahua, Coahuila (Mexico). Exterminated in the wild except in Yellowstone Park, Wyoming (USA) and Wood Buffalo Park, Northwest Territory (Canada). Reintroduced widely within native range and in C Alaska.	305	Side view of calf	1976	Twiest GL	USA, SD, Custer Co., Wind Cave National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bison</i>	<i>bison</i>	American Bison	Formerly NW and C Canada, south through USA, to Chihuahua, Coahuila (Mexico). Exterminated in the wild except in Yellowstone Park, Wyoming (USA) and Wood Buffalo Park, Northwest Territory (Canada). Reintroduced widely within native range and in C Alaska.	306	View of wallow (dusting place)	1976	Twiest GL	USA, SD, Custer Co., Wind Cave National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bison</i>	<i>bison</i>	American Bison	Formerly NW and C Canada, south through USA, to Chihuahua, Coahuila (Mexico). Exterminated in the wild except in Yellowstone Park, Wyoming (USA) and Wood Buffalo Park, Northwest Territory (Canada). Reintroduced widely within native range and in C Alaska.	719	Female and nursing calf	1980	Gunderson HL	USA, NE, Cherry Co., Valentine National Wildlife Refuge
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bison</i>	<i>bison</i>	American Bison	Formerly NW and C Canada, south through USA, to Chihuahua, Coahuila (Mexico). Exterminated in the wild except in Yellowstone Park, Wyoming (USA) and Wood Buffalo Park, Northwest Territory (Canada). Reintroduced widely within native range and in C Alaska.	720	Adult shedding winter coat	1981	Gunderson HL	USA, SD, Custer Co., Wind Cave National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bison</i>	<i>bison</i>	American Bison	Formerly NW and C Canada, south through USA, to Chihuahua, Coahuila (Mexico). Exterminated in the wild except in Yellowstone Park, Wyoming (USA) and Wood Buffalo Park, Northwest Territory (Canada). Reintroduced widely within native range and in C Alaska.	1224	Adult male, dust-bathing	1992	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, ABQ BioPark (Rio Grande) Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bison</i>	<i>bison</i>	American Bison	Formerly NW and C Canada, south through USA, to Chihuahua, Coahuila (Mexico). Exterminated in the wild except in Yellowstone Park, Wyoming (USA) and Wood Buffalo Park, Northwest Territory (Canada). Reintroduced widely within native range and in C Alaska.	1273	Two males fighting (butting)	1988	Haweeli JD	USA, WY, Yellowstone National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bison</i>	<i>bison</i>	American Bison	Formerly NW and C Canada, south through USA, to Chihuahua, Coahuila (Mexico). Exterminated in the wild except in Yellowstone Park, Wyoming (USA) and Wood Buffalo Park, Northwest Territory (Canada). Reintroduced widely within native range and in C Alaska.	1311	Two individuals, each in a "wallow"	1992	Bergstrom BJ	USA, WY, Yellowstone National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bison</i>	<i>bison</i>	American Bison	Formerly NW and C Canada, south through USA, to Chihuahua, Coahuila (Mexico). Exterminated in the wild except in Yellowstone Park, Wyoming (USA) and Wood Buffalo Park, Northwest Territory (Canada). Reintroduced widely within native range and in C Alaska.	1960	Side view of adult male of Bison (or Bos) bison athabascaae.	July, 2009	Groves CP	Germany, Bavaria, Munich, Hellabrun Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bison</i>	<i>bison</i>	American Bison	Formerly NW and C Canada, south through USA, to Chihuahua, Coahuila (Mexico). Exterminated in the wild except in Yellowstone Park, Wyoming (USA) and Wood Buffalo Park, Northwest Territory (Canada). Reintroduced widely within native range and in C Alaska.	1961	Adult male following female of Bison (or Bos) bison athabascaae.	July, 2009	Groves CP	Germany, Bavaria, Munich, Hellabrun Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bison</i>	<i>bonasus</i>	European Bison	Europe, surviving in Germany, Romania and W Russia into 18th Century, in Hungary until about 1790, and in W Caucasus Mtns (Armenia, Georgia, Russia) and Poland until early part of 20th Century (but extinct in East Prussia, now N Poland, in 1755); extinct in the wild but now reintroduced to E Poland, W Russia, and Caucasus Mtns.	824	Side view of adult male, standing	1983	August PV	USA, VA, Warren Co., Front Royal, Conservation and Research Center
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bison</i>	<i>bonasus</i>	European Bison	Europe, surviving in Germany, Romania and W Russia into 18th Century, in Hungary until about 1790, and in W Caucasus Mtns (Armenia, Georgia, Russia) and Poland until early part of 20th Century (but extinct in East Prussia, now N Poland, in 1755); extinct in the wild but now reintroduced to E Poland, W Russia, and Caucasus Mtns.	1962	Side view of mounted adult male. Also as <i>Bos</i> or <i>Bison caucasicus</i> , <i>Caucasian Bison</i>		Groves CP	Hungary, Budapest, Hungarian National Museum
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bison</i>	<i>bonasus</i>	European Bison	Europe, surviving in Germany, Romania and W Russia into 18th Century, in Hungary until about 1790, and in W Caucasus Mtns (Armenia, Georgia, Russia) and Poland until early part of 20th Century (but extinct in East Prussia, now N Poland, in 1755); extinct in the wild but now reintroduced to E Poland, W Russia, and Caucasus Mtns.	1963	Front view of adult male of pure Polish stock. Also as <i>Bos bonasus</i> .	ca. 1980	Groves CP	Germany, Hesse, Frankfurt Zoological Garden
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bos</i>	<i>frontalis</i>	Gaur	Bangladesh, Burma, Cambodia, China (S Tibet and Yunnan), India, Laos, Malaysia (peninsular Malaya), Nepal, Sri Lanka (extinct), Thailand, and S Vietnam.	1011	Side view of gaur resting. Also as <i>B. gaurus</i> .	1988	Kutunidisz K	Germany, Bavaria, Munich, Hellabrunn Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bos</i>	<i>frontalis</i>	Gaur (Mithan)	Bangladesh, Burma, Cambodia, China (S Tibet and Yunnan), India, Laos, Malaysia (peninsular Malaya), Nepal, Sri Lanka (extinct), Thailand, and S Vietnam.	1067	Oblique view of male standing	1989	Kutunidisz K	Germany, Baden-Württemberg, Karlsruhe Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bos</i>	<i>frontalis</i>	Gaur	Bangladesh, Burma, Cambodia, China (S Tibet and Yunnan), India, Laos, Malaysia (peninsular Malaya), Nepal, Sri Lanka (extinct), Thailand, and S Vietnam.	1368	Side view. Also as <i>B. gaurus</i> .	1996	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bos</i>	<i>frontalis</i>	Gaur	Bangladesh, Burma, Cambodia, China (S Tibet and Yunnan), India, Laos, Malaysia (peninsular Malaya), Nepal, Sri Lanka (extinct), Thailand, and S Vietnam.	2100	Also as <i>B. gaurus</i> .	30 April 2011	Perry P	India, Madhya Pradesh, Kanha National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bos</i>	<i>javanicus</i>	Banteng	Borneo, Burma, Cambodia, China (S Yunnan), Java, Laos, Malaysia (N peninsular Malaya), Thailand, and Vietnam; introduced to Australia, Bali Isl, Sangihe, and Enggano Isls; domesticated in SE Asia.	314	<i>Family group, lying down. Probably domestic Bali Cattle.</i>	1968	Oaks EC	Germany, Bavaria, Munich, Hellabrunn Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Bos</i>	<i>javanicus</i>	Banteng	Borneo, Burma, Cambodia, China (S Yunnan), Java, Laos, Malaysia (N peninsular Malaya), Thailand, and Vietnam; introduced to Australia, Bali Isl, Sangihe, and Enggano Isls; domesticated in SE Asia.	1768	Side view of young adult male	August 24, 1994	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bos</i>	<i>javanicus</i>	Banteng	Borneo, Burma, Cambodia, China (S Yunnan), Java, Laos, Malaysia (N peninsular Malaya), Thailand, and Vietnam; introduced to Australia, Bali Isl, Sangehe, and Enggano Isls; domesticated in SE Asia.	1769	Side view of adult female	July 20, 1997	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bos</i>	<i>taurus</i>	Aurochs (Zebu)	Extinct in the wild, except in Jaktorowka Forest, Masovia, Poland, by commencement of 15th century; last wild individual reputed to have died in 1627. Distributed worldwide under domestication; feral populations in Spain, France, Australia, New Guinea, USA, Colombia, Argentina and many islands, including Hawaiian, Galapagos, Dominican Republic/Haiti, Tristan da Cunha, New Amsterdam and Juan Fernandez Isls.	313	B. t. indicus, side view of young male	1970	Oaks EC	USA, TX, Harris Co., Houston Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bos</i>	<i>taurus</i>	Aurochs (Ankole)	Extinct in the wild, except in Jaktorowka Forest, Masovia, Poland, by commencement of 15th century; last wild individual reputed to have died in 1627. Distributed worldwide under domestication; feral populations in Spain, France, Australia, New Guinea, USA, Colombia, Argentina and many islands, including Hawaiian, Galapagos, Dominican Republic/Haiti, Tristan da Cunha, New Amsterdam and Juan Fernandez Isls.	887	Two ankoles lying down. B. t. indicus x taurus	1983	Huckaby DG	USA, LA, Orleans Par., New Orleans, Audubon Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bos</i>	<i>taurus</i>	Aurochs (Domestic Cattle)	Extinct in the wild, except in Jaktorowka Forest, Masovia, Poland, by commencement of 15th century; last wild individual reputed to have died in 1627. Distributed worldwide under domestication; feral populations in Spain, France, Australia, New Guinea, USA, Colombia, Argentina and many islands, including Hawaiian, Galapagos, Dominican Republic/Haiti, Tristan da Cunha, New Amsterdam and Juan Fernandez Isls.	1068	Side view of female of colony bred back to resemble B. t. primigenius		Kutunidisz K	Belgium, Antwerp Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bos</i>	<i>taurus</i>	Aurochs (Domestic Cattle)	Extinct in the wild, except in Jaktorowka Forest, Masovia, Poland, by commencement of 15th century; last wild individual reputed to have died in 1627. Distributed worldwide under domestication; feral populations in Spain, France, Australia, New Guinea, USA, Colombia, Argentina and many islands, including Hawaiian, Galapagos, Dominican Republic/Haiti, Tristan da Cunha, New Amsterdam and Juan Fernandez Isls.	1370	Front view of frontlet (horns and adjacent portion of skull) of specimen allocated to Pseudonovibos spiralis, which is now considered to be a domestic cow.		Timm RM	USA, KS, Douglas Co., Lawrence, University of Kansas, Museum of Natural History

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Boselaphus</i>	<i>tragocamelus</i>	Nilgai	India, Nepal (Terai), and E Pakistan; introduced into Texas (USA).	473	Side view of female	1977	Wagner PI	USA, CA, Sacramento Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Boselaphus</i>	<i>tragocamelus</i>	Nilgai	India, Nepal (Terai), and E Pakistan; introduced into Texas (USA).	886	Front view of head, male	1984	Huckaby DG	USA, WA, King Co., Seattle, Woodland Park Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Boselaphus</i>	<i>tragocamelus</i>	Nilgai	India, Nepal (Terai), and E Pakistan; introduced into Texas (USA).	1770	Side view of adult male	July 11, 1997	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bubalus</i>	<i>bubalis</i>	Water Buffalo	Bangladesh, Burma, Cambodia, India (survives in Assam and Orissa), Nepal, N Thailand, Vietnam, and possibly at least formerly in Laos; domesticated in N Africa, S Europe, and even England, east to Indonesia and in E South America; supposedly feral populations in Sri Lanka, Sumatra, Java, Borneo, Philippines and other parts of SE Asia; feral populations resulting from introductions in New Britain and New Ireland (Bismarck Arch., Papua New Guinea), and Australia.	312	Side view of male	1974	Barrett RH	Australia, NT, Darwin
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bubalus</i>	<i>depressicornis</i>	Anoa	Sulawesi.	1586	Adult, side view	April 3, 2004	Patterson BD	USA, LA, Rapides Par., Alexandria Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bubalus</i>	<i>quarlesi</i>	Mountain Anoa	Mountains of Sulawesi.	982	Grazing	1987	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bubalus</i>	<i>quarlesi</i>	Mountain Anoa	Mountains of Sulawesi	1225	Side view, standing		Groves CP	Germany, Baden-Württemberg, Stuttgart, Wilhelma Zoological and Botanical Garden
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Bubalus</i>	<i>quarlesi</i>	Mountain Anoa	Mountains of Sulawesi	1743	Side view of two adults	1992	Fink, KW - contributed by DG Huckaby	
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Budorcas</i>	<i>taxicolor</i>	Takin	Bhutan, N Burma, China (Gansu, Sichuan, Shaanxi, SE Tibet, and Yunnan), and NE India (Sikkim and Mishmi Hills).	838	Side view of male of B. t. taxicolor	1981	Kutunidisz K	Germany, Berlin Zoological Garden
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Budorcas</i>	<i>taxicolor</i>	Takin	Bhutan, N Burma, China (Gansu, Sichuan, Shaanxi, SE Tibet, and Yunnan), and NE India (Sikkim and Mishmi Hills).	1226	Side view, standing, 3-year-old male, born in captivity	1993	Shoemaker AH	USA, MO, St. Louis Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Budorcas</i>	<i>taxicolor</i>	Takin	Bhutan, N Burma, China (Gansu, Sichuan, Shaanxi, SE Tibet, and Yunnan), and NE India (Sikkim and Mishmi Hills).	1744	Side view of adult B. t. tibetana, Sichuan Takin	1991	Fink, KW - contributed by DG Huckaby	
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Budorcas</i>	<i>taxicolor</i>	Takin	Bhutan, N Burma, China (Gansu, Sichuan, Shaanxi, SE Tibet, and Yunnan), and NE India (Sikkim and Mishmi Hills).	1745	Side view of adult B. t. taxicolor, Mishmi Takin	1992	Fink, KW - contributed by DG Huckaby	
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Budorcas</i>	<i>taxicolor</i>	Takin	Bhutan, N Burma, China (Gansu, Sichuan, Shaanxi, SE Tibet, and Yunnan), and NE India (Sikkim and Mishmi Hills).	1964	Also as B. tibetana, Sichuan Takin	August, 2009	Groves CP	Germany, Berlin, Tierpark Berlin
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>caucasica</i>	Tur	Caucasus Mtns (Azerbaijan, Georgia, Russia).	865	Side view of male standing; C. c. caucasica, the Kuban or Western Tur	1980	Kutunidisz K	Germany, Saxony-Anhalt, Halle Zoological Garden

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>caucasica</i>	Tur	Caucasus Mtns (Azerbaijan, Georgia, Russia).	1772	Side view of adult female; <i>C. c. cylindricornis</i> , the Daghestan or Eastern Tur. Also as <i>C. cylindricornis</i> .	July 20, 1997	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>caucasica</i>	Tur	Caucasus Mtns (Azerbaijan, Georgia, Russia).	1773	Side view of adult male; <i>C. c. cylindricornis</i> , the Daghestan or Eastern Tur. Also as <i>C. cylindricornis</i> .	July 20, 1997	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>falconeri</i>	Markhor	NE Afghanistan, N India (SW Jammu and Kashmir), N and C Pakistan, S Tajikistan, and S Uzbekistan.	839	Side view of male	1983	Kutunidisiz K	Germany, Berlin Zoological Garden
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>hircus</i>	Goat	Afghanistan, Caucasus region (Armenia, Azerbaijan, NE Georgia, and S Russia), Iraq, Iran, Israel (till Neolithic), Jordan (extinct), Lebanon (extinct), S Pakistan, Syria (extinct), Turkey, and S Turkmenistan; anciently introduced into Greek isls and probably Oman. Domesticated worldwide; feral populations in British Isles, islands in the Mediterranean, USA, Canada, Chile, Argentina, Venezuela, Australia, New Zealand and many oceanic islands including Bonin, Hawaiian, Galapagos, Seychelles, and Juan Fernandez Isls.	776	Oblique view of adult male; probably feral domestic goat.	1981	Hays L (contrib. by DG Huckaby)	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>hircus</i>	Goat	Afghanistan, Caucasus region (Armenia, Azerbaijan, NE Georgia, and S Russia), Iraq, Iran, Israel (till Neolithic), Jordan (extinct), Lebanon (extinct), S Pakistan, Syria (extinct), Turkey, and S Turkmenistan; anciently introduced into Greek isls and probably Oman. Domesticated worldwide; feral populations in British Isles, islands in the Mediterranean, USA, Canada, Chile, Argentina, Venezuela, Australia, New Zealand and many oceanic islands including Bonin, Hawaiian, Galapagos, Seychelles, and Juan Fernandez Isls.	1746	Side view of adult male <i>C. h. cretica</i> or <i>C. aegagrus cretica</i> , which may be feral taxon of ancient lineage	1979	Fink, KW - contributed by DG Huckaby	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>hircus</i>	Goat	Afghanistan, Caucasus region (Armenia, Azerbaijan, NE Georgia, and S Russia), Iraq, Iran, Israel (till Neolithic), Jordan (extinct), Lebanon (extinct), S Pakistan, Syria (extinct), Turkey, and S Turkmenistan; anciently introduced into Greek isls and probably Oman. Domesticated worldwide; feral populations in British Isles, islands in the Mediterranean, USA, Canada, Chile, Argentina, Venezuela, Australia, New Zealand and many oceanic islands including Bonin, Hawaiian, Galapagos, Seychelles, and Juan Fernandez Isls.	1774	Side view of reclining male. <i>C. h. cretica</i> or <i>C. aegagrus cretica</i> , which may be feral taxon of ancient lineage.	August 25, 2002	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>nubiana</i>	Nubian Ibex	Egypt east of the Nile, N Eritrea, Israel, W Jordan, Lebanon (extinct), SE Oman, Saudi Arabia, NE Sudan, Syria (extinct; no archaeological records), and SE Yemen.	983	Side view of adult male, resting	1980	Shoemaker AH	France, Paris, Paris Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>nubiana</i>	Nubian Ibex	Egypt east of the Nile, N Eritrea, Israel, W Jordan, Lebanon (extinct), SE Oman, Saudi Arabia, NE Sudan, Syria (extinct; no archaeological records), and SE Yemen.	984	Side view of two one-year-old ibexes (may not be this species)	1988	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>nubiana</i>	Nubian Ibex	Egypt east of the Nile, N Eritrea, Israel, W Jordan, Lebanon (extinct), SE Oman, Saudi Arabia, NE Sudan, Syria (extinct; no archaeological records), and SE Yemen.	1069	Oblique view of adult female standing		Kutunidisz K	Hungary, Budapest Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>pyrenaica</i>	Spanish Ibex	Iberian Peninsula; extinct in Portugal.	1771	Quartering, front view of standing adult male; <i>C. p. hispanica</i>.	August 10, 2003	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>sibirica</i>	Siberian Ibex	Mountain ranges of N Afghanistan, China (N Gansu, W Inner Mongolia, Sinkiang, N Tibet), N India (Himalayas of Jammu and Kashmir and Himachal Pradesh), E Kazakhstan, Kyrgyzstan, S and W Mongolia, N Pakistan, Russia (S Siberia), and Tajikistan.	1747	Side view of male and females, reclining	1991	Fink, KW - contributed by DG Huckaby	
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>walie</i>	Walia Ibex	N Ethiopia.	2251		29 January 2010	Huffman, B	Ethiopia, Amhara, Simien Mountains National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>walie</i>	Walia Ibex	N Ethiopia.	2252		29 January 2010	Huffman, B	Ethiopia, Amhara, Simien Mountains National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>walie</i>	Walia Ibex	N Ethiopia.	2253		29 January 2010	Huffman, B	Ethiopia, Amhara, Simien Mountains National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capra</i>	<i>walie</i>	Walia Ibex	N Ethiopia.	2254		29 January 2010	Huffman, B	Ethiopia, Amhara, Simien Mountains National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Capricornis</i>	<i>crispus</i>	Japanese Serow	Honshu, Shikoku and Kyushu (Japan).	936	Side view of adult	1986	Kutunidisz K	Austria, Vienna Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Cephalophus</i>	<i>jentinki</i>	Jentink's Duiker	W Côte d'Ivoire, Liberia, and Sierra Leone.	1070	Oblique view of female standing		Kutunidisz K	Germany, Berlin Zoological Garden
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Cephalophus</i>	<i>natalensis</i>	Red Duiker	E Kenya, Malawi, Mozambique, S Somalia, South Africa (KwaZulu-Natal), Swaziland, E and S Tanzania, and E Zambia; sight records from E Ethiopia.	1965	Single adult	August, 2010	Groves CP	Germany, Bavaria, Nuremburg Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Cephalophus</i>	<i>niger</i>	Black Duiker	Rainforest zone, in Côte d'Ivoire, Ghana, Guinea, Liberia, Nigeria (west of lower Niger River), Sierra Leone, and Togo. No record from Benin.	1775	Side view of male	August 4, 2002	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Cephalophus</i>	<i>nigrifrons</i>	Black-fronted Duiker	Rainforest zone in N Angola, Cameroon, Central African Republic, Dem. Rep. Congo, Equatorial Guinea (Mbini), Gabon, S Nigeria, and Republic of Congo; upland forest in Albertine Rift including Ruwenzori Mtns (Burundi, Dem. Rep. Congo, Rwanda, Uganda), Mt. Elgon (Uganda-Kenya border), Aberdare Range (Kenya), and Mt. Kenya (Kenya).	2084	Anterior view of adult. Recently as <i>C. hooki</i> , Mt. Kenya Forest Duiker.	1 May 2011	BA Roberts	Kenya, Central province, Nyandarua county, Aberdare National Park, near Karura Falls, ca. 2700 m.
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Cephalophus</i>	<i>nigrifrons</i>	Black-fronted Duiker	Rainforest zone in N Angola, Cameroon, Central African Republic, Dem. Rep. Congo, Equatorial Guinea (Mbini), Gabon, S Nigeria, and Republic of Congo; upland forest in Albertine Rift including Ruwenzori Mtns (Burundi, Dem. Rep. Congo, Rwanda, Uganda), Mt. Elgon (Uganda-Kenya border), Aberdare Range (Kenya), and Mt. Kenya (Kenya).	2085	Lateral view of adult. Recently as <i>C. hooki</i> , Mt. Kenya Forest Duiker.	1 May 2011	BA Roberts	Kenya, Central province, Nyandarua county, Aberdare National Park, near Karura Falls, ca. 2700 m.
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Cephalophus</i>	<i>rufilatus</i>	Red-flanked Duiker	Savanna zone in Benin, Burkina Faso, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, NE Dem. Rep. Congo, Gambia, Guinea, Guinea Bissau, S Mali, S Niger, Nigeria, Senegal, Sierra Leone, SW Sudan, Togo, and NW Uganda.	1776	Side view of male	October, 2001	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Cephalophus</i>	<i>silvicultor</i>	Yellow-backed Duiker	Dense vegetation in N Angola, Benin, S Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbini), Gabon, Gambia (former occurrence doubtful), Ghana, Guinea, Guinea-Bissau, W Kenya, Liberia, Nigeria, Republic of Congo, Rwanda (extinct?), S Senegal, Sierra Leone, SW Sudan, Togo, W Uganda, and Zambia.	613	Dorsal view	1974	Joseph BE	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Cephalophus</i>	<i>zebra</i>	Zebra Duiker	W Côte d'Ivoire, Liberia, and W Sierra Leone.	985	Side view of female	1987	Kutunidisz K	Germany, Hesse, Frankfurt Zoological Garden
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Connochaetes</i>	<i>gnou</i>	Black Wildebeest	Formally W Lesotho, South Africa (E of 22oE in Karoo and grassveld vegetation types), and W Swaziland; now only in captivity, or as reintroduced populations in Lesotho, South Africa (including introductions beyond its former range), and Swaziland.	607	Oblique view		Joseph BE	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Connochaetes</i>	<i>gnou</i>	Black Wildebeest	Formally W Lesotho, South Africa (E of 22oE in Karoo and grassveld vegetation types), and W Swaziland; now only in captivity, or as reintroduced populations in Lesotho, South Africa (including introductions beyond its former range), and Swaziland.	2101		19 August 2007	Perry P	Swaziland, Hhohho district, Malolotja National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Connochaetes</i>	<i>gnou</i>	Black Wildebeest	Formerly W Lesotho, South Africa (E of 22oE in Karoo and grassveld vegetation types), and W Swaziland; now only in captivity, or as reintroduced populations in Lesotho, South Africa (including introductions beyond its former range), and Swaziland.	2330		11 April 2014	CP Groves	South Africa, Eastern Cape, Mountain Zebra National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Connochaetes</i>	<i>taurinus</i>	Blue Wildebeest	Angola, Botswana, S Kenya, Malawi (extinct), Mozambique, Namibia, NE South Africa, Tanzania, Zambia, Zimbabwe.	177	Small herd	1976	Hickman GC	South Africa, KwaZulu-Natal, Hluhluwe-Umfolozi Game Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Connochaetes</i>	<i>taurinus</i>	Blue Wildebeest	Angola, Botswana, S Kenya, Malawi (extinct), Mozambique, Namibia, NE South Africa, Tanzania, Zambia, Zimbabwe.	308	Two young animals with adults	1977	Hickman GC	South Africa, KwaZulu-Natal, Hluhluwe-Umfolozi Game Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Connochaetes</i>	<i>taurinus</i>	Blue Wildebeest	Angola, Botswana, S Kenya, Malawi (extinct), Mozambique, Namibia, NE South Africa, Tanzania, Zambia, Zimbabwe.	1149	C. t. albojubatus (Eastern White-bearded Wildebeest), side view, feeding	1992	Shoemaker AH	Kenya, Rift Valley province, Kajiado county, Amboseli National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Connochaetes</i>	<i>taurinus</i>	Blue Wildebeest	Angola, Botswana, S Kenya, Malawi (extinct), Mozambique, Namibia, NE South Africa, Tanzania, Zambia, Zimbabwe.	2102	C. t. cooksoni. Also as C. johnstoni, Johnston's Wildebeest	20 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Connochaetes</i>	<i>taurinus</i>	Blue Wildebeest	Angola, Botswana, S Kenya, Malawi (extinct), Mozambique, Namibia, NE South Africa, Tanzania, Zambia, Zimbabwe.	2103	C. t. mearnsi. Also as C. mearnsi, Serengeti White-bearded Wildebeest	20 February 2008	Perry P	Tanzania, Serengeti National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Connochaetes</i>	<i>taurinus</i>	Blue Wildebeest	Angola, Botswana, S Kenya, Malawi (extinct), Mozambique, Namibia, NE South Africa, Tanzania, Zambia, Zimbabwe.	2104	C. t. mearnsi. Also as C. mearnsi, Serengeti White-bearded Wildebeest	21 February 2008	Perry P	Tanzania, Serengeti National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Connochaetes</i>	<i>taurinus</i>	Blue Wildebeest	Angola, Botswana, S Kenya, Malawi (extinct), Mozambique, Namibia, NE South Africa, Tanzania, Zambia, Zimbabwe.	2105		7 November 2007	Perry P	South Africa, North West, Madikwe National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Connochaetes</i>	<i>taurinus</i>	Blue Wildebeest	Angola, Botswana, S Kenya, Malawi (extinct), Mozambique, Namibia, NE South Africa, Tanzania, Zambia, Zimbabwe.	2106	Horning sandy substrate	21 April 2010	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Damaliscus</i>	<i>korrigum</i>	Topi	West and Equatorial Africa in N Benin, Burkina Faso, Burundi, N Cameroon, N Central African Republic, Chad, Dem. Rep. Congo (Rwindi-Rutshuru plain only), W Ethiopia, Gambia, N Ghana, Guinea-Bissau, Kenya, Mali, S Mauritania, S Niger, N Nigeria, Ruanda, Senegal, S Somalia, Sudan, Tanzania, Togo, Uganda. Former occurrence in Guinea unconfirmed. Now extinct in Burundi, Gambia, Guinea-Bissau, Mali, Mauritania, and Senegal.	182	Small herd. Also as D. topi, Coastal Topi.	1973	Bleiweiss SJ	Kenya

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Damaliscus</i>	<i>korrigum</i>	Topi	West and Equatorial Africa in N Benin, Burkina Faso, Burundi, N Cameroon, N Central African Republic, Chad, Dem. Rep. Congo (Rwindi-Rutshuru plain only), W Ethiopia, Gambia, N Ghana, Guinea-Bissau, Kenya, Mali, S Mauritania, S Niger, N Nigeria, Ruanda, Senegal, S Somalia, Sudan, Tanzania, Togo, Uganda. Former occurrence in Guinea unconfirmed. Now extinct in Burundi, Gambia, Guinea-Bissau, Mali, Mauritania, and Senegal.	472	Side view of female, D. k. jimela. Also as D. jimela, Serengeti Topi.	1979	Wagner PI	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Damaliscus</i>	<i>korrigum</i>	Topi	West and Equatorial Africa in N Benin, Burkina Faso, Burundi, N Cameroon, N Central African Republic, Chad, Dem. Rep. Congo (Rwindi-Rutshuru plain only), W Ethiopia, Gambia, N Ghana, Guinea-Bissau, Kenya, Mali, S Mauritania, S Niger, N Nigeria, Ruanda, Senegal, S Somalia, Sudan, Tanzania, Togo, Uganda. Former occurrence in Guinea unconfirmed. Now extinct in Burundi, Gambia, Guinea-Bissau, Mali, Mauritania, and Senegal.	2110	D. k. jimela. Also as D. jimela, Serengeti Topi.	27 September 2007	Perry P	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Damaliscus</i>	<i>lunatus</i>	Common Tsessebe	Southern Africa in E Angola, N Botswana, Mozambique (extinct), NE Namibia, South Africa (extinct in Northern Cape, North-West, and Mpumalanga Provs., and N KwaZulu-Natal; survives in E Limpopo Prov.; reintroduced within former range), Swaziland (extinct; reintroduced), E and C Zambia, and Zimbabwe.	1649	This was the first rain of the season; they are extremely thin.	November 5, 2008	Harding LE	South Africa, Limpopo or Mpumalanga, Kruger National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Damaliscus</i>	<i>lunatus</i>	Common Tsessebe	Southern Africa in E Angola, N Botswana, Mozambique (extinct), NE Namibia, South Africa (extinct in Northern Cape, North-West, and Mpumalanga Provs., and N KwaZulu-Natal; survives in E Limpopo Prov.; reintroduced within former range), Swaziland (extinct; reintroduced), E and C Zambia, and Zimbabwe.	2109		4 October 2004	Perry P	Botswana, North West, Okavango Delta
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Damaliscus</i>	<i>pygargus</i>	Bontebok	Bontebok sensu stricto (D. p. pygargus) only in South Africa (Western Cape Prov.); Blesbok (D. p. phillipsi) formerly in SW Lesotho, South Africa (Northern Cape Prov. E of 23oE, Eastern Cape Prov., Free State, North-West Prov., Gautung, Mpumalanga, and NW and W KwaZulu-Natal), and Swaziland; now only in captivity, or as reintroduced populations in Lesotho, South Africa, and Swaziland. Introduced on private land in Botswana, Namibia, and Zimbabwe.	610	Front view. D. p. phillipsi, Blesbok. Also as D. phillipsi.	1980	Hickman GC	South Africa, KwaZulu-Natal, Lionpark

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Damaliscus</i>	<i>pygargus</i>	Bontebok	Bontebok sensu stricto (<i>D. p. pygargus</i>) only in South Africa (Western Cape Prov.); Blesbok (<i>D. p. phillipsi</i>) formerly in SW Lesotho, South Africa (Northern Cape Prov. E of 23oE, Eastern Cape Prov., Free State, North-West Prov., Gautung, Mpumalanga, and NW and W KwaZulu-Natal), and Swaziland; now only in captivity, or as reintroduced populations in Lesotho, South Africa, and Swaziland. Introduced on private land in Botswana, Namibia, and Zimbabwe.	1777	Reclining adult showing rump and face. <i>D. p. phillipsi</i> , Blesbok. Also as <i>D. phillipsi</i> .	June 28, 1994	Huckaby, DG	USA, DC, Washington, National Zoological Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Damaliscus</i>	<i>pygargus</i>	Bontebok	Bontebok sensu stricto (<i>D. p. pygargus</i>) only in South Africa (Western Cape Prov.); Blesbok (<i>D. p. phillipsi</i>) formerly in SW Lesotho, South Africa (Northern Cape Prov. E of 23oE, Eastern Cape Prov., Free State, North-West Prov., Gautung, Mpumalanga, and NW and W KwaZulu-Natal), and Swaziland; now only in captivity, or as reintroduced populations in Lesotho, South Africa, and Swaziland. Introduced on private land in Botswana, Namibia, and Zimbabwe.	1778	Side view of standing adult, showing face and rump, <i>D. p. pygargus</i>	June 14, 1997	Huckaby, DG	USA, OK, Oklahoma Co., Oklahoma City Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Damaliscus</i>	<i>pygargus</i>	Bontebok	Bontebok sensu stricto (<i>D. p. pygargus</i>) only in South Africa (Western Cape Prov.); Blesbok (<i>D. p. phillipsi</i>) formerly in SW Lesotho, South Africa (Northern Cape Prov. E of 23oE, Eastern Cape Prov., Free State, North-West Prov., Gautung, Mpumalanga, and NW and W KwaZulu-Natal), and Swaziland; now only in captivity, or as reintroduced populations in Lesotho, South Africa, and Swaziland. Introduced on private land in Botswana, Namibia, and Zimbabwe.	2107	Also as <i>D. phillipsi</i> , Blesbok	14 November 2009	Perry P	Swaziland, Hhohho district, Malolotja National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Damaliscus</i>	<i>pygargus</i>	Bontebok	Bontebok sensu stricto (<i>D. p. pygargus</i>) only in South Africa (Western Cape Prov.); Blesbok (<i>D. p. phillipsi</i>) formerly in SW Lesotho, South Africa (Northern Cape Prov. E of 23oE, Eastern Cape Prov., Free State, North-West Prov., Gautung, Mpumalanga, and NW and W KwaZulu-Natal), and Swaziland; now only in captivity, or as reintroduced populations in Lesotho, South Africa, and Swaziland. Introduced on private land in Botswana, Namibia, and Zimbabwe.	2108	Also as <i>D. phillipsi</i> , Blesbok	14 November 2009	Perry P	Swaziland, Hhohho district, Malolotja National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Damaliscus</i>	<i>pygargus</i>	Bontebok	Bontebok sensu stricto (D. p. pygargus) only in South Africa (Western Cape Prov.); Blesbok (D. p. phillipsi) formerly in SW Lesotho, South Africa (Northern Cape Prov. E of 23oE, Eastern Cape Prov., Free State, North-West Prov., Gautung, Mpumalanga, and NW and W KwaZulu-Natal), and Swaziland; now only in captivity, or as reintroduced populations in Lesotho, South Africa, and Swaziland. Introduced on private land in Botswana, Namibia, and Zimbabwe.	2331	Dominance display between two males; one on left won. Also as D. phillipsi, Blesbok.	13 April 2014	CP Groves	South Africa, Eastern Cape, Mountain Zebra National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Dorcatragus</i>	<i>megalotis</i>	Beira	Djibouti, NE Ethiopia (Marmar Mtns only), and N Somalia.	1966	Adult male	1988	Groves CP	Qatar, Al Wabra
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Eudorcas</i>	<i>thomsonii</i>	Thomson's Gazelle	S and C Kenya, N Tanzania.	605	Side view	1978	Shoshani JH	Kenya, Rift Valley province, Kajiado county, Amboseli National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Eudorcas</i>	<i>thomsonii</i>	Thomson's Gazelle	S and C Kenya, N Tanzania.	715	Newborn resting on ground. Also as E. nasalis, Serengeti Thompson's Gazelle.	1968	Emmrich AJ (contrib. by LC Emmrich)	Tanzania, Serengeti National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Eudorcas</i>	<i>thomsonii</i>	Thomson's Gazelle	S and C Kenya, N Tanzania.	2111	E. t. nasalis. Also as E. nasalis, Serengeti Thompson's Gazelle	25 February 2008	Perry P	Tanzania, Serengeti National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Gazella</i>	<i>bennetii</i>	Indian Gazelle	S Afghanistan, Iran, India, and Pakistan.	1967	One male and two females. Also as Deccan Chinkara.	July 1988	Groves CP	India, Andhra Pradesh, Hyderabad, Nehru Zoological Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Gazella</i>	<i>bennetii</i>	Indian Gazelle	S Afghanistan, Iran, India, and Pakistan.	1968	Also as G. christii, Gujarat Chinkara	June, 1988	Groves CP	India, Rajasthan, Jaipur Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Gazella</i>	<i>bennettii</i>	Indian Gazelle	S Afghanistan, Iran, India, and Pakistan.	2112	Also as Gujarat Chinkara, G. christii.	12 March 2005	Perry P	India, Rajasthan, Ranthambore National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Gazella</i>	<i>cuvieri</i>	Cuvier's Gazelle	Morocco, N Algeria, Tunisia. No reliable record from Libya.	937	Front view of adult male	1985	Kutunidisz K	Germany, Bavaria, Munich, Hellabrunn Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Gazella</i>	<i>dorcas</i>	Dorcas Gazelle	Algeria, N Burkina Faso, Chad, Djibouti, Egypt, Eritrea, N Ethiopia, S Israel, W Jordan, Libya, Mali, Mauritania, Morocco, Niger, N Nigeria (vagrant), Senegal (seasonal; reintroduced), N Somalia, N Sudan, and Tunisia.	468	Juvenile, oblique view	1979	Wagner PI	USA, CA, Sacramento Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Gazella</i>	<i>dorcas</i>	Dorcas Gazelle	Algeria, N Burkina Faso, Chad, Djibouti, Egypt, Eritrea, N Ethiopia, S Israel, W Jordan, Libya, Mali, Mauritania, Morocco, Niger, N Nigeria (vagrant), Senegal (seasonal; reintroduced), N Somalia, N Sudan, and Tunisia.	772	Side view of adult male	1977	Wagner PI	USA, CA, Sacramento Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Gazella</i>	<i>dorcas</i>	Dorcas Gazelle	Algeria, N Burkina Faso, Chad, Djibouti, Egypt, Eritrea, N Ethiopia, S Israel, W Jordan, Libya, Mali, Mauritania, Morocco, Niger, N Nigeria (vagrant), Senegal (seasonal; reintroduced), N Somalia, N Sudan, and Tunisia.	1071	Posterodorsal view of female lying on ground		Kutunidisz K	Hungary, Budapest Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Gazella</i>	<i>gazella</i>	Mountain Gazelle	Israel, Jordan, Lebanon, Oman, Saudi Arabia, W Syria, United Arab Emirates, and Yemen; introduced to Farur Isl (Iran, Persian Gulf) and Farasan Isls (Saudi Arabia, Red Sea). Marginal occurrence in Sinai Peninsula (Egypt) based on old sightings only; not known to occur there now.	1779	Side view of reclining male	August 5, 1989	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Gazella</i>	<i>gazella</i>	Mountain Gazelle	Israel, Jordan, Lebanon, Oman, Saudi Arabia, W Syria, United Arab Emirates, and Yemen; introduced to Farur Isl (Iran, Persian Gulf) and Farasan Isls (Saudi Arabia, Red Sea). Marginal occurrence in Sinai Peninsula (Egypt) based on old sightings only; not known to occur there now.	2113	G. g. cori. Recently as G. arabica, Arabian Gazelle.	30 May 2006	Perry P	UAE, Dubai, Dubai Desert Conservation Reserve, Al Maha
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Gazella</i>	<i>gazella</i>	Mountain Gazelle	Israel, Jordan, Lebanon, Oman, Saudi Arabia, W Syria, United Arab Emirates, and Yemen; introduced to Farur Isl (Iran, Persian Gulf) and Farasan Isls (Saudi Arabia, Red Sea). Marginal occurrence in Sinai Peninsula (Egypt) based on old sightings only; not known to occur there now.	2114	G. g. cori. Recently as G. arabica, Arabian Gazelle.	30 May 2006	Perry P	UAE, Dubai, Dubai Desert Conservation Reserve, Al Maha
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Gazella</i>	<i>leptoceros</i>	Slender-horned Gazelle	Algeria, S Tunisia, Libya, NW Egypt, Niger (Air Massif), and N Chad; apparently Mali and Sudan, though material evidence is lacking; not recorded from Mauritania.	1152	G. l. leptoceros, side view, standing, female	1991	Shoemaker AH	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Gazella</i>	<i>leptoceros</i>	Slender-horned Gazelle	Algeria, S Tunisia, Libya, NW Egypt, Niger (Air Massif), and N Chad; apparently Mali and Sudan, though material evidence is lacking; not recorded from Mauritania.	1153	G. l. leptoceros, side view, standing, male	1991	Shoemaker AH	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Gazella</i>	<i>leptoceros</i>	Slender-horned Gazelle	Algeria, S Tunisia, Libya, NW Egypt, Niger (Air Massif), and N Chad; apparently Mali and Sudan, though material evidence is lacking; not recorded from Mauritania.	1748	Quartering front view of adult	1992	Fink, KW - contributed by DG Huckaby	
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Gazella</i>	<i>spekei</i>	Speke's Gazelle	Somalia, E Ethiopia.	1367	Side view of two individuals,	1996	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Gazella</i>	<i>subgutturosa</i>	Goitered Gazelle	Afghanistan, Azerbaijan, Bahrain, China (Gansu, Inner Mongolia, Sinkiang, N Tibet), SE Georgia (extinct), Iran, Iraq, E Jordan, Kazakhstan, Kuwait (extinct), Kyrgyztan (extinct?), Mongolia, Oman, WC Pakistan, Saudi Arabia, Syria, Tajikistan, SE Turkey, Turkmenistan, United Arab Emirates, Uzbekistan, and Yemen (possibly extinct).	938	Side view of female	1986	Kutunidisz K	Germany, Baden-Württemberg, Karlsruhe Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Gazella</i>	<i>subgutturosa</i>	Goitered Gazelle	Afghanistan, Azerbaijan, Bahrain, China (Gansu, Inner Mongolia, Sinkiang, N Tibet), SE Georgia (extinct), Iran, Iraq, E Jordan, Kazakhstan, Kuwait (extinct), Kyrgyzstan (extinct?), Mongolia, Oman, WC Pakistan, Saudi Arabia, Syria, Tajikistan, SE Turkey, Turkmenistan, United Arab Emirates, Uzbekistan, and Yemen (possibly extinct).	1969	Also as <i>G. marica</i> , Arabian Sand Gazelle.	1989	Groves CP	Saudi Arabia, Riyadh, Thumamah, King Khalid Wildlife Research Center
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Hemitragus</i>	<i>hylocrius</i>	Nilgiri Tahr	S India (Western Ghats along border between Kerala and Tamil Nadu).	986	Adult male at rest. Also as Nilgiritragus hylocrius.	1987	Shoemaker AH	USA, MN, Hennepin Co., Minneapolis Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Hemitragus</i>	<i>hylocrius</i>	Nilgiri Tahr	S India (Western Ghats along border between Kerala and Tamil Nadu).	987	Close-up of head of female. Also as Nilgiritragus hylocrius.	1987	Shoemaker AH	USA, MN, Hennepin Co., Minneapolis Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Hemitragus</i>	<i>hylocrius</i>	Nilgiri Tahr	S India (Western Ghats along border between Kerala and Tamil Nadu).	1749	Front view of adult male. Also as Nilgiritragus hylocrius	1984	Fink, KW - contributed by DG Huckaby	
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Hemitragus</i>	<i>jemlahicus</i>	Himalayan Tahr	Himalayas including China (S Tibet), N India (Jammu and Kashmir; Sikkim), and Nepal. Introduced in New Zealand and Western Cape Prov. (South Africa).	315	Side view of female	1976	Oaks EC	Australia, NSW, Sydney, Taronga Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Hemitragus</i>	<i>jemlahicus</i>	Himalayan Tahr	Himalayas including China (S Tibet), N India (Jammu and Kashmir; Sikkim), and Nepal. Introduced in New Zealand and Western Cape Prov. (South Africa).	1227	Frontal view	1993	Andera M	Czech Republic, Prague Zoological Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Hippotragus</i>	<i>equinus</i>	Roan Antelope	Savanna woodland in Angola, Benin, Botswana, Burkina Faso, Burundi (extinct), N Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N and S Dem. Rep. Congo, N Eritrea (extinct?), W Ethiopia, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S Mali, S Mauritania, Mozambique, Namibia, S Niger, Nigeria, Rwanda, Senegal, E South Africa, Swaziland (extinct, reintroduced), Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe. No evidence of occurrence in Sierra Leone.	163	Front and side views of two animals	1967	Ramsay ED (contributed by ED Cougrough)	South Africa, Limpopo or Mpumalanga, Kruger National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Hippotragus</i>	<i>equinus</i>	Roan Antelope	Savanna woodland in Angola, Benin, Botswana, Burkina Faso, Burundi (extinct), N Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N and S Dem. Rep. Congo, N Eritrea (extinct?), W Ethiopia, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S Mali, S Mauritania, Mozambique, Namibia, S Niger, Nigeria, Rwanda, Senegal, E South Africa, Swaziland (extinct, reintroduced), Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe. No evidence of occurrence in Sierra Leone.	1587	Adult female, side view, full suspension, probably galloping	September 11, 2005	Patterson BD	Botswana, Ngamiland, Moremi National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Hippotragus</i>	<i>equinus</i>	Roan Antelope	Savanna woodland in Angola, Benin, Botswana, Burkina Faso, Burundi (extinct), N Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N and S Dem. Rep. Congo, N Eritrea (extinct?), W Ethiopia, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S Mali, S Mauritania, Mozambique, Namibia, S Niger, Nigeria, Rwanda, Senegal, E South Africa, Swaziland (extinct, reintroduced), Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe. No evidence of occurrence in Sierra Leone.	1780	Side view of adult	June 22, 2002	Huckaby, DG	USA, LA, East Baton Rouge Par., Baton Rouge Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Hippotragus</i>	<i>niger</i>	Sable Antelope	Savanna woodland in Africa; giant sable (variani) in C Angola (between Cuanza and Loando Rs.); other subspecies in E Angola, N Botswana, S Dem. Rep. Congo, SE Kenya, Malawi, Mozambique, NE Namibia (Caprivi Strip), NE South Africa, Tanzania, Zambia, and Zimbabwe.	164	Side view	1967	Ramsay ED (contributed by ED Cougrough)	Zimbabwe, Matabeleland North, Hwange National Park (formerly Wankie Park)
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Hippotragus</i>	<i>niger</i>	Sable Antelope	Savanna woodland in Africa; giant sable (variani) in C Angola (between Cuanza and Loando Rs.); other subspecies in E Angola, N Botswana, S Dem. Rep. Congo, SE Kenya, Malawi, Mozambique, NE Namibia (Caprivi Strip), NE South Africa, Tanzania, Zambia, and Zimbabwe.	1588	Quartering rear view of adult male, oxpecker on rump	September 11, 2005	Patterson BD	Botswana, Ngamiland, Moremi National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Hippotragus</i>	<i>niger</i>	Sable Antelope	Savanna woodland in Africa; giant sable (variani) in C Angola (between Cuanza and Loando Rs.); other subspecies in E Angola, N Botswana, S Dem. Rep. Congo, SE Kenya, Malawi, Mozambique, NE Namibia (Caprivi Strip), NE South Africa, Tanzania, Zambia, and Zimbabwe.	1781	Side view of adult male	February, 1991	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Kobus</i>	<i>ellipsiprymnus</i>	Waterbuck	Mesic non-forested habitats in Angola, Benin, N and EC Botswana, Burkina Faso, Burundi, N Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N and S Dem. Rep. Congo, N Eritrea, Ethiopia, S Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S Mali, S Mauritania, Mozambique, NE Namibia (Caprivi Strip), S Niger, Nigeria, S Republic of Congo, Rwanda, Senegal, E South Africa, Swaziland, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	157	Side view of male. Also as Ellipsen Waterbuck.	1976	Anderson Jeremy	South Africa, KwaZulu-Natal, Hluhluwe-Umfolozi Game Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>ellipsiprymnus</i>	Waterbuck	Mesic non-forested habitats in Angola, Benin, N and EC Botswana, Burkina Faso, Burundi, N Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N and S Dem. Rep. Congo, N Eritrea, Ethiopia, S Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S Mali, S Mauritania, Mozambique, NE Namibia (Caprivi Strip), S Niger, Nigeria, S Republic of Congo, Rwanda, Senegal, E South Africa, Swaziland, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	158	Male with females. Also as Ellipsen Waterbuck.	1973	Gordon DC	Tanzania, Serengeti National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>ellipsiprymnus</i>	Waterbuck	Mesic non-forested habitats in Angola, Benin, N and EC Botswana, Burkina Faso, Burundi, N Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N and S Dem. Rep. Congo, N Eritrea, Ethiopia, S Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S Mali, S Mauritania, Mozambique, NE Namibia (Caprivi Strip), S Niger, Nigeria, S Republic of Congo, Rwanda, Senegal, E South Africa, Swaziland, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	1970	Adult male. Also as K. defassa, Defassa Waterbuck	August, 2011	Groves CP	Kenya, Rift Valley province, Nakuru county, Lake Nakuru National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>ellipsiprymnus</i>	Waterbuck	Mesic non-forested habitats in Angola, Benin, N and EC Botswana, Burkina Faso, Burundi, N Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N and S Dem. Rep. Congo, N Eritrea, Ethiopia, S Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S Mali, S Mauritania, Mozambique, NE Namibia (Caprivi Strip), S Niger, Nigeria, S Republic of Congo, Rwanda, Senegal, E South Africa, Swaziland, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	2115	Also as K. defassa, Defassa Waterbuck	23 April 2005	Perry P	South Africa, Mpumalanga, Sabi Sand Game Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>ellipsiprymnus</i>	Waterbuck	Mesic non-forested habitats in Angola, Benin, N and EC Botswana, Burkina Faso, Burundi, N Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N and S Dem. Rep. Congo, N Eritrea, Ethiopia, S Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S Mali, S Mauritania, Mozambique, NE Namibia (Caprivi Strip), S Niger, Nigeria, S Republic of Congo, Rwanda, Senegal, E South Africa, Swaziland, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	2116	Also as Ellipsen Waterbuck	25 June 2009	Perry P	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>ellipsiprymnus</i>	Waterbuck	Mesic non-forested habitats in Angola, Benin, N and EC Botswana, Burkina Faso, Burundi, N Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N and S Dem. Rep. Congo, N Eritrea, Ethiopia, S Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S Mali, S Mauritania, Mozambique, NE Namibia (Caprivi Strip), S Niger, Nigeria, S Republic of Congo, Rwanda, Senegal, E South Africa, Swaziland, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	2117	Also as Ellipsen Waterbuck	25 September 2007	Perry P	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>kob</i>	Kob	Benin, Burkina Faso, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N Dem. Rep. Congo, Ethiopia (Gambela Salient only), Gambia (extinct), Ghana, Guinea, Guinea Bissau, W Kenya (extinct), S Mali, S Mauritania, S Niger, Nigeria, Senegal, Sierra Leone (extinct), Sudan, NW Tanzania (extinct), Togo, and Uganda.	467	Side view of standing male, <i>K. k. thomasi</i> . Also as <i>K. thomasi</i> , Uganda Kob.	1968	Hall JG	Uganda, Queen Elizabeth Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>leche</i>	Lechwe	SE Angola, N Botswana, SE Dem. Rep. Congo, NE Namibia (Caprivi Strip), and Zambia.	604	Side view of two females	1976	Joseph BE	USA, NY, Greene Co., Catskill Game Farm
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>leche</i>	Lechwe	SE Angola, N Botswana, SE Dem. Rep. Congo, NE Namibia (Caprivi Strip), and Zambia.	1589	<i>Two adult males, side view, walking through marshy area</i>	September 11, 2005	Patterson BD	Botswana, Ngamiland, Moremi National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>leche</i>	Lechwe	SE Angola, N Botswana, SE Dem. Rep. Congo, NE Namibia (Caprivi Strip), and Zambia.	1650	<i>Five animals grazing, view of rump and tail</i>	November 19, 2008	Harding LE	Botswana, Ngamiland, Moremi National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>leche</i>	Lechwe	SE Angola, N Botswana, SE Dem. Rep. Congo, NE Namibia (Caprivi Strip), and Zambia.	1651	Lateral view of adult male grazing, horns and leg markings visible	November 19, 2008	Harding LE	Botswana, Ngamiland, Moremi National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>leche</i>	Lechwe	SE Angola, N Botswana, SE Dem. Rep. Congo, NE Namibia (Caprivi Strip), and Zambia.	1971	Adult male. Also as <i>K. kafuensis</i> , Kafue Flats Lechwe	August, 2009	Groves CP	Germany, Berlin, Zoological Garden
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>megaceros</i>	Nile Lechwe	S Sudan, W Ethiopia	1012	Side view of lechwe resting	1988	Kutunidisz K	Germany, Lower Saxony, Hannover Adventure Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>megaceros</i>	Nile Lechwe	S Sudan, W Ethiopia	1072	Oblique view from rear of male lying on ground,		Kutunidisz K	Germany, Lower Saxony, Hannover Adventure Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>vardonii</i>	Puku	NE Angola, N Botswana, S Dem. Rep. Congo, Malawi, NE Namibia (Caprivi Strip), S Tanzania, Zambia, and N Zimbabwe (vagrant).	2118	<i>K. v. senganus</i>	18 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Kobus</i>	<i>vardonii</i>	Puku	NE Angola, N Botswana, S Dem. Rep. Congo, Malawi, NE Namibia (Caprivi Strip), S Tanzania, Zambia, and N Zimbabwe (vagrant).	2119	<i>K. v. senganus</i>	23 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Litocranius</i>	<i>walleri</i>	Gerenuk	E Ethiopia, Somalia, Kenya, NE Tanzania.	310	Side view of male	1978	Gordon DC	Kenya, Rift Valley province, Samburu county, Samburu National Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Litocranius</i>	<i>walleri</i>	Gerenuk	E Ethiopia, Somalia, Kenya, NE Tanzania.	611	Standing on hind legs in typical feeding posture	1973	Shoshani JH	Kenya, Rift Valley province, Samburu county, Samburu National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Litocranius</i>	<i>walleri</i>	Gerenuk	E Ethiopia, Somalia, Kenya, NE Tanzania.	723	Side view of several females	1981	Hickman GC	Kenya, Rift Valley province, Samburu county, Samburu National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Litocranius</i>	<i>walleri</i>	Gerenuk	E Ethiopia, Somalia, Kenya, NE Tanzania.	1590	Adult male, side view, on hind limbs with head in tree	April 6, 2005	Patterson BD	Kenya, Coast province, Taita-Taveta county, Tsavo Ranches
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Litocranius</i>	<i>walleri</i>	Gerenuk	E Ethiopia, Somalia, Kenya, NE Tanzania.	1782	Male leg kicking female	December, 1985	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Madoqua</i>	<i>guentheri</i>	Gunther's Dikdik	S Ethiopia, N Kenya, S and C Somalia, SE Sudan, NE Uganda.	1783	Male displaying frontal tuft to female	June 21, 1997	Huckaby, DG	USA, TX, Dallas Co., Dallas Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Madoqua</i>	<i>guentheri</i>	Gunther's Dikdik	S Ethiopia, N Kenya, S and C Somalia, SE Sudan, NE Uganda.	2120		18 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Shaba or Buffalo Springs National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Madoqua</i>	<i>kirkii</i>	Kirk's Dikdik	Kenya, N and C Tanzania, and S Somalia in East Africa; SW Angola and Namibia in Southern Africa.	156	Side view of male, (shoulder height 300-400 mm). Also as <i>M. hindei</i> , Hinde's Dik-dik.		Gordon DC	Kenya, Coast province, Taita-Taveta county, Tsavo National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Madoqua</i>	<i>kirkii</i>	Kirk's Dikdik	Kenya, N and C Tanzania, and S Somalia in East Africa; SW Angola and Namibia in Southern Africa.	301	Close-up view of male's head. Also as <i>M. hindei</i> , Hinde's Dik-dik.	1975	Rathbun GB	Kenya, Eastern province, Makueni county, Kibwezi, Bushwhackers Safari Camp
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Madoqua</i>	<i>kirkii</i>	Kirk's Dikdik	Kenya, N and C Tanzania, and S Somalia in East Africa; SW Angola and Namibia in Southern Africa.	714	Side view	1981	Hickman GC	Kenya, Rift Valley province, Samburu county, Samburu National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Madoqua</i>	<i>kirkii</i>	Kirk's Dikdik	Kenya, N and C Tanzania, and S Somalia in East Africa; SW Angola and Namibia in Southern Africa.	1784	Two males displaying frontal tuft to one another. Also as <i>M. hindei</i> , Hinde's Dik-dik.	July 11, 1997	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Madoqua</i>	<i>kirkii</i>	Kirk's Dikdik	Kenya, N and C Tanzania, and S Somalia in East Africa; SW Angola and Namibia in Southern Africa.	2121		18 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Shaba or Buffalo Springs National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Madoqua</i>	<i>kirkii</i>	Kirk's Dikdik	Kenya, N and C Tanzania, and S Somalia in East Africa; SW Angola and Namibia in Southern Africa.	2122		18 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Shaba or Buffalo Springs National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Madoqua</i>	<i>kirkii</i>	Kirk's Dikdik	Kenya, N and C Tanzania, and S Somalia in East Africa; SW Angola and Namibia in Southern Africa.	2123	Scent marking shrub with orbital scent gland	18 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Shaba or Buffalo Springs National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Madoqua</i>	<i>saltiana</i>	Salt's Dikdik	Djibouti, Eritrea, N Ethiopia, NE Sudan, Somalia.	302	Close-up of male's head	1963	Burger W	
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Madoqua</i>	<i>saltiana</i>	Salt's Dikdik	Djibouti, Eritrea, N Ethiopia, NE Sudan, Somalia.	1972	Also as <i>M. lawrencei</i> , Lawrence's Dikdik	1995	Groves CP	Saudi Arabia, Riyadh, National Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Naemorhedus</i>	<i>caudatus</i>	Long-tailed Goral	E Russia (Primorsky and Khabarovsk Territories), NE China (Heilongjiang, Jilin), and Korea.	840	Side view of female. Also as Nemorhaedus.	1982	Kutunidisz K	Germany, Berlin, Tierpark Berlin
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Naemorhedus</i>	<i>goral</i>	Himalayan Goral	Himalayas in Bhutan, China (S Tibet), N India (including Sikkim), Nepal, and N Pakistan.	1362	View from front, feet visible. Also as Nemorhaedus bedfordi, Himalayan Grey Goral.	1994	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Nanger</i>	<i>dama</i>	Dama Gazelle	S and W Algeria, N Burkina Faso, Chad, Egypt (one Recent record from Western Desert), S Mali, S Mauritania (extinct), Morocco, S Niger, N Nigeria (extinct?), N Senegal (extinct but reintroduced), N Sudan (W of Nile), Tunisia.	773	Oblique view of three adults	1978	Wagner PI	USA, CA, Sacramento Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Nanger</i>	<i>dama</i>	Dama Gazelle	S and W Algeria, N Burkina Faso, Chad, Egypt (one Recent record from Western Desert), S Mali, S Mauritania (extinct), Morocco, S Niger, N Nigeria (extinct?), N Senegal (extinct but reintroduced), N Sudan (W of Nile), Tunisia.	1150	Two individuals, one feeding, N. d. mhoor (may be extinct in the wild),	1991	Shoemaker AH	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Nanger</i>	<i>dama</i>	Dama Gazelle	S and W Algeria, N Burkina Faso, Chad, Egypt (one Recent record from Western Desert), S Mali, S Mauritania (extinct), Morocco, S Niger, N Nigeria (extinct?), N Senegal (extinct but reintroduced), N Sudan (W of Nile), Tunisia.	1750	Pair copulating, N. d. mhor, formerly Gazella dama	1992	Fink, KW - contributed by DG Huckaby	
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Nanger</i>	<i>granti</i>	Grant's Gazelle	S Ethiopia, Kenya, S Somalia, SE Sudan, NE Uganda, and N Tanzania.	469	Standing male, side view	1973	Hall JG	Kenya, Rift Valley province, Kajjado county, Amboseli National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Nanger</i>	<i>granti</i>	Grant's Gazelle	S Ethiopia, Kenya, S Somalia, SE Sudan, NE Uganda, and N Tanzania.	1151	Side view of male and female, N. g. brighti (northern paler form). Also as N. notata, Northern Grant's Gazelle.	1992	Shoemaker AH	Kenya, Rift Valley province, Samburu county, Samburu National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Nanger</i>	<i>granti</i>	Grant's Gazelle	S Ethiopia, Kenya, S Somalia, SE Sudan, NE Uganda, and N Tanzania.	1591	Adult male, side view, walking, N. g. petersii. Also as N. petersii, Coastal Grant's Gazelle.	February 25, 2004	Patterson BD	Kenya, Coast province, Taita-Taveta county, Tsavo Ranches
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Nanger</i>	<i>granti</i>	Grant's Gazelle	S Ethiopia, Kenya, S Somalia, SE Sudan, NE Uganda, and N Tanzania.	2124		16 August 2009	Perry P	Tanzania, Serengeti National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Nanger</i>	<i>granti</i>	Grant's Gazelle	S Ethiopia, Kenya, S Somalia, SE Sudan, NE Uganda, and N Tanzania.	2125		24 September 2007	Perry P	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Nanger</i>	<i>granti</i>	Grant's Gazelle	S Ethiopia, Kenya, S Somalia, SE Sudan, NE Uganda, and N Tanzania.	2126	Also as N. notatus, Bright's Gazelle	6 August 2009	Perry P	Kenya, Eastern province, Isiolo county, Shaba or Buffalo Springs National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Nanger</i>	<i>granti</i>	Grant's Gazelle	S Ethiopia, Kenya, S Somalia, SE Sudan, NE Uganda, and N Tanzania.	2312	Also as N. notatus, Bright's Gazelle	18 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Shaba or Buffalo Springs National Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Nanger</i>	<i>soemmerringi</i>	Soemmerring's Gazelle	N Somalia, Eritrea, Ethiopia, EC Sudan.	1785	Side view of adult male; formerly <i>Gazella soemmerringi</i>	November, 1991	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Nanger</i>	<i>soemmerringi</i>	Soemmerring's Gazelle	N Somalia, Eritrea, Ethiopia, EC Sudan.	1973	Rear quatering view of adult male	September, 2011	Groves CP	Ethiopia, Afar/Oromia, Awash National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Neotragus</i>	<i>moschatus</i>	Suni	SE Kenya, Malawi, Mozambique, South Africa (KwaZulu-Natal, E Limpopo and E Mpumalanga Provs.), E Tanzania (including Zanzibar and Mafia Isls), NE Zimbabwe.	939	Oblique view of adult male. Also as <i>N. kirchenpaueri</i> , Mountain Suni.	1985	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Neotragus</i>	<i>moschatus</i>	Suni	SE Kenya, Malawi, Mozambique, South Africa (KwaZulu-Natal, E Limpopo and E Mpumalanga Provs.), E Tanzania (including Zanzibar and Mafia Isls), NE Zimbabwe.	940	Oblique view of adult female. Also as <i>N. kirchenpaueri</i> , Mountain Suni.	1985	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Neotragus</i>	<i>moschatus</i>	Suni	SE Kenya, Malawi, Mozambique, South Africa (KwaZulu-Natal, E Limpopo and E Mpumalanga Provs.), E Tanzania (including Zanzibar and Mafia Isls), NE Zimbabwe.	1786	Side view of adult male. Also as <i>N. kirchenpaueri</i> , Mountain Suni.	June 14, 1992	Huckaby, DG	USA, UT, Salt Lake Co., Hogle Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Neotragus</i>	<i>moschatus</i>	Suni	SE Kenya, Malawi, Mozambique, South Africa (KwaZulu-Natal, E Limpopo and E Mpumalanga Provs.), E Tanzania (including Zanzibar and Mafia Isls), NE Zimbabwe.	1787	Side view of adult female. Also as <i>N. kirchenpaueri</i> , Mountain Suni.	June 14, 1992	Huckaby, DG	USA, UT, Salt Lake Co., Hogle Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Oreamnos</i>	<i>americanus</i>	Mountain Goat	SE Alaska (USA), S Yukon and SW Mackenzie (Canada) to NC Oregon, C Idaho, and Montana (USA). Introduced to Kodiak, Chichagof, and Baranof Isls (Alaska), Olympic Peninsula (Washington), C Montana, Black Hills (South Dakota), and Colorado (USA).	170	Female with young	1961	Blake MC	USA, MT, Glacier National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Oreamnos</i>	<i>americanus</i>	Mountain Goat	SE Alaska (USA), S Yukon and SW Mackenzie (Canada) to NC Oregon, C Idaho, and Montana (USA). Introduced to Kodiak, Chichagof, and Baranof Isls (Alaska), Olympic Peninsula (Washington), C Montana, Black Hills (South Dakota), and Colorado (USA).	171	Close-up of head		Wooding M	
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Oreamnos</i>	<i>americanus</i>	Mountain Goat	SE Alaska (USA), S Yukon and SW Mackenzie (Canada) to NC Oregon, C Idaho, and Montana (USA). Introduced to Kodiak, Chichagof, and Baranof Isls (Alaska), Olympic Peninsula (Washington), C Montana, Black Hills (South Dakota), and Colorado (USA).	1274	Side view, standing	1990	Haweeli JD	USA, MT, Glacier National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Oreamnos</i>	<i>americanus</i>	Mountain Goat	SE Alaska (USA), S Yukon and SW Mackenzie (Canada) to NC Oregon, C Idaho, and Montana (USA). Introduced to Kodiak, Chichagof, and Baranof Isls (Alaska), Olympic Peninsula (Washington), C Montana, Black Hills (South Dakota), and Colorado (USA).	1915	juvenile and two adults, molting	July 25, 2004	Hale DW	USA, CO, La Plata co., Weminuche Wilderness, Chicago Basin

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oreamnos</i>	<i>americanus</i>	Mountain Goat	SE Alaska (USA), S Yukon and SW Mackenzie (Canada) to NC Oregon, C Idaho, and Montana (USA). Introduced to Kodiak, Chichagof, and Baranof Isls (Alaska), Olympic Peninsula (Washington), C Montana, Black Hills (South Dakota), and Colorado (USA).	1916	side view of adult	July 16, 2010	Hale DW	USA, CO, Pitkin co., Maroon Bells-Snowmass Wilderness, Pyramid Peak
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oreamnos</i>	<i>americanus</i>	Mountain Goat	SE Alaska (USA), S Yukon and SW Mackenzie (Canada) to NC Oregon, C Idaho, and Montana (USA). Introduced to Kodiak, Chichagof, and Baranof Isls (Alaska), Olympic Peninsula (Washington), C Montana, Black Hills (South Dakota), and Colorado (USA).	1917	side view of adult	June 17, 2007	Hale DW	USA, CO, Summit co., Grays Peak
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oreamnos</i>	<i>americanus</i>	Mountain Goat	SE Alaska (USA), S Yukon and SW Mackenzie (Canada) to NC Oregon, C Idaho, and Montana (USA). Introduced to Kodiak, Chichagof, and Baranof Isls (Alaska), Olympic Peninsula (Washington), C Montana, Black Hills (South Dakota), and Colorado (USA).	1918	side view of juvenile, walking	June 16, 2006	Hale DW	USA, CO, Clear Creek co., Stevens Gulch
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oreotragus</i>	<i>oreotragus</i>	Klipspringer	SW Angola, E Botswana, Burundi (extinct?), Djibouti, Eritrea, Ethiopia, C Nigeria, Central African Republic (NE and NW only), Dem. Rep. Congo (SE Shaba Prov. and formerly in western Rift Valley), Kenya, Malawi, Mozambique, Namibia, Rwanda, N Somalia, South Africa, Swaziland, NE and SE Sudan, Tanzania, NE and SW Uganda, Zambia, Zimbabwe. Former or present occurrence in Lesotho unconfirmed.	184	Rear view with side view of head. Also as <i>O. schillingsi</i> , Masai Klipspringer.	1973	Gordon DC	Kenya, Coast province, Taita-Taveta county, Tsavo National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oreotragus</i>	<i>oreotragus</i>	Klipspringer	SW Angola, E Botswana, Burundi (extinct?), Djibouti, Eritrea, Ethiopia, C Nigeria, Central African Republic (NE and NW only), Dem. Rep. Congo (SE Shaba Prov. and formerly in western Rift Valley), Kenya, Malawi, Mozambique, Namibia, Rwanda, N Somalia, South Africa, Swaziland, NE and SE Sudan, Tanzania, NE and SW Uganda, Zambia, Zimbabwe. Former or present occurrence in Lesotho unconfirmed.	1265	Side view, on rock outcropping, feet visible. Also as <i>O. schillingsi</i> , Masai Klipspringer.	1993	Haweeli JD	Tanzania, Serengeti National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oreotragus</i>	<i>oreotragus</i>	Klipspringer	SW Angola, E Botswana, Burundi (extinct?), Djibouti, Eritrea, Ethiopia, C Nigeria, Central African Republic (NE and NW only), Dem. Rep. Congo (SE Shaba Prov. and formerly in western Rift Valley), Kenya, Malawi, Mozambique, Namibia, Rwanda, N Somalia, South Africa, Swaziland, NE and SE Sudan, Tanzania, NE and SW Uganda, Zambia, Zimbabwe. Former or present occurrence in Lesotho unconfirmed.	1788	Side view of adult female, showing all four feet on rock. Probably also as <i>O. saltatrixoides</i> , Ethiopian Klipspringer.	August 10, 1998	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oreotragus</i>	<i>oreotragus</i>	Klipspringer	SW Angola, E Botswana, Burundi (extinct?), Djibouti, Eritrea, Ethiopia, C Nigeria, Central African Republic (NE and NW only), Dem. Rep. Congo (SE Shaba Prov. and formerly in western Rift Valley), Kenya, Malawi, Mozambique, Namibia, Rwanda, N Somalia, South Africa, Swaziland, NE and SE Sudan, Tanzania, NE and SW Uganda, Zambia, Zimbabwe. Former or present occurrence in Lesotho unconfirmed.	2127	Also as Cape Klipspringer	20 September 2005	Perry P	South Africa, Western Cape, Karoo National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oreotragus</i>	<i>oreotragus</i>	Klipspringer	SW Angola, E Botswana, Burundi (extinct?), Djibouti, Eritrea, Ethiopia, C Nigeria, Central African Republic (NE and NW only), Dem. Rep. Congo (SE Shaba Prov. and formerly in western Rift Valley), Kenya, Malawi, Mozambique, Namibia, Rwanda, N Somalia, South Africa, Swaziland, NE and SE Sudan, Tanzania, NE and SW Uganda, Zambia, Zimbabwe. Former or present occurrence in Lesotho unconfirmed.	2128	Also as Cape Klipspringer	30 November 2009	Perry P	South Africa, Western Cape, Karoo National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>beisa</i>	Beisa Oryx	Djibouti, Eritrea, Ethiopia, Kenya, Somalia, NE and SE Sudan, NE Uganda (extinct?), and NE Tanzania.	303	View of herd, O. b. beisa. Also as O. gallarum, Galla Oryx.	1978	Gordon DC	Kenya, Rift Valley province, Samburu county, Samburu National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>beisa</i>	Beisa Oryx	Djibouti, Eritrea, Ethiopia, Kenya, Somalia, NE and SE Sudan, NE Uganda (extinct?), and NE Tanzania.	716	Small herd, O. b. beisa. Also as O. gallarum, Galla Oryx.	1981	Hickman GC	Kenya, Rift Valley province, Samburu county, Samburu National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>beisa</i>	Beisa Oryx	Djibouti, Eritrea, Ethiopia, Kenya, Somalia, NE and SE Sudan, NE Uganda (extinct?), and NE Tanzania.	1789	Side view of adult female	September, 1987	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>beisa</i>	Beisa Oryx	Djibouti, Eritrea, Ethiopia, Kenya, Somalia, NE and SE Sudan, NE Uganda (extinct?), and NE Tanzania.	1974	Side view of adult male	September, 2011	Groves CP	Ethiopia, Afar/Oromia, Awash National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>dammah</i>	Scimitar-horned Oryx	Extinct in Algeria, N Burkina Faso, Chad, Egypt, Libya, Mali, Mauritania, Morocco, Niger, N Nigeria, N Senegal, Sudan, and Tunisia. Probably last occurred in the wild in the 1980s in Chad. Survives as captive populations.	606	Side view of group	1978	Joseph BE	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>dammah</i>	Scimitar-horned Oryx	Extinct in Algeria, N Burkina Faso, Chad, Egypt, Libya, Mali, Mauritania, Morocco, Niger, N Nigeria, N Senegal, Sudan, and Tunisia. Probably last occurred in the wild in the 1980s in Chad. Survives as captive populations.	1154	Oblique front view, standing	1991	Shoemaker AH	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>dammah</i>	Scimitar-horned Oryx	Extinct in Algeria, N Burkina Faso, Chad, Egypt, Libya, Mali, Mauritania, Morocco, Niger, N Nigeria, N Senegal, Sudan, and Tunisia. Probably last occurred in the wild in the 1980s in Chad. Survives as captive populations.	2129		30 May 2006	Perry P	UAE, Dubai, Dubai Desert Conservation Reserve, Al Maha

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>gazella</i>	Gemsbok	SW Angola (extinct?), Botswana, Namibia, N South Africa, and W Zimbabwe.	162	Front and side views of two animals	1976	Anderson Jeremy	South Africa, Northern Cape, Kalahari Gemsbok National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>gazella</i>	Gemsbok	SW Angola (extinct?), Botswana, Namibia, N South Africa, and W Zimbabwe.	1652	Three males; horns, tail, and leg markings visible	November 26, 2008	Harding LE	Botswana, Central, Makgadikgadi Pan
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>gazella</i>	Gemsbok	SW Angola (extinct?), Botswana, Namibia, N South Africa, and W Zimbabwe.	2130		15 April 2010	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>leucoryx</i>	Arabian Oryx	Extinct in Egypt (Sinai Peninsula), Iraq, Israel, Jordan, Kuwait, Oman, Saudi Arabia, Syria, United Arab Emirates, and Yemen. Maintained in captivity; Middle Eastern breeding stock in Bahrain, Israel, Lebanon, Oman, Qatar, Saudi Arabia, Syria, and United Arab Emirates. Recently reintroduced to the wild in Oman and Saudi Arabia.	1155	Side view, standing	1991	Shoemaker AH	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>leucoryx</i>	Arabian Oryx	Extinct in Egypt (Sinai Peninsula), Iraq, Israel, Jordan, Kuwait, Oman, Saudi Arabia, Syria, United Arab Emirates, and Yemen. Maintained in captivity; Middle Eastern breeding stock in Bahrain, Israel, Lebanon, Oman, Qatar, Saudi Arabia, Syria, and United Arab Emirates. Recently reintroduced to the wild in Oman and Saudi Arabia.	1228	Side view, standing	1992	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>leucoryx</i>	Arabian Oryx	Extinct in Egypt (Sinai Peninsula), Iraq, Israel, Jordan, Kuwait, Oman, Saudi Arabia, Syria, United Arab Emirates, and Yemen. Maintained in captivity; Middle Eastern breeding stock in Bahrain, Israel, Lebanon, Oman, Qatar, Saudi Arabia, Syria, and United Arab Emirates. Recently reintroduced to the wild in Oman and Saudi Arabia.	2131		28 May 2006	Perry P	UAE, Dubai, Dubai Desert Conservation Reserve, Al Maha
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Oryx</i>	<i>leucoryx</i>	Arabian Oryx	Extinct in Egypt (Sinai Peninsula), Iraq, Israel, Jordan, Kuwait, Oman, Saudi Arabia, Syria, United Arab Emirates, and Yemen. Maintained in captivity; Middle Eastern breeding stock in Bahrain, Israel, Lebanon, Oman, Qatar, Saudi Arabia, Syria, and United Arab Emirates. Recently reintroduced to the wild in Oman and Saudi Arabia.	2132		28 May 2006	Perry P	UAE, Dubai, Dubai Desert Conservation Reserve, Al Maha
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Ourebia</i>	<i>ourebi</i>	Oribi	Angola, Benin, N Botswana, Burkina Faso, Burundi (extinct?), Cameroon, Central African Republic, S Chad, N Côte d'Ivoire, N and SE Dem. Rep. Congo, N Eritrea, W Ethiopia, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Lesotho, Malawi, S Mali, Mozambique, SW Niger, Nigeria, Rwanda, S Senegal, N Sierra Leone, S Somalia, E South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	775	Oblique view of adult male. Probably also as <i>O. montana</i> , Sudan Oribi.	12 December 1981	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ourebia</i>	<i>ourebi</i>	Oribi	Angola, Benin, N Botswana, Burkina Faso, Burundi (extinct?), Cameroon, Central African Republic, S Chad, N Côte d'Ivoire, N and SE Dem. Rep. Congo, N Eritrea, W Ethiopia, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Lesotho, Malawi, S Mali, Mozambique, SW Niger, Nigeria, Rwanda, S Senegal, N Sierra Leone, S Somalia, E South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	2133		21 July 2006	Perry P	Swaziland, Manzini district, Mlilwane Game Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ourebia</i>	<i>ourebi</i>	Oribi	Angola, Benin, N Botswana, Burkina Faso, Burundi (extinct?), Cameroon, Central African Republic, S Chad, N Côte d'Ivoire, N and SE Dem. Rep. Congo, N Eritrea, W Ethiopia, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Lesotho, Malawi, S Mali, Mozambique, SW Niger, Nigeria, Rwanda, S Senegal, N Sierra Leone, S Somalia, E South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	2134		21 July 2006	Perry P	Swaziland, Manzini district, Mlilwane Game Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovibos</i>	<i>moschatus</i>	Muskox	Formerly Point Barrow, Alaska (USA) east to NE Greenland, south to NE Manitoba (Canada). Range now much reduced. Introduced to Seward Peninsula and Nunivak Isl, Alaska (USA); Taimyr Peninsula and Wrangel Isl (Russia); and Svalbard (Norway), where it has since died out.	173	Front view of calf about ten days old	1973	Riewe R	Canada, NU, Ellesmere Island, Bjerne Peninsula
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovibos</i>	<i>moschatus</i>	Muskox	Formerly Point Barrow, Alaska (USA) east to NE Greenland, south to NE Manitoba (Canada). Range now much reduced. Introduced to Seward Peninsula and Nunivak Isl, Alaska (USA); Taimyr Peninsula and Wrangel Isl (Russia); and Svalbard (Norway), where it has since died out.	174	Small herd	1973	Riewe R	Canada, NU, Ellesmere Island, Bjerne Peninsula
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovibos</i>	<i>moschatus</i>	Muskox	Formerly Point Barrow, Alaska (USA) east to NE Greenland, south to NE Manitoba (Canada). Range now much reduced. Introduced to Seward Peninsula and Nunivak Isl, Alaska (USA); Taimyr Peninsula and Wrangel Isl (Russia); and Svalbard (Norway), where it has since died out.	471	Small herd of adults and young	1979	Pattie D	Canada, NU, Devon Island, Truelove Lowland
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovibos</i>	<i>moschatus</i>	Muskox	Formerly Point Barrow, Alaska (USA) east to NE Greenland, south to NE Manitoba (Canada). Range now much reduced. Introduced to Seward Peninsula and Nunivak Isl, Alaska (USA); Taimyr Peninsula and Wrangel Isl (Russia); and Svalbard (Norway), where it has since died out.	1275	Group of four, on tundra	1993	Haweeli JD	Canada, NT, Banks Island

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Ovibos</i>	<i>moschatus</i>	Muskox	Formerly Point Barrow, Alaska (USA) east to NE Greenland, south to NE Manitoba (Canada). Range now much reduced. Introduced to Seward Peninsula and Nunivak Isl, Alaska (USA); Taimyr Peninsula and Wrangel Isl (Russia); and Svalbard (Norway), where it has since died out.	1312	Side view of calf, feet visible		Bergstrom BJ	
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Ovis</i>	<i>ammon</i>	Argali	China (Gansu, Inner Mongolia, Ningxia, N and S Sinkiang, W Sichuan, Tibet including Qinghai), N India (Ladak, Sikkim, Spiti), E Kazakhstan, Kyrgyzstan, Mongolia, Nepal (Tibetan border), Pamir Range (NE Afghanistan, N Pakistan), SC Siberia (Altai Mntns), and Tajikistan.	1975	Also as <i>O. nigrimontana</i> , Karatau Argali	ca. 1985	Groves CP	Germany, Hesse, Frankfurt Zoological Garden
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Ovis</i>	<i>aries</i>	Red Sheep	Urial or Arkar in Afghanistan, NW India (Kashmir), NE and SE Iran, SW Kazakhstan, Oman (introduced?), Pakistan, Tajikistan, Turkmenistan, and Uzbekistan. Intermediate Laristan sheep in S Iran. Red Sheep or Mouflon in Armenia, S Azerbaijan, N Iraq, W Iran, and S and E Turkey; transported populations (Mouflon) on Corsica and Sardinia, introduced from there to Europe, Ukraine (Crimea), USA (incl. Hawaiian Isls), Chile, Kerguelen Isls, and Tenerife (Canary Isls); and on Cyprus. Domesticated worldwide; feral populations on St. Kilda and other small islands off the British Isles; improved domestic stock feral in Norway, Sweden, USA, islands off coasts of United Kingdom and New Zealand, Kerguelen Isls, and probably other oceanic islands.	1229	Side view, facing camera, standing, <i>O. a. orientalis</i> . Also as <i>O. gmelini</i> , Anatolian Sheep.		Groves CP	Israel, Mt. Carmel, Hai Bar Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Ovis</i>	<i>aries</i>	Red Sheep	Urial or Arkar in Afghanistan, NW India (Kashmir), NE and SE Iran, SW Kazakhstan, Oman (introduced?), Pakistan, Tajikistan, Turkmenistan, and Uzbekistan. Intermediate Laristan sheep in S Iran. Red Sheep or Mouflon in Armenia, S Azerbaijan, N Iraq, W Iran, and S and E Turkey; transported populations (Mouflon) on Corsica and Sardinia, introduced from there to Europe, Ukraine (Crimea), USA (incl. Hawaiian Isls), Chile, Kerguelen Isls, and Tenerife (Canary Isls); and on Cyprus. Domesticated worldwide; feral populations on St. Kilda and other small islands off the British Isles; improved domestic stock feral in Norway, Sweden, USA, islands off coasts of United Kingdom and New Zealand, Kerguelen Isls, and probably other oceanic islands.	1230	Side view of male, standing, <i>O. a. musimon</i> . Probably derived from ancient, domestic stock.	1992	Huckaby DG	USA, TX, Tarrant Co., Fort Worth Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>aries</i>	Red Sheep	Urial or Arkar in Afghanistan, NW India (Kashmir), NE and SE Iran, SW Kazakhstan, Oman (introduced?), Pakistan, Tajikistan, Turkmenistan, and Uzbekistan. Intermediate Laristan sheep in S Iran. Red Sheep or Mouflon in Armenia, S Azerbaijan, N Iraq, W Iran, and S and E Turkey; transported populations (Mouflon) on Corsica and Sardinia, introduced from there to Europe, Ukraine (Crimea), USA (incl. Hawaiian Isls), Chile, Kerguelen Isls, and Tenerife (Canary Isls); and on Cyprus. Domesticated worldwide; feral populations on St. Kilda and other small islands off the British Isles; improved domestic stock feral in Norway, Sweden, USA, islands off coasts of United Kingdom and New Zealand, Kerguelen Isls, and probably other oceanic islands.	1790	Side view of adult male, O. a. arkal, also as O. cycloceros arkal or vignei arkal	August 10, 1998	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>canadensis</i>	Bighorn Sheep	S British Columbia and SW Alberta (Canada) to Coahuila, Chihuahua, Sonora and Baja California (Mexico).	168	Group		Audio Visual Office, US Fish & Wildlife Service (photo by Mazzoni)	USA, MT, Maise, National Bison Range
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>canadensis</i>	Bighorn Sheep	S British Columbia and SW Alberta (Canada) to Coahuila, Chihuahua, Sonora and Baja California (Mexico).	169	Group, O. c. nelsoni	1977	des Lauriers J	USA, CA, San Bernardino Co., San Gabriel Mts
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>canadensis</i>	Bighorn Sheep	S British Columbia and SW Alberta (Canada) to Coahuila, Chihuahua, Sonora and Baja California (Mexico).	307	Close-up of ram's head with horns	1976	des Lauriers J	USA, AZ, Pima Co., Tucson, Arizona Sonoran Desert Museum
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>canadensis</i>	Bighorn Sheep	S British Columbia and SW Alberta (Canada) to Coahuila, Chihuahua, Sonora and Baja California (Mexico).	941	Adult male and female lying down	1985	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>canadensis</i>	Bighorn Sheep	S British Columbia and SW Alberta (Canada) to Coahuila, Chihuahua, Sonora and Baja California (Mexico).	1791	Side view of adult male	August 11, 1995	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>canadensis</i>	Bighorn Sheep	S British Columbia and SW Alberta (Canada) to Coahuila, Chihuahua, Sonora and Baja California (Mexico).	1919	two ewes, licking ground for salt	June 17, 2005	Hale DW	USA, CO, Saguache co., Sangre de Cristo Wilderness, Willow Lake
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>canadensis</i>	Bighorn Sheep	S British Columbia and SW Alberta (Canada) to Coahuila, Chihuahua, Sonora and Baja California (Mexico).	1920	side view of adult ewe	June 17, 2005	Hale DW	USA, CO, Saguache co., Sangre de Cristo Wilderness, Willow Lake
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>canadensis</i>	Bighorn Sheep	S British Columbia and SW Alberta (Canada) to Coahuila, Chihuahua, Sonora and Baja California (Mexico).	1921	side view, three rams	March 20, 2011	Hale DW	USA, CO, Chaffee co., County Road 390
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>canadensis</i>	Bighorn Sheep	S British Columbia and SW Alberta (Canada) to Coahuila, Chihuahua, Sonora and Baja California (Mexico).	1922	two rams, facing away	March 20, 2011	Hale DW	USA, CO, Chaffee co., County Road 390
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>canadensis</i>	Bighorn Sheep	S British Columbia and SW Alberta (Canada) to Coahuila, Chihuahua, Sonora and Baja California (Mexico).	1923	group of rams	March 20, 2011	Hale DW	USA, CO, Chaffee co., County Road 390
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>canadensis</i>	Bighorn Sheep	S British Columbia and SW Alberta (Canada) to Coahuila, Chihuahua, Sonora and Baja California (Mexico).	2037	Side view of mature female. O. c. cremnobates.	March 28, 2013	Baez A	USA, CA, San Diego co., Anza-Borrego State Park, Palm Canyon trail

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>canadensis</i>	Bighorn Sheep	S British Columbia and SW Alberta (Canada) to Coahuila, Chihuahua, Sonora and Baja California (Mexico).	2038	Close up of head of mature female. <i>O. c. cremnobates</i> .	March 28, 2013	Baez A	USA, CA, San Diego co., Anza-Borrego State Park, Palm Canyon trail
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>canadensis</i>	Bighorn Sheep	S British Columbia and SW Alberta (Canada) to Coahuila, Chihuahua, Sonora and Baja California (Mexico).	2039	Juvenile. <i>O. c. cremnobates</i> .	March 28, 2013	Baez A	USA, CA, San Diego co., Anza-Borrego State Park, Palm Canyon trail
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>dalli</i>	Dall's Sheep	Alaska to N British Columbia and W Mackenzie (Canada).	470	Side view of two rams, <i>O. d. dalli</i>	1964	Murie A (contributed by JO Murie)	USA, AK, Denali National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>dalli</i>	Dall's Sheep	Alaska to N British Columbia and W Mackenzie (Canada).	825	Side view of male, <i>O. d. dalli</i>	1983	Wolff JO	USA, MO, St. Louis Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>dalli</i>	Dall's Sheep	Alaska to N British Columbia and W Mackenzie (Canada).	1276	Two individuals, showing "low stretch" behavior, <i>O. d. dalli</i>	1991	Haweeli JD	USA, AK, Denali National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>dalli</i>	Dall's Sheep	Alaska to N British Columbia and W Mackenzie (Canada).	1277	Two rams, full curl horns, <i>O. d. dalli</i>	1991	Haweeli JD	USA, AK, Denali National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>dalli</i>	Dall Sheep	Alaska to N British Columbia and W Mackenzie (Canada).	1751	Adult male, reclining	1967	Fink, KW - contributed by DG Huckaby	
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>dalli</i>	Dall Sheep	Alaska to N British Columbia and W Mackenzie (Canada).	1792	Side view of adult male, <i>O. d. stonei</i> , Stone Sheep	June 14, 1992	Huckaby, DG	USA, UT, Salt Lake Co., Hogle Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Ovis</i>	<i>nivicola</i>	Snow Sheep	Russia (Putorana Mtns, NC Siberia; NE Siberia from Lena River east to Chukotka and Kamchatka).	1363	Side view, male, resting on ground	1994	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Pelea</i>	<i>capreolus</i>	Rhebok	Lesotho, South Africa, and Swaziland.	2135		21 July 2006	Perry P	Swaziland, Manzini district, Mililwane Game Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Pelea</i>	<i>capreolus</i>	Vaal Rhebok	Lesotho, South Africa, and Swaziland.	2255		26 February 2006	Huffman, B	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Pelea</i>	<i>capreolus</i>	Vaal Rhebok	Lesotho, South Africa, and Swaziland.	2256		27 February 2006	Huffman, B	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Pelea</i>	<i>capreolus</i>	Vaal Rhebok	Lesotho, South Africa, and Swaziland.	2257		27 April 2013	Huffman, B	USA, TX, Kendall Co., Safari Enterprises
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Philantomba</i>	<i>monticola</i>	Blue Duiker	Forested habitats in N Angola, Cameroon, Central African Republic, Dem. Rep. Congo, Equatorial Guinea (Bioko, Mbini), Gabon, W and E Kenya, Malawi, Mozambique, Nigeria east of Cross River, Republic of Congo, South Africa (East Cape Prov., KwaZulu-Natal), S Sudan, Tanzania including Pemba and Zanzibar Isis, Uganda, Zambia, E Zimbabwe. Former or present occurrence in Swaziland uncertain. No record from Lesotho (Lynch, 1994).	2064	Frontal, dorsal view of adult	1998	Groves, CP	South Africa, Western Cape, Cape Town, Tygerberg Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Philantomba</i>	<i>monticola</i>	Blue Duiker	Forested habitats in N Angola, Cameroon, Central African Republic, Dem. Rep. Congo, Equatorial Guinea (Bioko, Mbini), Gabon, W and E Kenya, Malawi, Mozambique, Nigeria east of Cross River, Republic of Congo, South Africa (East Cape Prov., KwaZulu-Natal), S Sudan, Tanzania including Pemba and Zanzibar Isls, Uganda, Zambia, E Zimbabwe. Former or present occurrence in Swaziland uncertain. No record from Lesotho (Lynch, 1994).	2136		21 July 2006	Perry P	Swaziland, Manzini district, Mililwane Game Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Pseudois</i>	<i>nayaur</i>	Bharal	Bhutan, N Burma, China (Gansu, S Inner Mongolia, Ningxia, Shaanxi, Sichuan, S Sinkiang, Tibet including Qinghai, and N Yunnan), Himalayas (N India, Nepal, N Pakistan), and SE Tajikistan (Pamir Range).	866	Male standing, showing oblique view of head and anterior body. Also as Greater Blue Sheep.	1979	Groves CP	France, Paris, Paris Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Pseudoryx</i>	<i>nghetinhensis</i>	Saola	Rainforest of Vietnam (Ha Tinh and Nghe An Prov.) and neighbouring parts of Laos.	2065	Side view of juvenile female	1994	Groves, CP	Vietnam, Hanoi, Forest Inventory and Planning Institute Botanical Garden
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Pseudoryx</i>	<i>nghetinhensis</i>	Saola	Rainforest of Vietnam (Ha Tinh and Nghe An Prov.) and neighbouring parts of Laos.	2066	Close-up of head of 2065	1994	Groves, CP	Vietnam, Hanoi, Forest Inventory and Planning Institute Botanical Garden
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Raphicerus</i>	<i>campestris</i>	Steenbok	E Africa in S Kenya and N and C Tanzania; S Africa in S Angola, Botswana, S Mozambique, Namibia, South Africa, Swaziland, W Zambia, and Zimbabwe.	183	Side view	1968	Ramsay ED (contributed by ED Cougrough)	South Africa, Limpopo or Mpumalanga, Kruger National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Raphicerus</i>	<i>campestris</i>	Steenbok	E Africa in S Kenya and N and C Tanzania; S Africa in S Angola, Botswana, S Mozambique, Namibia, South Africa, Swaziland, W Zambia, and Zimbabwe.	612	Side view	1978	Shoshani JH	South Africa, Eastern Cape, Mountain Zebra National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Raphicerus</i>	<i>campestris</i>	Steenbok	E Africa in S Kenya and N and C Tanzania; S Africa in S Angola, Botswana, S Mozambique, Namibia, South Africa, Swaziland, W Zambia, and Zimbabwe.	988	Leg-rubbing courtship of female by male	1987	Hall JG	South Africa, Northern Cape, Kalahari Gemsbok National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Raphicerus</i>	<i>campestris</i>	Steenbok	E Africa in S Kenya and N and C Tanzania; S Africa in S Angola, Botswana, S Mozambique, Namibia, South Africa, Swaziland, W Zambia, and Zimbabwe.	1592	Adult female, side view, standing	September 10, 2005	Patterson BD	South Africa, Mpumalanga, Mala Mala
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Raphicerus</i>	<i>campestris</i>	Steenbok	E Africa in S Kenya and N and C Tanzania; S Africa in S Angola, Botswana, S Mozambique, Namibia, South Africa, Swaziland, W Zambia, and Zimbabwe.	1653	Front view of standing male	November 8, 2008	Harding LE	South Africa, Limpopo or Mpumalanga, Kruger National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Raphicerus</i>	<i>campestris</i>	Steenbok	E Africa in S Kenya and N and C Tanzania; S Africa in S Angola, Botswana, S Mozambique, Namibia, South Africa, Swaziland, W Zambia, and Zimbabwe.	2137		14 April 2010	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Redunca</i>	<i>fulvorufula</i>	Mountain Reedbuck	W Africa in E Nigeria and W Cameroon; E Africa in C Ethiopia, Kenya, SE Sudan, N Tanzania, and NE Uganda; S Africa in SE Botswana, Lesotho, S Mozambique, E South Africa, and Swaziland.	2138		27 August 2007	Perry P	South Africa, Mpumalanga, Bongani Mountain Lodge
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Redunca</i>	<i>fulvorufula</i>	Mountain Reedbuck	W Africa in E Nigeria and W Cameroon; E Africa in C Ethiopia, Kenya, SE Sudan, N Tanzania, and NE Uganda; S Africa in SE Botswana, Lesotho, S Mozambique, E South Africa, and Swaziland.	2139		27 August 2007	Perry P	South Africa, Mpumalanga, Bongani Mountain Lodge
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Redunca</i>	<i>redunca</i>	Common Reedbuck	Benin, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N Dem. Rep. Congo, N Eritrea, Ethiopia, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, S Mali, S Mauritania, S Niger, Nigeria, Rwanda, Senegal, Sierra Leone, Sudan, Tanzania, Togo, and Uganda.	867	Group of three grazing, side view. Also as R. bohor, Bohor Reedbuck.	1980	Gordon DC	Kenya, Rift Valley province, Nakuru county, Lake Nakuru National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Redunca</i>	<i>redunca</i>	Common Reedbuck	Benin, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, N Dem. Rep. Congo, N Eritrea, Ethiopia, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, S Mali, S Mauritania, S Niger, Nigeria, Rwanda, Senegal, Sierra Leone, Sudan, Tanzania, Togo, and Uganda.	2140	Also as R. bohor, Bohor Reedbuck.	25 September 2007	Perry P	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Rupicapra</i>	<i>rupicapra</i>	Alpine Chamois	Albania, Alps (of Austria, France, Germany, Italy, and Switzerland), Bosnia and Herzegovina, Bulgaria, Caucasus Mtns (Azerbaijan, Georgia, Russia), Croatia, Greece, Macedonia, Romania (Carpathians), Slovakia (Tatra Mtns), Slovenia, Turkey, and Serbia and Montenegro; introduced to New Zealand.	841	Side view of male of R. r. rupicapra	1980	Kutunidisz K	Germany, Saxony-Anhalt, Halle Zoological Garden
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Rupicapra</i>	<i>rupicapra</i>	Alpine Chamois	Albania, Alps (of Austria, France, Germany, Italy, and Switzerland), Bosnia and Herzegovina, Bulgaria, Caucasus Mtns (Azerbaijan, Georgia, Russia), Croatia, Greece, Macedonia, Romania (Carpathians), Slovakia (Tatra Mtns), Slovenia, Turkey, and Serbia and Montenegro; introduced to New Zealand.	1976	Two adults	September, 2009	Groves CP	Germany, Berlin, Tierpark Berlin
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Saiga</i>	<i>tatarica</i>	Steppe Saiga	China (extinct; formerly in Dzungarian Basin of Sinkiang), Kazakhstan, Moldavia (extinct), E Poland (extinct), S Russia (now restricted to Kalmykia, occasionally entering Dagestan), Ukraine (Crimea, extinct), NW Uzbekistan (seasonal).	989	Side view of female	1987	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Saiga</i>	<i>tatarica</i>	Steppe Saiga	China (extinct; formerly in Dzungarian Basin of Sinkiang), Kazakhstan, Moldavia (extinct), E Poland (extinct), S Russia (now restricted to Kalmykia, occasionally entering Dagestan), Ukraine (Crimea, extinct), NW Uzbekistan (seasonal).	1073	Side view of male (with protective knobs on ends of horns)	1989	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Sylvicapra</i>	<i>grimmia</i>	Bush Duiker	Non-forested habitats in Angola, Benin, Botswana, Burkina Faso, Burundi, N Cameroon, Central African Republic, S Chad, Côte d'Ivoire, S, E, and N Dem. Rep. Congo, Eritrea, Ethiopia, S Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S Mali, Mozambique, Namibia, S Niger, Nigeria, Rwanda, Republic of Congo, Senegal, N Sierra Leone, S Somalia, South Africa, Swaziland, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	311	Side view	1976	Hickman GC	South Africa, KwaZulu-Natal, Hluhluwe-Umfolozi Game Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Sylvicapra</i>	<i>grimmia</i>	Bush Duiker	Non-forested habitats in Angola, Benin, Botswana, Burkina Faso, Burundi, N Cameroon, Central African Republic, S Chad, Côte d'Ivoire, S, E, and N Dem. Rep. Congo, Eritrea, Ethiopia, S Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S Mali, Mozambique, Namibia, S Niger, Nigeria, Rwanda, Republic of Congo, Senegal, N Sierra Leone, S Somalia, South Africa, Swaziland, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	1793	Female suckling young	August 25, 2002	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Sylvicapra</i>	<i>grimmia</i>	Bush Duiker	Non-forested habitats in Angola, Benin, Botswana, Burkina Faso, Burundi, N Cameroon, Central African Republic, S Chad, Côte d'Ivoire, S, E, and N Dem. Rep. Congo, Eritrea, Ethiopia, S Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S Mali, Mozambique, Namibia, S Niger, Nigeria, Rwanda, Republic of Congo, Senegal, N Sierra Leone, S Somalia, South Africa, Swaziland, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	1794	Side view of male, <i>S. g. caffra</i>	July 20, 1997	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Syncerus</i>	<i>caffer</i>	African Buffalo	Rain forest and savanna of Angola, Benin, N and E Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbin; extinct on Bioko), N Eritrea, Ethiopia, Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S Mali, Mozambique, NE Namibia (Caprivi Strip), SW Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	160	Front view. Also as Cape Buffalo.	1976	Gordon DC	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Syncerus</i>	<i>caffer</i>	African Buffalo	Rain forest and savanna of Angola, Benin, N and E Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbin; extinct on Bioko), N Eritrea, Ethiopia, Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S Mali, Mozambique, NE Namibia (Caprivi Strip), SW Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	1361	Side view, feet and horns visible. Also as <i>S. nanus</i> , Forest Buffalo.	1993	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Syncerus</i>	<i>caffer</i>	African Buffalo	Rain forest and savanna of Angola, Benin, N and E Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbin; extinct on Bioko), N Eritrea, Ethiopia, Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S Mali, Mozambique, NE Namibia (Caprivi Strip), SW Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	1593	Old adult male ("dugaboy"), side view of horns and boss. Also as Cape Buffalo.	December 9, 2002	Patterson BD	Kenya, Coast province, Taita-Taveta county, Tsavo Ranches
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Syncerus</i>	<i>caffer</i>	African Buffalo	Rain forest and savanna of Angola, Benin, N and E Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbin; extinct on Bioko), N Eritrea, Ethiopia, Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S Mali, Mozambique, NE Namibia (Caprivi Strip), SW Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	1977	Also as <i>S. nanus</i> , Forest Buffalo	August, 2009	Groves CP	Germany, Berlin, Tierpark Berlin
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Syncerus</i>	<i>caffer</i>	African Buffalo	Rain forest and savanna of Angola, Benin, N and E Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbin; extinct on Bioko), N Eritrea, Ethiopia, Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S Mali, Mozambique, NE Namibia (Caprivi Strip), SW Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	2141	Also as Cape Buffalo.	2 September 2005	Perry P	South Africa, Mpumalanga, Sabi Sand Game Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Syncerus</i>	<i>caffer</i>	African Buffalo	Rain forest and savanna of Angola, Benin, N and E Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbin; extinct on Bioko), N Eritrea, Ethiopia, Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S Mali, Mozambique, NE Namibia (Caprivi Strip), SW Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	2142	Tree rubbing with horns. Also as Cape Buffalo.	23 June 2009	Perry P	Kenya, Central province, Nyandarua county, Aberdare National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Syncerus</i>	<i>caffer</i>	African Buffalo	Rain forest and savanna of Angola, Benin, N and E Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbin; extinct on Bioko), N Eritrea, Ethiopia, Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S Mali, Mozambique, NE Namibia (Caprivi Strip), SW Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	2332	Herd of adult females.	14 April 2014	CP Groves	South Africa, Eastern Cape, Addo Elephant National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Taurotragus</i>	<i>derbianus</i>	Derby Eland	Savanna of W Africa in Gambia (extinct), Guinea (extinct?), Guinea Bissau, SW Mali (extinct?), S Senegal, and Sierra Leone (formerly a vagrant); purported records from Ghana and Togo not accepted. C Africa in N Cameroon, Central African Republic, S Chad (extinct), N Dem. Rep. Congo, E Nigeria (extinct), SW Sudan, and NW Uganda (extinct).	990	Side view of adult male giant eland from Central African Republic, T. d. gigas	1987	Shoemaker AH	USA, OH, Hamilton Co., Cincinnati Zoo & Botanical Garden
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Taurotragus</i>	<i>derbianus</i>	Derby Eland	Savanna of W Africa in Gambia (extinct), Guinea (extinct?), Guinea Bissau, SW Mali (extinct?), S Senegal, and Sierra Leone (formerly a vagrant); purported records from Ghana and Togo not accepted. C Africa in N Cameroon, Central African Republic, S Chad (extinct), N Dem. Rep. Congo, E Nigeria (extinct), SW Sudan, and NW Uganda (extinct).	991	Adult female with young, from Central African Republic, T. d. gigas	1987	Shoemaker AH	USA, OH, Hamilton Co., Cincinnati Zoo & Botanical Garden
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Taurotragus</i>	<i>oryx</i>	Common Eland	Angola, Botswana, Burundi (extinct), S Dem. Rep. Congo, Ethiopia (seasonal in Omo Valley), Kenya, Lesotho (seasonal), Malawi, Mozambique, Namibia, Rwanda, South Africa, SE Sudan, Swaziland (extinct, reintroduced), Tanzania, Uganda, S Zaire, Malawi, Zambia, and Zimbabwe.	161	Side view	1972	Gordon DC	Tanzania, Arusha, Ngorongoro Crater

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Taurotragus</i>	<i>oryx</i>	Common Eland	Angola, Botswana, Burundi (extinct), S Dem. Rep. Congo, Ethiopia (seasonal in Omo Valley), Kenya, Lesotho (seasonal), Malawi, Mozambique, Namibia, Rwanda, South Africa, SE Sudan, Swaziland (extinct, reintroduced), Tanzania, Uganda, S Zaire, Malawi, Zambia, and Zimbabwe.	1114	Close-up front view of head		Shoshani JH	Kenya, Nairobi National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Taurotragus</i>	<i>oryx</i>	Common Eland	Angola, Botswana, Burundi (extinct), S Dem. Rep. Congo, Ethiopia (seasonal in Omo Valley), Kenya, Lesotho (seasonal), Malawi, Mozambique, Namibia, Rwanda, South Africa, SE Sudan, Swaziland (extinct, reintroduced), Tanzania, Uganda, S Zaire, Malawi, Zambia, and Zimbabwe.	1989	Lateral view of mounted skeleton pursued by skeleton of Lion		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Taurotragus</i>	<i>oryx</i>	Common Eland	Angola, Botswana, Burundi (extinct), S Dem. Rep. Congo, Ethiopia (seasonal in Omo Valley), Kenya, Lesotho (seasonal), Malawi, Mozambique, Namibia, Rwanda, South Africa, SE Sudan, Swaziland (extinct, reintroduced), Tanzania, Uganda, S Zaire, Malawi, Zambia, and Zimbabwe.	2143		26 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Lewa Wildlife Conservancy
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Taurotragus</i>	<i>oryx</i>	Common Eland	Angola, Botswana, Burundi (extinct), S Dem. Rep. Congo, Ethiopia (seasonal in Omo Valley), Kenya, Lesotho (seasonal), Malawi, Mozambique, Namibia, Rwanda, South Africa, SE Sudan, Swaziland (extinct, reintroduced), Tanzania, Uganda, S Zaire, Malawi, Zambia, and Zimbabwe.	2144		19 February 2008	Perry P	Tanzania, Serengeti National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tetracerus</i>	<i>quadricornis</i>	Four-horned Antelope	India, Nepal (Terai).	868	Side view of male feeding	1976	Groves CP	India, West Bengal, Calcutta (Kolkata) Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>angasii</i>	Nyala	S Malawi, Mozambique, South Africa (N and E Limpopo Prov., E Mpumalanga, and KwaZulu-Natal), Swaziland (extinct, reintroduced), and N and S Zimbabwe. Reintroduced or newly introduced to private land in South Africa and Namibia.	175	Side view of male. Also as Nyala <i>angasii</i> .	1976	Natal Parks Board, South Africa	South Africa, Kwazulu-Natal, Ndumu Game Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>angasii</i>	Nyala	S Malawi, Mozambique, South Africa (N and E Limpopo Prov., E Mpumalanga, and KwaZulu-Natal), Swaziland (extinct, reintroduced), and N and S Zimbabwe. Reintroduced or newly introduced to private land in South Africa and Namibia.	176	Side view of female. Also as Nyala <i>angasii</i> .	1976	Natal Parks Board, South Africa	South Africa, Kwazulu-Natal, Ndumu Game Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>angasii</i>	Nyala	S Malawi, Mozambique, South Africa (N and E Limpopo Prov., E Mpumalanga, and KwaZulu-Natal), Swaziland (extinct, reintroduced), and N and S Zimbabwe. Reintroduced or newly introduced to private land in South Africa and Namibia.	1795	Side view of male; recently as Nyala <i>angasii</i>	November, 1986	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>angasii</i>	Nyala	S Malawi, Mozambique, South Africa (N and E Limpopo Prov., E Mpumalanga, and KwaZulu-Natal), Swaziland (extinct, reintroduced), and N and S Zimbabwe. Reintroduced or newly introduced to private land in South Africa and Namibia.	2145	Also as Nyala angasii.	25 June 2005	Perry P	South Africa, Mpumalanga, Sabi Sand Game Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>angasii</i>	Nyala	S Malawi, Mozambique, South Africa (N and E Limpopo Prov., E Mpumalanga, and KwaZulu-Natal), Swaziland (extinct, reintroduced), and N and S Zimbabwe. Reintroduced or newly introduced to private land in South Africa and Namibia.	2146	Males displaying. Also as Nyala angasii.	13 May 2006	Perry P	South Africa, Kwazulu-Natal, Mkuze Game Reserve
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>buxtoni</i>	Mountain Nyala	Ethiopia E of Rift Valley	842	Side view of male. Also as Gedemsa.		Erickson W	Ethiopia, Oromia, Bale Mountains National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>eurycerus</i>	Bongo	Rain forest of W Africa in Benin, Côte d'Ivoire, Ghana, Guinea, Liberia, Sierra Leone, and Togo; C Africa in SE Cameroon, Central African Republic, Dem. Rep. Congo, NE Gabon, Republic of Congo, SW Sudan, Uganda (extinct); and in S Kenya. Occurrence in Equatorial Guinea (Mbini) questionable.	774	Side view of subadult		Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>eurycerus</i>	Bongo	Rain forest of W Africa in Benin, Côte d'Ivoire, Ghana, Guinea, Liberia, Sierra Leone, and Togo; C Africa in SE Cameroon, Central African Republic, Dem. Rep. Congo, NE Gabon, Republic of Congo, SW Sudan, Uganda (extinct); and in S Kenya. Occurrence in Equatorial Guinea (Mbini) questionable.	1796	Female suckling young	August, 1982	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>eurycerus</i>	Bongo	Rain forest of W Africa in Benin, Côte d'Ivoire, Ghana, Guinea, Liberia, Sierra Leone, and Togo; C Africa in SE Cameroon, Central African Republic, Dem. Rep. Congo, NE Gabon, Republic of Congo, SW Sudan, Uganda (extinct); and in S Kenya. Occurrence in Equatorial Guinea (Mbini) questionable.	1797	Side view of adult male with head turned	January, 1989	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>imberbis</i>	Lesser Kudu	SE Ethiopia, Kenya, Somalia, SE Sudan, E Tanzania, NE Uganda. Also apparently Yemen and SW Saudi Arabia.	609	Side view of female with young. Probably also as <i>Ammelaphus australis</i> , Southern Lesser Kudu.	1978	Joseph BE	USA, MO, St. Louis Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>imberbis</i>	Lesser Kudu	SE Ethiopia, Kenya, Somalia, SE Sudan, E Tanzania, NE Uganda. Also apparently Yemen and SW Saudi Arabia.	1594	Adult male, side view, standing, with head facing camera. Also as <i>Ammelaphus australis</i> , Southern Lesser Kudu.	November 22, 2003	Patterson BD	Kenya, Coast province, Taita-Taveta county, Tsavo Ranches
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>imberbis</i>	Lesser Kudu	SE Ethiopia, Kenya, Somalia, SE Sudan, E Tanzania, NE Uganda. Also apparently Yemen and SW Saudi Arabia.	1978	Also as <i>Ammelaphus australis</i> , Southern Lesser Kudu.		Groves CP	Qatar, Al Wabra (caught in southern Somalia)
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>imberbis</i>	Lesser Kudu	SE Ethiopia, Kenya, Somalia, SE Sudan, E Tanzania, NE Uganda. Also apparently Yemen and SW Saudi Arabia.	1979	Also as <i>Ammelaphus imberbis</i> , Northern Lesser Kudu	September, 2011	Groves CP	Ethiopia, Addis Ababa, Lion Zoo Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Tragelaphus</i>	<i>scriptus</i>	Bushbuck	Savanna and secondary forest in Angola, Benin, N and E Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbini), N Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S Mali, S Mauritania, Mozambique, NE Namibia (Caprivi Strip), SW Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S Somalia, E and S South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, and Zimbabwe. Not recorded from Lesotho.	179	Side view of female. Also as <i>T. sylvaticus</i> , Cape Bushbuck.	1976	Hickman GC	South Africa, Kwazulu-Natal, Ndumu Game Reserve
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Tragelaphus</i>	<i>scriptus</i>	Bushbuck	Savanna and secondary forest in Angola, Benin, N and E Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbini), N Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S Mali, S Mauritania, Mozambique, NE Namibia (Caprivi Strip), SW Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S Somalia, E and S South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, and Zimbabwe. Not recorded from Lesotho.	608	Lateral display of male. Also as <i>T. sylvaticus</i> , Cape Bushbuck.	1971	Waser P	Uganda, Ruwenzori Mountains National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Tragelaphus</i>	<i>scriptus</i>	Bushbuck	Savanna and secondary forest in Angola, Benin, N and E Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbini), N Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S Mali, S Mauritania, Mozambique, NE Namibia (Caprivi Strip), SW Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S Somalia, E and S South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, and Zimbabwe. Not recorded from Lesotho.	1654	Side view of grazing female. Also as <i>T. sylvaticus</i> , Cape Bushbuck.	November 6, 2008	Harding LE	South Africa, Limpopo or Mpumalanga, Kruger National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Tragelaphus</i>	<i>scriptus</i>	Bushbuck	Savanna and secondary forest in Angola, Benin, N and E Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbini), N Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S Mali, S Mauritania, Mozambique, NE Namibia (Caprivi Strip), SW Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S Somalia, E and S South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, and Zimbabwe. Not recorded from Lesotho.	2086	Lateral view of adult female. Recently as <i>T. sylvaticus</i> , Cape Bushbuck.	1 May 2011	BA Roberts	Kenya, Central province, Nyandarua county, Aberdare National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Tragelaphus</i>	<i>scriptus</i>	Bushbuck	Savanna and secondary forest in Angola, Benin, N and E Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbini), N Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S Mali, S Mauritania, Mozambique, NE Namibia (Caprivi Strip), SW Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S Somalia, E and S South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, and Zimbabwe. Not recorded from Lesotho.	2147	Also as <i>T. sylvaticus</i> , Cape Bushbuck	23 June 2009	Perry P	Kenya, Central province, Nyandarua county, Aberdare National Park
Artiodactyla	Bovidae	cattle, sheep, goats and antelopes	<i>Tragelaphus</i>	<i>scriptus</i>	Bushbuck	Savanna and secondary forest in Angola, Benin, N and E Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbini), N Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S Mali, S Mauritania, Mozambique, NE Namibia (Caprivi Strip), SW Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S Somalia, E and S South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, and Zimbabwe. Not recorded from Lesotho.	2148	Also as <i>T. ornatus</i> , Chobe Bushbuck.	25 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>spekii</i>	Sitatunga	Disjunct. Swamps in Gambia, W Guinea, Guinea Bissau, and S Senegal; not authentically recorded from Sierra Leone and doubtfully recorded from Côte d'Ivoire. Rainforest and swamps in C and E Angola, S Benin, N Botswana, Burundi, Cameroon, Central African Republic, Chad (Lake Chad only), Dem. Rep. Congo, Equatorial Guinea (Mbini), Gabon, SE Ghana, W Kenya, Mozambique (W Tete Prov. only), NE Namibia (Caprivi Strip only), Niger (Lake Chad only; extinct), S Nigeria (and Lake Chad), Republic of Congo, Rwanda, S Sudan, W and NW Tanzania, Togo (extinct?), Uganda, Zambia, and Zimbabwe (extreme NW). Occurrence in Ghana only recently confirmed.	992	Side view of female, T. s. selousi	1987	Kutunidisz K	Belgium, Antwerp, Muizen, Planckendael Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>spekii</i>	Sitatunga	Disjunct. Swamps in Gambia, W Guinea, Guinea Bissau, and S Senegal; not authentically recorded from Sierra Leone and doubtfully recorded from Côte d'Ivoire. Rainforest and swamps in C and E Angola, S Benin, N Botswana, Burundi, Cameroon, Central African Republic, Chad (Lake Chad only), Dem. Rep. Congo, Equatorial Guinea (Mbini), Gabon, SE Ghana, W Kenya, Mozambique (W Tete Prov. only), NE Namibia (Caprivi Strip only), Niger (Lake Chad only; extinct), S Nigeria (and Lake Chad), Republic of Congo, Rwanda, S Sudan, W and NW Tanzania, Togo (extinct?), Uganda, Zambia, and Zimbabwe (extreme NW). Occurrence in Ghana only recently confirmed.	1231	Three-quarter view from front, male	1991	Huckaby DG	USA, KS, Shawnee Co., Topeka Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>spekii</i>	Sitatunga	Disjunct. Swamps in Gambia, W Guinea, Guinea Bissau, and S Senegal; not authentically recorded from Sierra Leone and doubtfully recorded from Côte d'Ivoire. Rainforest and swamps in C and E Angola, S Benin, N Botswana, Burundi, Cameroon, Central African Republic, Chad (Lake Chad only), Dem. Rep. Congo, Equatorial Guinea (Mbini), Gabon, SE Ghana, W Kenya, Mozambique (W Tete Prov. only), NE Namibia (Caprivi Strip only), Niger (Lake Chad only; extinct), S Nigeria (and Lake Chad), Republic of Congo, Rwanda, S Sudan, W and NW Tanzania, Togo (extinct?), Uganda, Zambia, and Zimbabwe (extreme NW). Occurrence in Ghana only recently confirmed.	1980	Also as T. gratus, Western Sitatunga	1980's	Groves CP	Belgium, Antwerp, Muizen, Planckendael Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>spekii</i>	Sitatunga	Disjunct. Swamps in Gambia, W Guinea, Guinea Bissau, and S Senegal; not authentically recorded from Sierra Leone and doubtfully recorded from Côte d'Ivoire. Rainforest and swamps in C and E Angola, S Benin, N Botswana, Burundi, Cameroon, Central African Republic, Chad (Lake Chad only), Dem. Rep. Congo, Equatorial Guinea (Mbini), Gabon, SE Ghana, W Kenya, Mozambique (W Tete Prov. only), NE Namibia (Caprivi Strip only), Niger (Lake Chad only; extinct), S Nigeria (and Lake Chad), Republic of Congo, Rwanda, S Sudan, W and NW Tanzania, Togo (extinct?), Uganda, Zambia, and Zimbabwe (extreme NW). Occurrence in Ghana only recently confirmed.	1981	Also as <i>T. selousi</i> , Zambezi Sitatunga	1980's	Groves CP	Belgium, Antwerp, Muizen, Planckendael Zoo
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>strepsiceros</i>	Greater Kudu	Angola, Botswana, N Central African Republic, S Chad, SE Dem. Rep. Congo, Djibouti, N Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, Somalia (extinct?), South Africa, W and E Sudan, NE Uganda, Zambia, and Zimbabwe.	178	Side view of male. Also as <i>Strepsiceros zambesiensis</i> , Zambezi Greater Kudu.	1967	Ramsay ED (contributed by ED Cougrough)	South Africa, Limpopo or Mpumalanga, Kruger National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>strepsiceros</i>	Greater Kudu	Angola, Botswana, N Central African Republic, S Chad, SE Dem. Rep. Congo, Djibouti, N Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, Somalia (extinct?), South Africa, W and E Sudan, NE Uganda, Zambia, and Zimbabwe.	309	Two males sparring. Also as <i>Strepsiceros zambesiensis</i> , Zambezi Greater Kudu.	1978	Hickman GC	South Africa, Limpopo or Mpumalanga, Kruger National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>strepsiceros</i>	Greater Kudu	Angola, Botswana, N Central African Republic, S Chad, SE Dem. Rep. Congo, Djibouti, N Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, Somalia (extinct?), South Africa, W and E Sudan, NE Uganda, Zambia, and Zimbabwe.	1655	Rear, quartering view of trotting adult male. Also as <i>Strepsiceros zambesiensis</i> , Zambezi Greater Kudu.	November 5, 2008	Harding LE	South Africa, Limpopo or Mpumalanga, Kruger National Park
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>strepsiceros</i>	Greater Kudu	Angola, Botswana, N Central African Republic, S Chad, SE Dem. Rep. Congo, Djibouti, N Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, Somalia (extinct?), South Africa, W and E Sudan, NE Uganda, Zambia, and Zimbabwe.	1982	Also as <i>Strepsiceros zambesiensis</i> , Zambezi Greater Kudu.	August, 2009	Groves CP	Germany, Berlin, Zoological Garden
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>strepsiceros</i>	Greater Kudu	Angola, Botswana, N Central African Republic, S Chad, SE Dem. Rep. Congo, Djibouti, N Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, Somalia (extinct?), South Africa, W and E Sudan, NE Uganda, Zambia, and Zimbabwe.	2149	Also as <i>Strepsiceros zambesiensis</i> , Zambezi Greater Kudu.	2 October 2004	Perry P	Botswana, North West, Okavango Delta
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>strepsiceros</i>	Greater Kudu	Angola, Botswana, N Central African Republic, S Chad, SE Dem. Rep. Congo, Djibouti, N Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, Somalia (extinct?), South Africa, W and E Sudan, NE Uganda, Zambia, and Zimbabwe.	2150	Also as <i>Strepsiceros zambesiensis</i> , Zambezi Greater Kudu.	29 November 2009	Perry P	South Africa, Limpopo or Mpumalanga, Kruger National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Bovidae	cattle, sheep, goats, and antelopes	<i>Tragelaphus</i>	<i>strepsiceros</i>	Greater Kudu	Angola, Botswana, N Central African Republic, S Chad, SE Dem. Rep. Congo, Djibouti, N Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, Somalia (extinct?), South Africa, W and E Sudan, NE Uganda, Zambia, and Zimbabwe.	2333	Also as <i>Strepsiceros strepsiceros</i> , Cape Kudu.	14 April 2014	CP Groves	South Africa, Eastern Cape, Addo Elephant National Park
Artiodactyla	Camelidae	camels	<i>Camelus</i>	<i>bactrianus</i>	Bactrian Camel	Exists in the wild in SW Mongolia and China (Gansu, Tsinghai, and Sinkiang); domesticated in Iran, Afghanistan, and Pakistan, north to Kazakhstan, Mongolia, and China.	616	Side view of captive	1972	Master LL	Norway
Artiodactyla	Camelidae	camels	<i>Camelus</i>	<i>bactrianus</i>	Bactrian Camel	Exists in the wild in SW Mongolia and China (Gansu, Tsinghai, and Sinkiang); domesticated in Iran, Afghanistan, and Pakistan, north to Kazakhstan, Mongolia, and China.	1752	Close-up of head with mouth wide open	1992	Fink, KW - contributed by DG Huckaby	
Artiodactyla	Camelidae	camels	<i>Camelus</i>	<i>bactrianus</i>	Bactrian Camel	Exists in the wild in SW Mongolia and China (Gansu, Tsinghai, and Sinkiang); domesticated in Iran, Afghanistan, and Pakistan, north to Kazakhstan, Mongolia, and China.	1798	Side view of walking adult	August 25, 2002	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Camelidae	camels	<i>Camelus</i>	<i>dromedarius</i>	One-humped Camel	Extinct in the wild; domesticated from wild populations which presumably had become restricted to the S Arabian Peninsula; domesticated in Senegal and Mauritania to Somalia and Kenya, throughout N Africa, the Middle East, Arabia, and Iran to NW India; feral populations in Australia.	316	Small group	1962	Glass BP	Ethiopia, Oromia, Erer Valley East of Harar
Artiodactyla	Camelidae	camels	<i>Camelus</i>	<i>dromedarius</i>	One-humped Camel	Extinct in the wild; domesticated from wild populations which presumably had become restricted to the S Arabian Peninsula; domesticated in Senegal and Mauritania to Somalia and Kenya, throughout N Africa, the Middle East, Arabia, and Iran to NW India; feral populations in Australia.	810	Close-up of feet in sand, showing digitigrade toes	1980	Oaks EC	Australia, NT, Alice Springs
Artiodactyla	Camelidae	camels	<i>Camelus</i>	<i>dromedarius</i>	Dromedary Camel	Extinct in the wild; domesticated from wild populations which presumably had become restricted to the S Arabian Peninsula; domesticated in Senegal and Mauritania to Somalia and Kenya, throughout N Africa, the Middle East, Arabia, and Iran to NW India; feral populations in Australia.	1753	Adult lying down to show calluses	1982	Fink, KW - contributed by DG Huckaby	
Artiodactyla	Camelidae	camels	<i>Camelus</i>	<i>dromedarius</i>	Dromedary Camel	Extinct in the wild; domesticated from wild populations which presumably had become restricted to the S Arabian Peninsula; domesticated in Senegal and Mauritania to Somalia and Kenya, throughout N Africa, the Middle East, Arabia, and Iran to NW India; feral populations in Australia.	1799	Side view of walking adult	August 12, 2004	Huckaby, DG	USA, CA, Alameda Co., Oakland Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Camelidae	camels	<i>Lama</i>	<i>glama</i>	Guanaco	Cordilleras of the Andes, Patagonia, and Tierra del Fuego in Argentina, Bolivia, Chile (including Navarino Isl), NW Paraguay, and S Peru. Domesticated as the Llama in S Peru, W Bolivia, and NW Argentina.	317	Side view of adult, probably L. g. guanicoe	1965	Glass BP	UK, England, London Zoo
Artiodactyla	Camelidae	camels	<i>Lama</i>	<i>glama</i>	Guanaco (Llama and Alpaca)	Cordilleras of the Andes, Patagonia, and Tierra del Fuego in Argentina, Bolivia, Chile (including Navarino Isl), NW Paraguay, and S Peru. Domesticated as the Llama in S Peru, W Bolivia, and NW Argentina.	474	Small herd of both Llama and Alpaca (also as L. pacos)	1973	Hall JG	Bolivia, Altiplano
Artiodactyla	Camelidae	camels	<i>Lama</i>	<i>glama</i>	Guanaco	Cordilleras of the Andes, Patagonia, and Tierra del Fuego in Argentina, Bolivia, Chile (including Navarino Isl), NW Paraguay, and S Peru. Domesticated as the Llama in S Peru, W Bolivia, and NW Argentina.	617	Side view of adult and young, probably L. g. guanicoe. Also as L. guanicoe	1974	Raedeke KJ	Chile, Magallanes and Chilean Antarctic, Tierra del Fuego
Artiodactyla	Camelidae	camels	<i>Lama</i>	<i>glama</i>	Guanaco	Cordilleras of the Andes, Patagonia, and Tierra del Fuego in Argentina, Bolivia, Chile (including Navarino Isl), NW Paraguay, and S Peru. Domesticated as the Llama in S Peru, W Bolivia, and NW Argentina.	789	Herd with juveniles, probably L. g. guanicoe. Also as L. guanicoe.	1982	Chehebar CE	Argentina, Mendoza
Artiodactyla	Camelidae	camels	<i>Lama</i>	<i>glama</i>	Guanaco (Llama)	Cordilleras of the Andes, Patagonia, and Tierra del Fuego in Argentina, Bolivia, Chile (including Navarino Isl), NW Paraguay, and S Peru. Domesticated as the Llama in S Peru, W Bolivia, and NW Argentina.	806	Side view of skull, L. g. glama		Oaks EC	
Artiodactyla	Camelidae	camels	<i>Lama</i>	<i>glama</i>	Guanaco (Alpaca)	Cordilleras of the Andes, Patagonia, and Tierra del Fuego in Argentina, Bolivia, Chile (including Navarino Isl), NW Paraguay, and S Peru. Domesticated as the Llama in S Peru, W Bolivia, and NW Argentina.	954	Side view. Complicated hybrid with <i>V. vicugna</i> . Also as Lama (or Vicugna) vicugna or Lama (or Vicugna) pacos.	1973	Hall JG	Peru, Cuzco, Machu Picchu
Artiodactyla	Camelidae	camels	<i>Lama</i>	<i>glama</i>	Guanaco	Cordilleras of the Andes, Patagonia, and Tierra del Fuego in Argentina, Bolivia, Chile (including Navarino Isl), NW Paraguay, and S Peru. Domesticated as the Llama in S Peru, W Bolivia, and NW Argentina.	1656	Front, quartering view of standing male; feet visible. Also as L. guanicoe	November 15, 2009	Harding LE	Chile, Antofagasta, San Pedro de Atacama
Artiodactyla	Camelidae	camels	<i>Lama</i>	<i>glama</i>	Guanaco (Alpaca)	Cordilleras of the Andes, Patagonia, and Tierra del Fuego in Argentina, Bolivia, Chile (including Navarino Isl), NW Paraguay, and S Peru. Domesticated as the Llama in S Peru, W Bolivia, and NW Argentina.	1754	Side view of shorn adult. Complicated hybrid with <i>V. vicugna</i> . Also as Lama (or Vicugna) vicugna or Lama (or Vicugna) pacos.	1976	Fink, KW - contributed by DG Huckaby	
Artiodactyla	Camelidae	camels	<i>Lama</i>	<i>glama</i>	Guanaco	Cordilleras of the Andes, Patagonia, and Tierra del Fuego in Argentina, Bolivia, Chile (including Navarino Isl), NW Paraguay, and S Peru. Domesticated as the Llama in S Peru, W Bolivia, and NW Argentina.	1800	Side view of standing adult. Also as L. guanicoe	September 19, 2003	Huckaby, DG	USA, LA, Orleans Par., New Orleans, Audubon Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Camelidae	camels	<i>Vicugna</i>	<i>vicugna</i>	Vicugna	NW Argentina, W Bolivia, N Chile, and S Peru.	777	Side view of adult male on alert. Also as Lama vicugna.		Svendsen GE	Peru
Artiodactyla	Camelidae	camels	<i>Vicugna</i>	<i>vicugna</i>	Vicugna	NW Argentina, W Bolivia, N Chile, and S Peru.	778	Family of five. Also as Lama vicugna.		Svendsen GE	Peru
Artiodactyla	Cervidae	deer	<i>Alces</i>	<i>americanus</i>	Moose	Russia (E Siberia), east of the Yenisei River east to Anadyr region (E Siberia) and south to N Mongolia and N China (N of Inner Mongolia and Manchuria). N America in Canada and N USA (including Alaska); introduced to New Zealand where now extinct.	192	Side view of bull	1975	Twiest GL	USA, WY, Yellowstone National Park
Artiodactyla	Cervidae	deer	<i>Alces</i>	<i>americanus</i>	Moose	Russia (E Siberia), east of the Yenisei River east to Anadyr region (E Siberia) and south to N Mongolia and N China (N of Inner Mongolia and Manchuria). N America in Canada and N USA (including Alaska); introduced to New Zealand where now extinct.	618	Close-up, head and shoulders of male	1977	Wolff JO	USA, AK, Denali National Park
Artiodactyla	Cervidae	deer	<i>Axis</i>	<i>axis</i>	Chital	India (incl. Sikkim), Nepal, and Sri Lanka; introduced to Andaman Isls, Argentina, Armenia, Australia, Brazil, Croatia, Moldavia, Pakistan, Papua New Guinea, Ukraine, Uruguay, and USA (Florida, Hawaiian Isls, and Texas).	188	Side view of captive buck	1969	Hickman GC	USA, FL, Hillsborough Co., Tampa
Artiodactyla	Cervidae	deer	<i>Axis</i>	<i>axis</i>	Axis Deer	India (incl. Sikkim), Nepal, and Sri Lanka; introduced to Andaman Isls, Argentina, Armenia, Australia, Brazil, Croatia, Moldavia, Pakistan, Papua New Guinea, Ukraine, Uruguay, and USA (Florida, Hawaiian Isls, and Texas).	1801	Herd of both sexes and various ages	August, 1988	Huckaby, DG	USA, CA, San Francisco Co., San Francisco Zoo
Artiodactyla	Cervidae	deer	<i>Axis</i>	<i>axis</i>	Chital	India (incl. Sikkim), Nepal, and Sri Lanka; introduced to Andaman Isls, Argentina, Armenia, Australia, Brazil, Croatia, Moldavia, Pakistan, Papua New Guinea, Ukraine, Uruguay, and USA (Florida, Hawaiian Isls, and Texas).	2151	Also as Spotted Deer	6 March 2005	Perry P	India, Rajasthan, Ranthambore National Park
Artiodactyla	Cervidae	deer	<i>Axis</i>	<i>axis</i>	Chital	India (incl. Sikkim), Nepal, and Sri Lanka; introduced to Andaman Isls, Argentina, Armenia, Australia, Brazil, Croatia, Moldavia, Pakistan, Papua New Guinea, Ukraine, Uruguay, and USA (Florida, Hawaiian Isls, and Texas).	2152	Also as Spotted Deer	6 March 2005	Perry P	India, Rajasthan, Ranthambore National Park
Artiodactyla	Cervidae	deer	<i>Axis</i>	<i>kuhlii</i>	Bawean Deer	Indonesia, Bawean Isl. Specimen in Institute of Zoology, Beijing, labelled from Bangka Isl, off Sumatra, Indonesia.	1755	Male in velvet, female, and juvenile	1992	Fink, KW - contributed by DG Huckaby	
Artiodactyla	Cervidae	deer	<i>Axis</i>	<i>kuhlii</i>	Bawean Deer	Indonesia, Bawean Isl. Specimen in Institute of Zoology, Beijing, labelled from Bangka Isl, off Sumatra, Indonesia.	1756	Male with hard antlers displaying to female	1992	Fink, KW - contributed by DG Huckaby	
Artiodactyla	Cervidae	deer	<i>Axis</i>	<i>porcinus</i>	Hog Deer	Bangladesh, Burma, Cambodia, China (Yunnan), N India, Laos, Nepal, Pakistan, Sri Lanka (introduced?), and S Vietnam; introduced to S Australia.	1078	Side view of adult male		Kutunidisz K	France, Paris, Paris Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Cervidae	deer	<i>Axis</i>	<i>porcinus</i>	Hog Deer	Bangladesh, Burma, Cambodia, China (Yunnan), N India, Laos, Nepal, Pakistan, Sri Lanka (introduced?), and S Vietnam; introduced to S Australia.	1802	Adult male in velvet facing camera and reclining	June 21, 1991	Huckaby, DG	USA, OK, Oklahoma Co., Oklahoma City Zoo
Artiodactyla	Cervidae	deer	<i>Blastocerus</i>	<i>dichotomus</i>	Marsh Deer	N Argentina, Bolivia, Brazil (S of Amazon River), Paraguay, E Peru, and Uruguay.	1074	Oblique view of female standing		Kutunidisiz K	Germany, Berlin Zoological Garden
Artiodactyla	Cervidae	deer	<i>Blastocerus</i>	<i>dichotomus</i>	Marsh Deer	N Argentina, Bolivia, Brazil (S of Amazon River), Paraguay, E Peru, and Uruguay.	1694	Adult male in velvet	2009	Semedo TBF	Brazil, Mato Grosso, Município do Poconé, Arara lodge, near Transpantaneira Road
Artiodactyla	Cervidae	deer	<i>Capreolus</i>	<i>capreolus</i>	European Roe	Europe (excluding Corsica, Ireland, Sardinia, and Sicily) to W Russia and Ukraine, Turkey, Caucasus region, NW Syria, N Iraq, N Iran; extinct in Lebanon and Israel; Protoneolithic record from Jordan (Jericho).	942	Larch tree damaged by deer	1986	Andera M	Czech Republic, Prague
Artiodactyla	Cervidae	deer	<i>Capreolus</i>	<i>capreolus</i>	European Roe	Europe (excluding Corsica, Ireland, Sardinia, and Sicily) to W Russia and Ukraine, Turkey, Caucasus region, NW Syria, N Iraq, N Iran; extinct in Lebanon and Israel; Protoneolithic record from Jordan (Jericho).	1232	Side view of 3-day-old fawn, with spots	1993	Andera M	Czech Republic, Plzen or South Bohemia, Sumava Mountains
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>elaphus</i>	Red Deer	N Africa in NE Algeria and Tunisia. All states of continental Europe east to S Norway, S Sweden, Ukraine and Caucasus (Armenia, Azerbaijan, Georgia, and Russia); extinct in Albania, Moldavia, and Sicily; introduced but now extinct on Lampedusa Isl and islands off Sicily; in Corsica and Sardinia only since Neolithic; not in Finland; reintroduced into Belorussia, Estonia, Kaliningrad, Latvia, and Lithuania. Near and Middle East in Turkey, N Iran, and Iraq; extinct in Israel, Jordan, Lebanon, and Syria. C Asia in Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan (extinct), Uzbekistan, N Afghanistan, N India (Kashmir Valley), N Pakistan (vagrant), east to Siberia, Mongolia, W and N China (Gansu, Inner Mongolia, Jilin, Liaoning, Manchuria, Ninxia, Shaanxi, Shanxi, Sichuan, and E Tibet including Qinghai), Korea, and Ussuri region (Russia). Canada and USA, where now restricted to western areas and reserves. Red Deer (<i>elaphus</i> division) introduced to Morocco, USA, Argentina, Chile, Australia, and New Zealand; Elk or Wapiti (<i>canadensis</i> division) introduced to Ural Mtns and Volga Steppe (Russia), and New Zealand.	189	Side view of bull with dorsal view of antlers, <i>C. e. canadensis</i> . Also as <i>C. c. canadensis</i> , American Elk or Wapiti	1975	Twiest GL	USA, WY, Yellowstone National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>elaphus</i>	Red Deer	N Africa in NE Algeria and Tunisia. All states of continental Europe east to S Norway, S Sweden, Ukraine and Caucasus (Armenia, Azerbaijan, Georgia, and Russia); extinct in Albania, Moldavia, and Sicily; introduced but now extinct on Lampedusa Isl and islands off Sicily; in Corsica and Sardinia only since Neolithic; not in Finland; reintroduced into Belorussia, Estonia, Kaliningrad, Latvia, and Lithuania. Near and Middle East in Turkey, N Iran, and Iraq; extinct in Israel, Jordan, Lebanon, and Syria. C Asia in Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan (extinct), Uzbekistan, N Afghanistan, N India (Kashmir Valley), N Pakistan (vagrant), east to Siberia, Mongolia, W and N China (Gansu, Inner Mongolia, Jilin, Liaoning, Manchuria, Ninxia, Shaanxi, Shanxi, Sichuan, and E Tibet including Qinghai), Korea, and Ussuri region (Russia). Canada and USA, where now restricted to western areas and reserves. Red Deer (<i>elaphus</i> division) introduced to Morocco, USA, Argentina, Chile, Australia, and New Zealand; Elk or Wapiti (<i>canadensis</i> division) introduced to Ural Mtns and Volga Steppe (Russia), and New Zealand.	190	Group of Tule Elk, <i>C. e. nannodes</i> . Also as <i>C. c. nannodes</i> , American Elk or Wapiti		Audio Visual Office, US Fish & Wildlife Service (photo by LC Goldman)	USA, CA, San Joaquin Valley
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>elaphus</i>	Red Deer	N Africa in NE Algeria and Tunisia. All states of continental Europe east to S Norway, S Sweden, Ukraine and Caucasus (Armenia, Azerbaijan, Georgia, and Russia); extinct in Albania, Moldavia, and Sicily; introduced but now extinct on Lampedusa Isl and islands off Sicily; in Corsica and Sardinia only since Neolithic; not in Finland; reintroduced into Belorussia, Estonia, Kaliningrad, Latvia, and Lithuania. Near and Middle East in Turkey, N Iran, and Iraq; extinct in Israel, Jordan, Lebanon, and Syria. C Asia in Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan (extinct), Uzbekistan, N Afghanistan, N India (Kashmir Valley), N Pakistan (vagrant), east to Siberia, Mongolia, W and N China (Gansu, Inner Mongolia, Jilin, Liaoning, Manchuria, Ninxia, Shaanxi, Shanxi, Sichuan, and E Tibet including Qinghai), Korea, and Ussuri region (Russia). Canada and USA, where now restricted to western areas and reserves. Red Deer (<i>elaphus</i> division) introduced to Morocco, USA, Argentina, Chile, Australia, and New Zealand; Elk or Wapiti (<i>canadensis</i> division) introduced to Ural Mtns and Volga Steppe (Russia), and New Zealand.	191	Side view of cow, <i>C. e. canadensis</i> . Also as <i>C. c. canadensis</i> , American Elk or Wapiti	1975	Twiest GL	USA, WY, Yellowstone National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>elaphus</i>	Red Deer	N Africa in NE Algeria and Tunisia. All states of continental Europe east to S Norway, S Sweden, Ukraine and Caucasus (Armenia, Azerbaijan, Georgia, and Russia); extinct in Albania, Moldavia, and Sicily; introduced but now extinct on Lampedusa Isl and islands off Sicily; in Corsica and Sardinia only since Neolithic; not in Finland; reintroduced into Belorussia, Estonia, Kaliningrad, Latvia, and Lithuania. Near and Middle East in Turkey, N Iran, and Iraq; extinct in Israel, Jordan, Lebanon, and Syria. C Asia in Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan (extinct), Uzbekistan, N Afghanistan, N India (Kashmir Valley), N Pakistan (vagrant), east to Siberia, Mongolia, W and N China (Gansu, Inner Mongolia, Jilin, Liaoning, Manchuria, Ninxia, Shaanxi, Shanxi, Sichuan, and E Tibet including Qinghai), Korea, and Ussuri region (Russia). Canada and USA, where now restricted to western areas and reserves. Red Deer (<i>elaphus</i> division) introduced to Morocco, USA, Argentina, Chile, Australia, and New Zealand; Elk or Wapiti (<i>canadensis</i> division) introduced to Ural Mtns and Volga Steppe (Russia), and New Zealand.	318	Side view of calf, <i>C. e. canadensis</i> . Also as <i>C. c. canadensis</i> , American Elk or Wapiti	1975	Twiest GL	USA, WY, Yellowstone National Park
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>elaphus</i>	Red Deer	N Africa in NE Algeria and Tunisia. All states of continental Europe east to S Norway, S Sweden, Ukraine and Caucasus (Armenia, Azerbaijan, Georgia, and Russia); extinct in Albania, Moldavia, and Sicily; introduced but now extinct on Lampedusa Isl and islands off Sicily; in Corsica and Sardinia only since Neolithic; not in Finland; reintroduced into Belorussia, Estonia, Kaliningrad, Latvia, and Lithuania. Near and Middle East in Turkey, N Iran, and Iraq; extinct in Israel, Jordan, Lebanon, and Syria. C Asia in Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan (extinct), Uzbekistan, N Afghanistan, N India (Kashmir Valley), N Pakistan (vagrant), east to Siberia, Mongolia, W and N China (Gansu, Inner Mongolia, Jilin, Liaoning, Manchuria, Ninxia, Shaanxi, Shanxi, Sichuan, and E Tibet including Qinghai), Korea, and Ussuri region (Russia). Canada and USA, where now restricted to western areas and reserves. Red Deer (<i>elaphus</i> division) introduced to Morocco, USA, Argentina, Chile, Australia, and New Zealand; Elk or Wapiti (<i>canadensis</i> division) introduced to Ural Mtns and Volga Steppe (Russia), and New Zealand.	809	Adult male with females, <i>C. e. canadensis</i> . Also as <i>C. c. canadensis</i>	1979	Oaks EC	USA, UT, Cache Co.

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>elaphus</i>	Red Deer	N Africa in NE Algeria and Tunisia. All states of continental Europe east to S Norway, S Sweden, Ukraine and Caucasus (Armenia, Azerbaijan, Georgia, and Russia); extinct in Albania, Moldavia, and Sicily; introduced but now extinct on Lampedusa Isl and islands off Sicily; in Corsica and Sardinia only since Neolithic; not in Finland; reintroduced into Belorussia, Estonia, Kaliningrad, Latvia, and Lithuania. Near and Middle East in Turkey, N Iran, and Iraq; extinct in Israel, Jordan, Lebanon, and Syria. C Asia in Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan (extinct), Uzbekistan, N Afghanistan, N India (Kashmir Valley), N Pakistan (vagrant), east to Siberia, Mongolia, W and N China (Gansu, Inner Mongolia, Jilin, Liaoning, Manchuria, Ninxia, Shaanxi, Shanxi, Sichuan, and E Tibet including Qinghai), Korea, and Ussuri region (Russia). Canada and USA, where now restricted to western areas and reserves. Red Deer (<i>elaphus</i> division) introduced to Morocco, USA, Argentina, Chile, Australia, and New Zealand; Elk or Wapiti (<i>canadensis</i> division) introduced to Ural Mtns and Volga Steppe (Russia), and New Zealand.	863	Male lying down, C. e. yarkandensis. Also as C. yarkandensis, Yarkand Stag	1982	Kutunidisiz K	Germany, Berlin, Tierpark Berlin
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>elaphus</i>	Red Deer	N Africa in NE Algeria and Tunisia. All states of continental Europe east to S Norway, S Sweden, Ukraine and Caucasus (Armenia, Azerbaijan, Georgia, and Russia); extinct in Albania, Moldavia, and Sicily; introduced but now extinct on Lampedusa Isl and islands off Sicily; in Corsica and Sardinia only since Neolithic; not in Finland; reintroduced into Belorussia, Estonia, Kaliningrad, Latvia, and Lithuania. Near and Middle East in Turkey, N Iran, and Iraq; extinct in Israel, Jordan, Lebanon, and Syria. C Asia in Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan (extinct), Uzbekistan, N Afghanistan, N India (Kashmir Valley), N Pakistan (vagrant), east to Siberia, Mongolia, W and N China (Gansu, Inner Mongolia, Jilin, Liaoning, Manchuria, Ninxia, Shaanxi, Shanxi, Sichuan, and E Tibet including Qinghai), Korea, and Ussuri region (Russia). Canada and USA, where now restricted to western areas and reserves. Red Deer (<i>elaphus</i> division) introduced to Morocco, USA, Argentina, Chile, Australia, and New Zealand; Elk or Wapiti (<i>canadensis</i> division) introduced to Ural Mtns and Volga Steppe (Russia), and New Zealand.	864	Female standing, side view, C. e. yarkandensis. Also as C. yarkandensis, Yarkand Stag	1982	Kutunidisiz K	Germany, Berlin, Tierpark Berlin

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>elaphus</i>	Red Deer	N Africa in NE Algeria and Tunisia. All states of continental Europe east to S Norway, S Sweden, Ukraine and Caucasus (Armenia, Azerbaijan, Georgia, and Russia); extinct in Albania, Moldavia, and Sicily; introduced but now extinct on Lampedusa Isl and islands off Sicily; in Corsica and Sardinia only since Neolithic; not in Finland; reintroduced into Belorussia, Estonia, Kaliningrad, Latvia, and Lithuania. Near and Middle East in Turkey, N Iran, and Iraq; extinct in Israel, Jordan, Lebanon, and Syria. C Asia in Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan (extinct), Uzbekistan, N Afghanistan, N India (Kashmir Valley), N Pakistan (vagrant), east to Siberia, Mongolia, W and N China (Gansu, Inner Mongolia, Jilin, Liaoning, Manchuria, Ninxia, Shaanxi, Shanxi, Sichuan, and E Tibet including Qinghai), Korea, and Ussuri region (Russia). Canada and USA, where now restricted to western areas and reserves. Red Deer (<i>elaphus</i> division) introduced to Morocco, USA, Argentina, Chile, Australia, and New Zealand; Elk or Wapiti (<i>canadensis</i> division) introduced to Ural Mtns and Volga Steppe (Russia), and New Zealand.	1077	Group of females with young standing in field, C. e. nannodes. Also as C. c. nannodes, American Elk or Wapiti	1987	Harris J	USA, CA, Kern Co., Tule Elk State Reserve
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>elaphus</i>	Red Deer	N Africa in NE Algeria and Tunisia. All states of continental Europe east to S Norway, S Sweden, Ukraine and Caucasus (Armenia, Azerbaijan, Georgia, and Russia); extinct in Albania, Moldavia, and Sicily; introduced but now extinct on Lampedusa Isl and islands off Sicily; in Corsica and Sardinia only since Neolithic; not in Finland; reintroduced into Belorussia, Estonia, Kaliningrad, Latvia, and Lithuania. Near and Middle East in Turkey, N Iran, and Iraq; extinct in Israel, Jordan, Lebanon, and Syria. C Asia in Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan (extinct), Uzbekistan, N Afghanistan, N India (Kashmir Valley), N Pakistan (vagrant), east to Siberia, Mongolia, W and N China (Gansu, Inner Mongolia, Jilin, Liaoning, Manchuria, Ninxia, Shaanxi, Shanxi, Sichuan, and E Tibet including Qinghai), Korea, and Ussuri region (Russia). Canada and USA, where now restricted to western areas and reserves. Red Deer (<i>elaphus</i> division) introduced to Morocco, USA, Argentina, Chile, Australia, and New Zealand; Elk or Wapiti (<i>canadensis</i> division) introduced to Ural Mtns and Volga Steppe (Russia), and New Zealand.	1278	Bull bugling, C. e. canadensis. Also as C. c. canadensis	1988	Haweeli JD	USA, WY, Yellowstone National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>elaphus</i>	Red Deer	N Africa in NE Algeria and Tunisia. All states of continental Europe east to S Norway, S Sweden, Ukraine and Caucasus (Armenia, Azerbaijan, Georgia, and Russia); extinct in Albania, Moldavia, and Sicily; introduced but now extinct on Lampedusa Isl and islands off Sicily; in Corsica and Sardinia only since Neolithic; not in Finland; reintroduced into Belorussia, Estonia, Kaliningrad, Latvia, and Lithuania. Near and Middle East in Turkey, N Iran, and Iraq; extinct in Israel, Jordan, Lebanon, and Syria. C Asia in Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan (extinct), Uzbekistan, N Afghanistan, N India (Kashmir Valley), N Pakistan (vagrant), east to Siberia, Mongolia, W and N China (Gansu, Inner Mongolia, Jilin, Liaoning, Manchuria, Ninxia, Shaanxi, Shanxi, Sichuan, and E Tibet including Qinghai), Korea, and Ussuri region (Russia). Canada and USA, where now restricted to western areas and reserves. Red Deer (<i>elaphus</i> division) introduced to Morocco, USA, Argentina, Chile, Australia, and New Zealand; Elk or Wapiti (<i>canadensis</i> division) introduced to Ural Mtns and Volga Steppe (Russia), and New Zealand.	1924	side view, spotted juvenile, also as <i>C. canadensis</i> , Elk or Wapiti	July 12, 2011	Hale DW	USA, AZ, Coconino co., South Rim, Grand Canyon National Park
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>elaphus</i>	Red Deer	N Africa in NE Algeria and Tunisia. All states of continental Europe east to S Norway, S Sweden, Ukraine and Caucasus (Armenia, Azerbaijan, Georgia, and Russia); extinct in Albania, Moldavia, and Sicily; introduced but now extinct on Lampedusa Isl and islands off Sicily; in Corsica and Sardinia only since Neolithic; not in Finland; reintroduced into Belorussia, Estonia, Kaliningrad, Latvia, and Lithuania. Near and Middle East in Turkey, N Iran, and Iraq; extinct in Israel, Jordan, Lebanon, and Syria. C Asia in Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan (extinct), Uzbekistan, N Afghanistan, N India (Kashmir Valley), N Pakistan (vagrant), east to Siberia, Mongolia, W and N China (Gansu, Inner Mongolia, Jilin, Liaoning, Manchuria, Ninxia, Shaanxi, Shanxi, Sichuan, and E Tibet including Qinghai), Korea, and Ussuri region (Russia). Canada and USA, where now restricted to western areas and reserves. Red Deer (<i>elaphus</i> division) introduced to Morocco, USA, Argentina, Chile, Australia, and New Zealand; Elk or Wapiti (<i>canadensis</i> division) introduced to Ural Mtns and Volga Steppe (Russia), and New Zealand.	1925	young calf, curled up, lying down, also as <i>C. canadensis</i> , Elk or Wapiti	July 12, 2011	Hale DW	USA, AZ, Coconino co., South Rim, Grand Canyon National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>nippon</i>	Sika	China (Manchuria south to Guangxi, and Sichuan to Anhui), Korea (incl. Cheju Isl), Japan (incl. Tsushima Isls), Russia (Soviet Far East), Taiwan (extinct but reintroduced), and Vietnam. Apparently wild populations now very localised in China. Presumably anciently introduced to Philippines (Solo Isl; still extant?). Introduced in 17th century to Kerama Isls (Ryukyu Isls). Introduced in 19th-20th centuries to British Isles, mainland Europe (Armenia, Austria, Azerbaijan, Czech Republic, Denmark, Finland, France, Germany, Kaliningrad, Lithuania, Poland, W Russia, and Ukraine), New Zealand, USA, and small islands off Japan.	779	Oblique view of young female, <i>C. n. taiouanus</i> . Also as <i>C. taiouanus</i> , Taiwanese Sika	1975	Wagner PI	USA, CA, Sacramento Zoo
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>nippon</i>	Sika	China (Manchuria south to Guangxi, and Sichuan to Anhui), Korea (incl. Cheju Isl), Japan (incl. Tsushima Isls), Russia (Soviet Far East), Taiwan (extinct but reintroduced), and Vietnam. Apparently wild populations now very localised in China. Presumably anciently introduced to Philippines (Solo Isl; still extant?). Introduced in 17th century to Kerama Isls (Ryukyu Isls). Introduced in 19th-20th centuries to British Isles, mainland Europe (Armenia, Austria, Azerbaijan, Czech Republic, Denmark, Finland, France, Germany, Kaliningrad, Lithuania, Poland, W Russia, and Ukraine), New Zealand, USA, and small islands off Japan.	943	Two adult males in velvet, one female lying down. Also as <i>C. pseudaxis</i> , Vietnamese Sika	1986	Kutunidisiz K	France, Alsace, Mulhouse Zoo
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>nippon</i>	Sika	China (Manchuria south to Guangxi, and Sichuan to Anhui), Korea (incl. Cheju Isl), Japan (incl. Tsushima Isls), Russia (Soviet Far East), Taiwan (extinct but reintroduced), and Vietnam. Apparently wild populations now very localised in China. Presumably anciently introduced to Philippines (Solo Isl; still extant?). Introduced in 17th century to Kerama Isls (Ryukyu Isls). Introduced in 19th-20th centuries to British Isles, mainland Europe (Armenia, Austria, Azerbaijan, Czech Republic, Denmark, Finland, France, Germany, Kaliningrad, Lithuania, Poland, W Russia, and Ukraine), New Zealand, USA, and small islands off Japan.	1983	Also as <i>C. aplodontus</i> , Northern Japanese Sika.	September, 1969	Groves CP	Japan, Honshu, Nara Deer Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Cervidae	deer	<i>Cervus</i>	<i>nippon</i>	Sika	China (Manchuria south to Guangxi, and Sichuan to Anhui), Korea (incl. Cheju Isl), Japan (incl. Tsushima Isls), Russia (Soviet Far East), Taiwan (extinct but reintroduced), and Vietnam. Apparently wild populations now very localised in China. Presumably anciently introduced to Philippines (Solo Isl; still extant?). Introduced in 17th century to Kerama Isls (Ryukyu Isls). Introduced in 19th-20th centuries to British Isles, mainland Europe (Armenia, Austria, Azerbaijan, Czech Republic, Denmark, Finland, France, Germany, Kaliningrad, Lithuania, Poland, W Russia, and Ukraine), New Zealand, USA, and small islands off Japan.	1984	Also as <i>C. pseudaxis</i> , Vietnamese Sika.	September, 2009	Groves CP	Germany, Berlin, Tierpark Berlin
Artiodactyla	Cervidae	deer	<i>Dama</i>	<i>dama</i>	Fallow Deer	Naturally wild populations of nominate form still present in S Turkey; introduced into nearly all countries of Europe (incl. Lithuania and Ukraine), South Africa, Australia, New Zealand, USA, Argentina, Chile, Peru, and Uruguay, as well as islands in Fijian group, Lesser Antilles, and off W Canadian Coast. Subspecies <i>mesopotamica</i> formerly in Iraq, Israel, Jordan, Lebanon, E Turkey, and possibly Syria; survives in W Iran.	1075	Close-up of head of adult male. D. d. <i>mesopotamica</i> , Mesopotamian Fallow Deer	1986	Andera M	Germany, Berlin Zoological Garden
Artiodactyla	Cervidae	deer	<i>Dama</i>	<i>dama</i>	Fallow Deer	Naturally wild populations of nominate form still present in S Turkey; introduced into nearly all countries of Europe (incl. Lithuania and Ukraine), South Africa, Australia, New Zealand, USA, Argentina, Chile, Peru, and Uruguay, as well as islands in Fijian group, Lesser Antilles, and off W Canadian Coast. Subspecies <i>mesopotamica</i> formerly in Iraq, Israel, Jordan, Lebanon, E Turkey, and possibly Syria; survives in W Iran.	1076	Oblique view of adult female, lying on ground. D. d. <i>mesopotamica</i> , Mesopotamian Fallow Deer		Kutunidisiz K	Germany, Berlin, Tierpark Berlin
Artiodactyla	Cervidae	deer	<i>Elaphodus</i>	<i>cephalophus</i>	Tufted Deer	N Burma and S and C China (S Gansu to Yunnan).	1233	Side view, standing, male	1991	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Cervidae	deer	<i>Elaphurus</i>	<i> davidianus</i>	Pere David's Deer	Formerly NE China; extinct in wild since 3rd or 4th Century; now reintroduced to its former range, near Beijing and near Shanghai.	1657	Lateral view of adult male sitting; antlers fully grown and in velvet	April 10, 2007	Harding LE	Canada, BC, Greater Vancouver Zoo
Artiodactyla	Cervidae	deer	<i>Elaphurus</i>	<i> davidianus</i>	Pere David's Deer	Formerly NE China; extinct in wild since 3rd or 4th Century; now reintroduced to its former range, near Beijing and near Shanghai.	1803	Adult male with hard antlers	June 14, 1997	Huckaby, DG	USA, OK, Oklahoma Co., Oklahoma City Zoo
Artiodactyla	Cervidae	deer	<i>Elaphurus</i>	<i> davidianus</i>	Pere David's Deer	Formerly NE China; extinct in wild since 3rd or 4th Century; now reintroduced to its former range, near Beijing and near Shanghai.	1804	Adult female	June 14, 1997	Huckaby, DG	USA, OK, Oklahoma Co., Oklahoma City Zoo
Artiodactyla	Cervidae	deer	<i>Hippocamelus</i>	<i> antisensis</i>	Taruca	Andes of NW Argentina, Bolivia, Ecuador, and Peru.	780	Oblique view, adult male grazing		Svendsen GE	Peru
Artiodactyla	Cervidae	deer	<i>Hippocamelus</i>	<i> bisulcus</i>	Guemal	Andes of S Chile and S Argentina.	619	Side view of young	1974	Raedeke KJ	Chile, Magallanes and Chilean Antarctic

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Cervidae	deer	<i>Hydropotes</i>	<i>inermis</i>	Chinese Water Deer	China (formerly from Liaoning to Guangxi including the lower Yangtze Basin) and Korea; introduced in England and France.	1234	Side view, standing, male, canine visible	1990	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Cervidae	deer	<i>Mazama</i>	<i>gouzoupira</i>	South American Brown Brocket	N Argentina, Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Panama (San Jose Isl), Paraguay, Peru, Surinam, Uruguay, and Venezuela.	1579	Lateral view, female	1995	Lord RD	Bolivia, Beni, Trinidad
Artiodactyla	Cervidae	deer	<i>Mazama</i>	<i>sp.</i>	red brocket	Central or South America	944	Dorsolateral view of adult male, <i>M. americana</i> or <i>temana</i>	1983	Huckaby DG	USA, LA, Ouachita Par., Monroe Zoo
Artiodactyla	Cervidae	deer	<i>Mazama</i>	<i>sp.</i>	red brocket	Central or South America	945	Oblique view of adult female, <i>M. americana</i> or <i>temana</i>	1985	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Artiodactyla	Cervidae	deer	<i>Muntiacus</i>	<i>muntjak</i>	Red Muntjak	Bangladesh, Bhutan, Burma, Cambodia, S China (S Tibet and Yunnan to Guangdong), India, Laos, peninsular Malaya, Nepal, NE Pakistan, Sri Lanka, Vietnam, and Sunda Isls (Sumatra, Borneo, Java, Bali, Lombok, and many smaller Indonesian islands).	845	Side view of male; canine visible, antlers shed. Also as <i>M. nigripes</i> , Black-footed Muntjak		Kutunidisz K	Germany, Berlin, Tierpark Berlin
Artiodactyla	Cervidae	deer	<i>Muntiacus</i>	<i>muntjak</i>	Red Muntjak	Bangladesh, Bhutan, Burma, Cambodia, S China (S Tibet and Yunnan to Guangdong), India, Laos, peninsular Malaya, Nepal, NE Pakistan, Sri Lanka, Vietnam, and Sunda Isls (Sumatra, Borneo, Java, Bali, Lombok, and many smaller Indonesian islands).	1081	Side view of adult female, standing. Also as <i>M. vaginalis</i> , Northern Red Muntjak		Kutunidisz K	Germany, Berlin Zoological Garden
Artiodactyla	Cervidae	deer	<i>Muntiacus</i>	<i>reevesi</i>	Reeves' Muntjak	Bangladesh, Bhutan, Burma, Cambodia, S China (S Tibet and Yunnan to Guangdong), India, Laos, peninsular Malaya, Nepal, NE Pakistan, Sri Lanka, Vietnam, and Sunda Isls (Sumatra, Borneo, Java, Bali, Lombok, and many smaller Indonesian islands).	1082	Oblique view of adult male, antlers visible	1989	Hall JG	USA, VA, Warren Co., Front Royal, Conservation and Research Center
Artiodactyla	Cervidae	deer	<i>Muntiacus</i>	<i>reevesi</i>	Reeve's Muntjak	Bangladesh, Bhutan, Burma, Cambodia, S China (S Tibet and Yunnan to Guangdong), India, Laos, peninsular Malaya, Nepal, NE Pakistan, Sri Lanka, Vietnam, and Sunda Isls (Sumatra, Borneo, Java, Bali, Lombok, and many smaller Indonesian islands).	1805	Close-up of head of adult male in velvet, showing canine	August, 1984	Huckaby, DG	USA, WA, King Co., Seattle, Woodland Park Zoo
Artiodactyla	Cervidae	deer	<i>Odocoileus</i>	<i>hemionus</i>	Mule Deer	W Canada, Mexico (Baja California and Sonora to N Tamaulipas), W USA east to Minnesota, and Alaskan Panhandle. Introduced to Kauai (Hawaiian Isls) and Argentina.	187	Buck with antlers in "velvet", <i>O. h. hemionus</i>	1963	Master LL	USA, CA, Yosemite National Park
Artiodactyla	Cervidae	deer	<i>Odocoileus</i>	<i>hemionus</i>	Mule Deer	W Canada, Mexico (Baja California and Sonora to N Tamaulipas), W USA east to Minnesota, and Alaskan Panhandle. Introduced to Kauai (Hawaiian Isls) and Argentina.	475	Fawn with spotted coat lying on ground, <i>O. h. columbianus</i>	1974	Senger CM	USA, WA, Skamania Co.
Artiodactyla	Cervidae	deer	<i>Odocoileus</i>	<i>hemionus</i>	Mule Deer	W Canada, Mexico (Baja California and Sonora to N Tamaulipas), W USA east to Minnesota, and Alaskan Panhandle. Introduced to Kauai (Hawaiian Isls) and Argentina.	476	Rear view of female, showing tail, <i>O. h. columbianus</i>	1978	Barrett RH	USA, CA, Yosemite National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Cervidae	deer	<i>Odocoileus</i>	<i>hemionus</i>	Mule Deer	W Canada, Mexico (Baja California and Sonora to N Tamaulipas), W USA east to Minnesota, and Alaskan Panhandle. Introduced to Kauai (Hawaiian Isls) and Argentina.	1926	adult buck, in velvet, tail in view	July 25, 2004	Hale DW	USA, CO, La Plata co., Weminuche Wilderness, Chicago Basin
Artiodactyla	Cervidae	deer	<i>Odocoileus</i>	<i>virginianus</i>	White-tailed Deer	S Canada extending N of 60°N in the North West Territory and in the Yukon, USA (absent from California to W Colorado), and all nations of Central America; South America in Bolivia, N Brazil, Colombia, French Guiana, Guyana, Peru, Surinam, and Venezuela. Introduced to Czech Republic, Finland, New Zealand, and West Indies, possibly surviving on Cuba, Curacao, St. Croix, and St. Thomas Isls.	185	Side view of female	1974	Twiest GL	USA, PA, Jefferson Co., Clear Creek
Artiodactyla	Cervidae	deer	<i>Odocoileus</i>	<i>virginianus</i>	White-tailed Deer	S Canada extending N of 60°N in the North West Territory and in the Yukon, USA (absent from California to W Colorado), and all nations of Central America; South America in Bolivia, N Brazil, Colombia, French Guiana, Guyana, Peru, Surinam, and Venezuela. Introduced to Czech Republic, Finland, New Zealand, and West Indies, possibly surviving on Cuba, Curacao, St. Croix, and St. Thomas Isls.	186	Deer killed by dogs	1976	Twiest GL	USA, PA, Clarion Co., Clarion
Artiodactyla	Cervidae	deer	<i>Odocoileus</i>	<i>virginianus</i>	White-tailed Deer	S Canada extending N of 60°N in the North West Territory and in the Yukon, USA (absent from California to W Colorado), and all nations of Central America; South America in Bolivia, N Brazil, Colombia, French Guiana, Guyana, Peru, Surinam, and Venezuela. Introduced to Czech Republic, Finland, New Zealand, and West Indies, possibly surviving on Cuba, Curacao, St. Croix, and St. Thomas Isls.	803	Oblique view, showing antlers of mature buck that resemble those of Mule Deer	1978	Johns PE	USA, TX, Kerr Co., Kerrville
Artiodactyla	Cervidae	deer	<i>Odocoileus</i>	<i>virginianus</i>	White-tailed Deer	S Canada extending N of 60°N in the North West Territory and in the Yukon, USA (absent from California to W Colorado), and all nations of Central America; South America in Bolivia, N Brazil, Colombia, French Guiana, Guyana, Peru, Surinam, and Venezuela. Introduced to Czech Republic, Finland, New Zealand, and West Indies, possibly surviving on Cuba, Curacao, St. Croix, and St. Thomas Isls.	1279	Two males with antlers, tail raised by one	1988	Haweeli JD	USA, MT, Glacier National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Cervidae	deer	<i>Odocoileus</i>	<i>virginianus</i>	White-tailed Deer	S Canada extending N of 60°N in the North West Territory and in the Yukon, USA (absent from California to W Colorado), and all nations of Central America; South America in Bolivia, N Brazil, Colombia, French Guiana, Guyana, Peru, Surinam, and Venezuela. Introduced to Czech Republic, Finland, New Zealand, and West Indies, possibly surviving on Cuba, Curacao, St. Croix, and St. Thomas Isls.	1313	Lateral view, female, O. v. leucurus	1995	Forbes RB	USA, WA, Wahkiahum Co., Julia Butler Hanson Refuge for Columbian White-tailed Deer
Artiodactyla	Cervidae	deer	<i>Ozotoceros</i>	<i>bezoarticus</i>	Pampas Deer	N Argentina, SE Bolivia, Brazil (S of Amazon), Paraguay, and Uruguay.	994	Male with antlers in velvet		Shoemaker AH	USA, TX, Bexar Co., San Antonio Zoological Gardens and Aquarium
Artiodactyla	Cervidae	deer	<i>Ozotoceros</i>	<i>bezoarticus</i>	Pampas Deer	N Argentina, SE Bolivia, Brazil (S of Amazon), Paraguay, and Uruguay.	995	Oblique view of female		Shoemaker AH	USA, TX, Bexar Co., San Antonio Zoological Gardens and Aquarium
Artiodactyla	Cervidae	deer	<i>Ozotoceros</i>	<i>bezoarticus</i>	Pampas Deer	N Argentina, SE Bolivia, Brazil (S of Amazon), Paraguay, and Uruguay.	1083	Side view of female standing	1989	Pinder L	Brazil, Goias/Mato Grosso do Sul, Emas Nat Park
Artiodactyla	Cervidae	deer	<i>Przewalskium</i>	<i>albirostris</i>	White-lipped Deer	China (Gansu, Sichuan, E Tibet including Qinghai, and N Yunnan).	1986	Frontal view of adult male in velvet. Also as <i>Cervus albirostris</i> .	September, 2009	Groves CP	Germany, Berlin, Tierpark Berlin
Artiodactyla	Cervidae	deer	<i>Pudu</i>	<i>puda</i>	Southern Pudu	S Chile and SW Argentina.	1236	View of male individual resting, antlers visible	1990	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Cervidae	deer	<i>Pudu</i>	<i>puda</i>	Southern Pudu	S Chile and SW Argentina.	1360	Side view, male and female, male with antlers	1994	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)
Artiodactyla	Cervidae	deer	<i>Rangifer</i>	<i>tarandus</i>	Reindeer	Circumboreal in tundra and taiga from Svalbard, Norway, Finland, Russia, Alaska (USA) and Canada including most arctic islands, and Greenland, south to N Mongolia, China (Inner Mongolia; now only domesticated or feral?), Sakhalin Isl, and USA (N Idaho and Great Lakes region). Introduced to, and feral in, Iceland, Kerguelen Isls, South Georgia Isl, Pribilof Isls, St. Matthew Isl. Extinct in Sweden.	193	Side view of three bulls	1971	Riewe R	Canada, NU, Bathurst Island
Artiodactyla	Cervidae	deer	<i>Rangifer</i>	<i>tarandus</i>	Reindeer	Circumboreal in tundra and taiga from Svalbard, Norway, Finland, Russia, Alaska (USA) and Canada including most arctic islands, and Greenland, south to N Mongolia, China (Inner Mongolia; now only domesticated or feral?), Sakhalin Isl, and USA (N Idaho and Great Lakes region). Introduced to, and feral in, Iceland, Kerguelen Isls, South Georgia Isl, Pribilof Isls, St. Matthew Isl. Extinct in Sweden.	477	Aerial view of migrating herd	1962	Murie A (contributed by JO Murie)	USA, AK, Denali National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Cervidae	deer	<i>Rangifer</i>	<i>tarandus</i>	Reindeer	Circumboreal in tundra and taiga from Svalbard, Norway, Finland, Russia, Alaska (USA) and Canada including most arctic islands, and Greenland, south to N Mongolia, China (Inner Mongolia; now only domesticated or feral?), Sakhalin Isl, and USA (N Idaho and Great Lakes region). Introduced to, and feral in, Iceland, Kerguelen Isls, South Georgia Isl, Pribilof Isls, St. Matthew Isl. Extinct in Sweden.	1280	Male, resting on ground, side view	1991	Haweeli JD	USA, AK, Denali National Park
Artiodactyla	Cervidae	deer	<i>Rangifer</i>	<i>tarandus</i>	Reindeer	Circumboreal in tundra and taiga from Svalbard, Norway, Finland, Russia, Alaska (USA) and Canada including most arctic islands, and Greenland, south to N Mongolia, China (Inner Mongolia; now only domesticated or feral?), Sakhalin Isl, and USA (N Idaho and Great Lakes region). Introduced to, and feral in, Iceland, Kerguelen Isls, South Georgia Isl, Pribilof Isls, St. Matthew Isl. Extinct in Sweden.	1314	Walking, feet visible (one lifted), antlers in velvet	1989	Bergstrom BJ	USA, AK, North Slope, Prudhoe Bay
Artiodactyla	Cervidae	deer	<i>Rucervus</i>	<i>duvaucelii</i>	Barasingha	N and C India, SW Nepal; extinct in Pakistan.	2153	Also as <i>R. branderi</i> , Hard-ground Barasingha	28 April 2011	Perry P	India, Madhya Pradesh, Kanha National Park
Artiodactyla	Cervidae	deer	<i>Rucervus</i>	<i>duvaucelii</i>	Barasingha	N and C India, SW Nepal; extinct in Pakistan.	2154	Also as <i>R. branderi</i> , Hard-ground Barasingha	28 April 2011	Perry P	India, Madhya Pradesh, Kanha National Park
Artiodactyla	Cervidae	deer	<i>Rucervus</i>	<i>duvaucelii</i>	Barasingha	N and C India, SW Nepal; extinct in Pakistan.	2155	Also as <i>R. branderi</i> , Hard-ground Barasingha	28 April 2011	Perry P	India, Madhya Pradesh, Kanha National Park
Artiodactyla	Cervidae	deer	<i>Rucervus</i>	<i>eldii</i>	Eld's deer	Burma, Cambodia, China (Hainan Isl), N India (Manipur), Laos, Thailand, and Vietnam; now much reduced in numbers in several of these countries.	993	Male, female, young	1987	Shoemaker AH	USA, VA, Warren Co., Front Royal, Conservation and Research Center
Artiodactyla	Cervidae	deer	<i>Rucervus</i>	<i>eldii</i>	Eld's deer	Burma, Cambodia, China (Hainan Isl), N India (Manipur), Laos, Thailand, and Vietnam; now much reduced in numbers in several of these countries.	1985	Also as <i>Panolia eldii</i> , Sangai.	1978	Groves CP	India, Delhi, National Zoological Park
Artiodactyla	Cervidae	deer	<i>Rusa</i>	<i>timorensis</i>	Javan Rusa	Indonesia, Sunda Isls; autochthonous on Bali, and Java; probably introduced in antiquity to Lesser Sunda Isls, Molucca Isls (including Buru and Seram), Sulawesi, and Timor; since 17th century, introduced to Borneo (Kalimantan; now extinct?), New Guinea, New Britain, Aru Isls, Mauritius, Comoro Isls, Madagascar (extinct?), Australia, New Zealand, New Caledonia and small islands in Indonesia and off the coast of Australia.	1079	Male in velvet with three females		Kutunidisz K	Germany, Berlin Zoological Garden
Artiodactyla	Cervidae	deer	<i>Rusa</i>	<i>unicolor</i>	Sambar	India and Sri Lanka east to S China (E Tibet and Sichuan to Yunnan; Hainan Isl) and Taiwan; south to Peninsular Malaysia, Sunda Isles (Sumatra, Borneo, Siberut, Sipora, and Pagi and Nias Isls); introduced to Australia and New Zealand.	1080	Oblique view of female		Kutunidisz K	Germany, Berlin, Tierpark Berlin

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Cervidae	deer	<i>Rusa</i>	<i>unicolor</i>	Sambar	India and Sri Lanka east to S China (E Tibet and Sichuan to Yunnan; Hainan Isl) and Taiwan; south to Peninsular Malaysia, Sunda Isles (Sumatra, Borneo, Siberut, Sipora, and Pagi and Nias Isls); introduced to Australia and New Zealand.	2156	Also as Cervus unicolor, Indian Sambar	22 April 2011	Perry P	India, Madhya Pradesh, Kanha National Park
Artiodactyla	Cervidae	deer	<i>Rusa</i>	<i>unicolor</i>	Sambar	India and Sri Lanka east to S China (E Tibet and Sichuan to Yunnan; Hainan Isl) and Taiwan; south to Peninsular Malaysia, Sunda Isles (Sumatra, Borneo, Siberut, Sipora, and Pagi and Nias Isls); introduced to Australia and New Zealand.	2157	Also as Cervus unicolor, Indian Sambar	12 March 2005	Perry P	India, Rajasthan, Ranthambore National Park
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	194	Close-up of head, showing ossicones. Also as <i>G. giraffa</i> , Cape Giraffe.	1968	Ramsay ED (contributed by ED Coughrough)	South Africa, Limpopo or Mpumalanga, Kruger National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	195	Side view of group. Also as <i>G. tippelskirchi</i> , Masai Giraffe.	1972	Gordon DC	Kenya, Rift Valley province, Narok county, Maasai Mara Plain
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	196	Front view, drinking. Also as <i>G. giraffa</i> , Cape Giraffe.	1967	Ramsay ED (contributed by ED Cougrough)	Zimbabwe, Matabeleland North, Hwange National Park (formerly Wankie Park)

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	197	Necking behavior. Also as <i>G. giraffa</i> , Cape Giraffe.	1977	Hickman GC	South Africa, KwaZulu-Natal, Hluhluwe-Umfolozzi Game Reserve
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	319	Group. Also as <i>G. reticulata</i> , Reticulated Giraffe.	1978	Gordon DC	Kenya, Rift Valley province, Samburu county, Samburu National Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	478	<i>Two-hour old calf lying on ground, head and neck raised. Also as G. reticulata, Reticulated Giraffe.</i>	1979	Wagner PI	USA, CA, Sacramento Zoo
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	1266	Group including young, standing in shade of tree. Also as G. tippelskirchi, Masai Giraffe.	1993	Haweeli JD	Tanzania, Serengeti National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	1729	Adult with extended head. Also as <i>G. reticulata</i> , Reticulated Giraffe.	2004	Goheen, JR	Kenya, Rift Valley province, Laikipia county
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	1990	Lateral view of mounted skeleton		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	2158	Also as <i>G. giraffa</i> , Cape Giraffe	20 April 2010	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	2159	Also as <i>G. reticulata</i> , Reticulated Giraffe	16 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Lewa Wildlife Conservancy

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	2160	Also as <i>G. reticulata</i> , Reticulated Giraffe	17 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Lewa Wildlife Conservancy
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	2161	Also as <i>G. reticulata</i> , Reticulated Giraffe	16 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Lewa Wildlife Conservancy

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	2162	G. c. rothschildi	26 June 2009	Perry P	Kenya, Rift Valley province, Nakuru county, Lake Nakuru National Park
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	2163	Also as G. thornicrofti, Luangwa Giraffe	20 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	2164	Also as <i>G. thornicrofti</i> , Luangwa Giraffe	17 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	2165	Also as <i>G. tippelskirchi</i> , Maasai Giraffe	21 February 2008	Perry P	Tanzania, Serengeti National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	2166	Also as <i>G. tippelskirchi</i> , Maasai Giraffe	21 February 2008	Perry P	Tanzania, Serengeti National Park
Artiodactyla	Giraffidae	giraffes	<i>Giraffa</i>	<i>camelopardalis</i>	Giraffe	disjunct; W and C Africa in Burkina Faso (vagrant), N Cameroon, Central African Republic, S Chad, NE Dem. Rep. Congo, Eritrea (extinct), W and S Ethiopia, Gambia (extinct), Kenya, Mali (extinct), SE Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S Somalia, Sudan, Tanzania and Uganda; no reliable records from Ghana, Guinea, and Togo; may have occurred in Benin; introduced into Rwanda; S Africa in S Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa (originally mostly N of Orange River), Swaziland (extinct, reintroduced), Zambia (SW and Luangwa Valley), and Zimbabwe. Distribution now much restricted; in W Africa still present in Niger, and N Cameroon but extinct in Mali, apparently very recently; in southern Africa, now naturally distributed no farther south than N Namibia, Botswana and NE South Africa (E Limpopo and E Mpumalanga Provs.). Introduced beyond its former range in South Africa, including KwaZulu-Natal.	2167	Also as <i>G. tippelskirchi</i> , Maasai Giraffe	26 September 2007	Perry P	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve
Artiodactyla	Giraffidae	giraffes	<i>Okapia</i>	<i>johnstoni</i>	Okapi	N and E Dem. Rep. Congo.	620	Side view	1974	Joseph BE	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Hippopotamidae	hippopotami	<i>Hexaprotodon</i>	<i>liberiensis</i>	Pygmy Hippopotamus	Sierra Leone to Côte d'Ivoire; SC Nigeria (extinct?).	321	Side view	1975	Oaks EC	USA, HA, Honolulu Co., Honolulu Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Hippopotamidae	hippopotami	<i>Hippopotamus</i>	<i>amphibius</i>	Common Hippopotamus	Rivers of savanna zone of Africa, and main rivers of forest zone in C Africa, in Angola, Benin, N Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Egypt (extinct; formerly along Nile to its Delta), N Eritrea, Ethiopia, Equatorial Guinea (Mbini), Gabon, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Liberia (only 2 records), Rwanda, Senegal, Sierra Leone, Somalia, Sudan, Swaziland, Malawi, Mozambique, Namibia (Caprivi Strip, Okavango River), Niger, Nigeria, Republic of Congo, Sierra Leone, South Africa (now only in N and E Limpopo Prov. and E Mpumalanga Prov., and N KwaZulu-Natal), Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	198	Group resting in shallow water	1976	Anderson Jeremy	South Africa, Kwazulu-Natal, Ndumu Game Reserve
Artiodactyla	Hippopotamidae	hippopotami	<i>Hippopotamus</i>	<i>amphibius</i>	Common Hippopotamus	Rivers of savanna zone of Africa, and main rivers of forest zone in C Africa, in Angola, Benin, N Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Egypt (extinct; formerly along Nile to its Delta), N Eritrea, Ethiopia, Equatorial Guinea (Mbini), Gabon, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Liberia (only 2 records), Rwanda, Senegal, Sierra Leone, Somalia, Sudan, Swaziland, Malawi, Mozambique, Namibia (Caprivi Strip, Okavango River), Niger, Nigeria, Republic of Congo, Sierra Leone, South Africa (now only in N and E Limpopo Prov. and E Mpumalanga Prov., and N KwaZulu-Natal), Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	320	Side view of hippo standing on land	1969	Oklahoma State Univ. Museum	E Africa
Artiodactyla	Hippopotamidae	hippopotami	<i>Hippopotamus</i>	<i>amphibius</i>	Common Hippopotamus	Rivers of savanna zone of Africa, and main rivers of forest zone in C Africa, in Angola, Benin, N Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Egypt (extinct; formerly along Nile to its Delta), N Eritrea, Ethiopia, Equatorial Guinea (Mbini), Gabon, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Liberia (only 2 records), Rwanda, Senegal, Sierra Leone, Somalia, Sudan, Swaziland, Malawi, Mozambique, Namibia (Caprivi Strip, Okavango River), Niger, Nigeria, Republic of Congo, Sierra Leone, South Africa (now only in N and E Limpopo Prov. and E Mpumalanga Prov., and N KwaZulu-Natal), Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	1806	Close-up of venter of hind foot	October, 1993	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Hippopotamidae	hippopotami	<i>Hippopotamus</i>	<i>amphibius</i>	Common Hippopotamus	Rivers of savanna zone of Africa, and main rivers of forest zone in C Africa, in Angola, Benin, N Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S Chad, Côte d'Ivoire, Dem. Rep. Congo, Egypt (extinct; formerly along Nile to its Delta), N Eritrea, Ethiopia, Equatorial Guinea (Mbini), Gabon, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Liberia (only 2 records), Rwanda, Senegal, Sierra Leone, Somalia, Sudan, Swaziland, Malawi, Mozambique, Namibia (Caprivi Strip, Okavango River), Niger, Nigeria, Republic of Congo, Sierra Leone, South Africa (now only in N and E Limpopo Prov. and E Mpumalanga Prov., and N KwaZulu-Natal), Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	2168		17 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park
Artiodactyla	Moschidae	musk deer	<i>Moschus</i>	<i>moschiferus</i>	Siberian Musk Deer	Forests of Russia (Sakhalin Isl and E Siberia), N China (N Sinkiang; Inner Mongolia to Shanxi), Korea, and N Mongolia.	843	Side view of male, canines visible	1980	Kutunidisz K	Germany, Saxony, Leipzig Zoological Garden
Artiodactyla	Moschidae	musk deer	<i>Moschus</i>	<i>moschiferus</i>	Siberian Musk Deer	Forests of Russia (Sakhalin Isl and E Siberia), N China (N Sinkiang; Inner Mongolia to Shanxi), Korea, and N Mongolia.	844	Side view of female	1983	Kutunidisz K	Germany, Saxony, Leipzig Zoological Garden
Artiodactyla	Moschidae	musk deer	<i>Moschus</i>	<i>moschiferus</i>	Siberian Musk Deer	Forests of Russia (Sakhalin Isl and E Siberia), N China (N Sinkiang; Inner Mongolia to Shanxi), Korea, and N Mongolia.	1235	Side view of skull, illustrating canines	1990	Huckaby DG	USA, DC, Washington, National Museum of Natural History
Artiodactyla	Suidae	pigs	<i>Babyrusa</i>	<i>celebensis</i>	North Sulawesi Babirusa	Northern peninsula of Sulawesi, at least as far west as Bumbulan and including Lembeh Isl.	324	Skull with enlarged tusks	1965	Glass BP	Italy, Genoa Civic Museum
Artiodactyla	Suidae	pigs	<i>Babyrusa</i>	<i>celebensis</i>	North Sulawesi Babirusa	Northern peninsula of Sulawesi, at least as far west as Bumbulan and including Lembeh Isl.	862	Pair lying side by side	1979	Groves CP	Germany, Hesse, Frankfurt Zoological Garden
Artiodactyla	Suidae	pigs	<i>Babyrusa</i>	<i>celebensis</i>	North Sulawesi Babirusa	Northern peninsula of Sulawesi, at least as far west as Bumbulan and including Lembeh Isl.	1807	Side view of adult male	November 29, 1991	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Suidae	pigs	<i>Hylochoerus</i>	<i>meinertzhageni</i>	Giant Forest Hog	W Africa in Guinea, Côte d'Ivoire, and Ghana; not confirmed from Guinea Bissau, Sierra Leone, and Togo. C Africa in W and SE Cameroon, Central African Republic, N and E Dem. Rep. Congo, SW Ethiopia, N Gabon, Kenya, E Nigeria, N Republic of Congo, Rwanda, S Sudan, and Uganda; not reliably recorded from Tanzania.	946	Oblique view (dorsal of head), at salt lick	1987	Shoemaker AH	Kenya, Central province, Nyandarua county, Aberdare National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Suidae	pigs	<i>Hylochoerus</i>	<i>meinertzhageni</i>	Giant Forest Hog	W Africa in Guinea, Côte d'Ivoire, and Ghana; not confirmed from Guinea Bissau, Sierra Leone, and Togo. C Africa in W and SE Cameroon, Central African Republic, N and E Dem. Rep. Congo, SW Ethiopia, N Gabon, Kenya, E Nigeria, N Republic of Congo, Rwanda, S Sudan, and Uganda; not reliably recorded from Tanzania.	1808	Side view of subadult; <i>H. meinertzhageni</i> recently split into three phylogenetic species	August 25, 2002	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Suidae	pigs	<i>Hylochoerus</i>	<i>meinertzhageni</i>	Giant Forest Hog	W Africa in Guinea, Côte d'Ivoire, and Ghana; not confirmed from Guinea Bissau, Sierra Leone, and Togo. C Africa in W and SE Cameroon, Central African Republic, N and E Dem. Rep. Congo, SW Ethiopia, N Gabon, Kenya, E Nigeria, N Republic of Congo, Rwanda, S Sudan, and Uganda; not reliably recorded from Tanzania.	2169		23 June 2009	Perry P	Kenya, Central province, Nyandarua county, Aberdare National Park
Artiodactyla	Suidae	pigs	<i>Phacochoerus</i>	<i>africanus</i>	Common Wart-hog	Outside rainforest zone of Africa in Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Eritrea, Ethiopia, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, N Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	199	Drinking	1976	Hickman GC	South Africa, KwaZulu-Natal, Hluhluwe-Umfolozi Game Reserve
Artiodactyla	Suidae	pigs	<i>Phacochoerus</i>	<i>africanus</i>	Common Wart-hog	Outside rainforest zone of Africa in Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Eritrea, Ethiopia, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, N Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	322	Grazing, close-up of head	1976	Hickman GC	South Africa, KwaZulu-Natal, Hluhluwe-Umfolozi Game Reserve
Artiodactyla	Suidae	pigs	<i>Phacochoerus</i>	<i>africanus</i>	Common Wart-hog	Outside rainforest zone of Africa in Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Eritrea, Ethiopia, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, N Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	621	Frontal close-up of head	1978	Waser P	Tanzania, Arusha National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Suidae	pigs	<i>Phacochoerus</i>	<i>africanus</i>	Common Wart-hog	Outside rainforest zone of Africa in Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Eritrea, Ethiopia, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, N Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	2170		30 October 2005	Perry P	South Africa, Mpumalanga, Sabi Sand Game Reserve
Artiodactyla	Suidae	pigs	<i>Phacochoerus</i>	<i>africanus</i>	Common Wart-hog	Outside rainforest zone of Africa in Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Eritrea, Ethiopia, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, N Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, and Zimbabwe.	2171		23 June 2009	Perry P	Kenya, Central province, Nyandarua county, Aberdare National Park
Artiodactyla	Suidae	pigs	<i>Potamochoerus</i>	<i>larvatus</i>	Bush-pig	Angola, N Botswana, Burundi, N Eritrea, Ethiopia, E and S Dem. Rep. Congo, Kenya, Malawi, Mozambique, Rwanda, S Somalia, NE and S South Africa, S Sudan, Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe; Madagascar and Comoro Isls (introduced?).	996	Side view of female		Kutunidisz K	Germany, North Rhine-Westphalia, Duisberg Zoo
Artiodactyla	Suidae	pigs	<i>Potamochoerus</i>	<i>porcus</i>	Red River Hog	Rainforest zone of Africa from Benin, Cameroon, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbiní), Gabon, Ghana, Guinea, Guinea Bissau, Liberia, Nigeria, Republic of Congo, Senegal, Sierra Leone, and Togo; no reliable record from Gambia or Sudan.	1237	Side view of female, standing	1991	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Suidae	pigs	<i>Potamochoerus</i>	<i>porcus</i>	Red River Hog	Rainforest zone of Africa from Benin, Cameroon, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea (Mbiní), Gabon, Ghana, Guinea, Guinea Bissau, Liberia, Nigeria, Republic of Congo, Senegal, Sierra Leone, and Togo; no reliable record from Gambia or Sudan.	1809	Adult male showing face	September 29, 1991	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Artiodactyla	Suidae	pigs	<i>Sus</i>	<i>barbatus</i>	Bearded Pig	Brunei, Indonesia (Banka Isl, Kalimantan, Rhio Arch., Sumatra), Malaysia (Malay Peninsula, Sarawak).	1358	View from front, feet visible	1995	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Suidae	pigs	<i>Sus</i>	<i>cebifrons</i>	Visayan Warty Pig	Philippines (Cebu, Negros, Panay and probably Masbate Isls).	1810	Quartering frontal view of adult female	August 10, 2003	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Suidae	pigs	<i>Sus</i>	<i>salvanus</i>	Pygmy Hog	Bhutan, S Nepal, N India (incl. Sikkim).	2258	Also as Porcula salvania.	8 March 2011	Huffman, B	India, Assam, Guwahati-Basistha, Pygmy Hog Conservation Programme Breeding Centre

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Suidae	pigs	<i>Sus</i>	<i>salvanus</i>	Pygmy Hog	Bhutan, S Nepal, N India (incl. Sikkim).	2259	Also as Porcula salvania.	8 March 2011	Huffman, B	India, Assam, Guwahati-Basistha, Pygmy Hog Conservation Programme Breeding Centre
Artiodactyla	Suidae	pigs	<i>Sus</i>	<i>scrofa</i>	Wild Boar	N Africa in Algeria, Morocco, Tunisia; anciently introduced into Egypt and N Sudan where now absent. All states of mainland Europe east to Armenia, Azerbaijan, Georgia, W Russia (European Russia and Caucasus Mtns), and Ukraine; extinct in Ireland, Scandinavia, and United Kingdom but reintroduced into England, S Finland, and S Sweden; anciently introduced into Corsica and Sardinia. In Asia present in Burma, Cambodia, China (but absent from Tibetan Plateau, Singkiang, Gansu, Inner Mongolia, and Ordos Plateau), India, Indonesia (Sumatra, Java east to Bali and Sumbawa Isls), Iran, Iraq, Israel, Japan (including Riukiu Isls), W Jordan, Kazakhstan, Kyrgyzstan, Lebanon, Laos, Malaysia (peninsular Malaya only), Mongolia, Pakistan, Russia (S Siberia and Soviet Far East), Sri Lanka, Syria, Taiwan, Tajikistan, Thailand, Turkmenistan, Uzbekistan, and Vietnam. Widespread as feral populations in South Africa, Indonesia (Lesser Sunda Isls), Australia, USA, West Indies, Central and South America and numerous oceanic islands, including Andaman Isls and Mauritius (Indian Ocean) and Hawaiian, Galapagos and Fiji Isls (Pacific Ocean). Feral and domestic populations of Molucca Isls, New Guinea and Solomon Isls thought to originate from hybrids between <i>scrofa</i> and <i>celebensis</i> .	323	Feral male, partly submerged	1972	Barrett RH	Australia, NT, Darwin

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Suidae	pigs	<i>Sus</i>	<i>scrofa</i>	Wild Boar	N Africa in Algeria, Morocco, Tunisia; anciently introduced into Egypt and N Sudan where now absent. All states of mainland Europe east to Armenia, Azerbaijan, Georgia, W Russia (European Russia and Caucasus Mtns), and Ukraine; extinct in Ireland, Scandinavia, and United Kingdom but reintroduced into England, S Finland, and S Sweden; anciently introduced into Corsica and Sardinia. In Asia present in Burma, Cambodia, China (but absent from Tibetan Plateau, Singkiang, Gansu, Inner Mongolia, and Ordos Plateau), India, Indonesia (Sumatra, Java east to Bali and Sumbawa Isls), Iran, Iraq, Israel, Japan (including Riukiu Isls), W Jordan, Kazakhstan, Kyrgyzstan, Lebanon, Laos, Malaysia (peninsular Malaya only), Mongolia, Pakistan, Russia (S Siberia and Soviet Far East), Sri Lanka, Syria, Taiwan, Tajikistan, Thailand, Turkmenistan, Uzbekistan, and Vietnam. Widespread as feral populations in South Africa, Indonesia (Lesser Sunda Isls), Australia, USA, West Indies, Central and South America and numerous oceanic islands, including Andaman Isls and Mauritius (Indian Ocean) and Hawaiian, Galapagos and Fiji Isls (Pacific Ocean). Feral and domestic populations of Molucca Isls, New Guinea and Solomon Isls thought to originate from hybrids between <i>scrofa</i> and <i>celebensis</i> .	1811	Two adult males pushing faces	August 18, 1995	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Suidae	pigs	<i>Sus</i>	<i>scrofa</i>	Wild Boar	N Africa in Algeria, Morocco, Tunisia; anciently introduced into Egypt and N Sudan where now absent. All states of mainland Europe east to Armenia, Azerbaijan, Georgia, W Russia (European Russia and Caucasus Mtns), and Ukraine; extinct in Ireland, Scandinavia, and United Kingdom but reintroduced into England, S Finland, and S Sweden; anciently introduced into Corsica and Sardinia. In Asia present in Burma, Cambodia, China (but absent from Tibetan Plateau, Singkiang, Gansu, Inner Mongolia, and Ordos Plateau), India, Indonesia (Sumatra, Java east to Bali and Sumbawa Isls), Iran, Iraq, Israel, Japan (including Riukiu Isls), W Jordan, Kazakhstan, Kyrgyzstan, Lebanon, Laos, Malaysia (peninsular Malaya only), Mongolia, Pakistan, Russia (S Siberia and Soviet Far East), Sri Lanka, Syria, Taiwan, Tajikistan, Thailand, Turkmenistan, Uzbekistan, and Vietnam. Widespread as feral populations in South Africa, Indonesia (Lesser Sunda Isls), Australia, USA, West Indies, Central and South America and numerous oceanic islands, including Andaman Isls and Mauritius (Indian Ocean) and Hawaiian, Galapagos and Fiji Isls (Pacific Ocean). Feral and domestic populations of Molucca Isls, New Guinea and Solomon Isls thought to originate from hybrids between <i>scrofa</i> and <i>celebensis</i> .	2172	Also as <i>S. davidi</i> , Reuben David's Wild Boar.	8 March 2005	Perry P	India, Rajasthan, Ranthambore National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Suidae	pigs	<i>Sus</i>	<i>scrofa</i>	Wild Boar	N Africa in Algeria, Morocco, Tunisia; anciently introduced into Egypt and N Sudan where now absent. All states of mainland Europe east to Armenia, Azerbaijan, Georgia, W Russia (European Russia and Caucasus Mtns), and Ukraine; extinct in Ireland, Scandinavia, and United Kingdom but reintroduced into England, S Finland, and S Sweden; anciently introduced into Corsica and Sardinia. In Asia present in Burma, Cambodia, China (but absent from Tibetan Plateau, Singkiang, Gansu, Inner Mongolia, and Ordos Plateau), India, Indonesia (Sumatra, Java east to Bali and Sumbawa Isls), Iran, Iraq, Israel, Japan (including Riukiu Isls), W Jordan, Kazakhstan, Kyrgyzstan, Lebanon, Laos, Malaysia (peninsular Malaya only), Mongolia, Pakistan, Russia (S Siberia and Soviet Far East), Sri Lanka, Syria, Taiwan, Tajikistan, Thailand, Turkmenistan, Uzbekistan, and Vietnam. Widespread as feral populations in South Africa, Indonesia (Lesser Sunda Isls), Australia, USA, West Indies, Central and South America and numerous oceanic islands, including Andaman Isls and Mauritius (Indian Ocean) and Hawaiian, Galapagos and Fiji Isls (Pacific Ocean). Feral and domestic populations of Molucca Isls, New Guinea and Solomon Isls thought to originate from hybrids between <i>scrofa</i> and <i>celebensis</i> .	2173	Also as <i>S. cristatus</i> , Indian Wild Boar.	24 April 2011	Perry P	India, Madhya Pradesh, Kanha National Park
Artiodactyla	Tayassuidae	peccaries	<i>Catagonus</i>	<i>wagneri</i>	Chacoan Peccary	Gran Chaco of Argentina, Bolivia, and Paraguay.	1812	Side view of adult	August 25, 2002	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Artiodactyla	Tayassuidae	peccaries	<i>Pecari</i>	<i>tajacu</i>	Collared Peccary	USA (mainly in Arizona and Texas), Mexico (outside the Sierra Madre), and all other Central American states; South America in N Argentina, Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Paraguay, Peru, Surinam, Trinidad, and Venezuela. Introduced to Cuba.	200	Side view of alarmed animal. Also as <i>P. angulatus</i> , Javelina	1975	des Lauriers J	USA, AZ, Cochise Co., Portal
Artiodactyla	Tayassuidae	peccaries	<i>Pecari</i>	<i>tajacu</i>	Collared Peccary	USA (mainly in Arizona and Texas), Mexico (outside the Sierra Madre), and all other Central American states; South America in N Argentina, Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Paraguay, Peru, Surinam, Trinidad, and Venezuela. Introduced to Cuba.	325	Side view. Also as <i>P. angulatus</i> , Javelina	1972	Oaks EC	USA, TX, Harris Co., Houston Zoo
Artiodactyla	Tayassuidae	peccaries	<i>Pecari</i>	<i>tajacu</i>	Collared Peccary	USA (mainly in Arizona and Texas), Mexico (outside the Sierra Madre), and all other Central American states; South America in N Argentina, Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Paraguay, Peru, Surinam, Trinidad, and Venezuela. Introduced to Cuba.	794	Side view, T. t. <i>tajacu</i> .	1982	Chehebar CE	Argentina, Buenos Aires Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Tayassuidae	peccaries	<i>Pecari</i>	<i>tajacu</i>	Collared Peccary	USA (mainly in Arizona and Texas), Mexico (outside the Sierra Madre), and all other Central American states; South America in N Argentina, Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Paraguay, Peru, Surinam, Trinidad, and Venezuela. Introduced to Cuba.	1315	Group, including one young. Also as <i>P. angulatus</i> , Javelina	1993	Best TL	USA, AZ, Pima Co., Tucson, Arizona Sonoran Desert Museum
Artiodactyla	Tayassuidae	peccaries	<i>Tayassu</i>	<i>pecari</i>	White-lipped Peccary	Mexico (E from Oaxaca and Veracruz) and all other Central American states; South America in N Argentina, Bolivia, Brazil, Colombia, W Ecuador, French Guiana, Guyana, Paraguay, Peru, Surinam, and Venezuela. Introduced to Cuba.	793	Oblique view	1982	Chehebar CE	Argentina, Formosa, Guaycolec Zoo
Artiodactyla	Tayassuidae	peccaries	<i>Tayassu</i>	<i>pecari</i>	White-lipped Peccary	Mexico (E from Oaxaca and Veracruz) and all other Central American states; South America in N Argentina, Bolivia, Brazil, Colombia, W Ecuador, French Guiana, Guyana, Paraguay, Peru, Surinam, and Venezuela. Introduced to Cuba.	1578	Close up of head of sleeping individual	1995	Lord RD	Bolivia, Santa Cruz Zoo
Artiodactyla	Tayassuidae	peccaries	<i>Tayassu</i>	<i>pecari</i>	White-lipped Peccary	Mexico (E from Oaxaca and Veracruz) and all other Central American states; South America in N Argentina, Bolivia, Brazil, Colombia, W Ecuador, French Guiana, Guyana, Paraguay, Peru, Surinam, and Venezuela. Introduced to Cuba.	1987	Adults and young.	August, 2009	Groves CP	Germany, Berlin, Zoological Garden
Artiodactyla	Tragulidae	mouse deer	<i>Hyemoschus</i>	<i>aquaticus</i>	Water Chevrotain	W Africa in Ghana, Côte d'Ivoire, Liberia, Sierra Leone; C Africa in Angola (Cabinda), Cameroon, Central African Republic, Dem. Rep. Congo, Equatorial Guinea (Mbiní), Gabon, Nigeria, Republic of Congo, and Bwamba Forest of Semliki Valley, Uganda, where not known to survive according to East et al. (1999) but seems likely to be present according to Kingdon's (1979) account. Supposed occurrence in Benin, Gambia, Guinea Bissau, Senegal, and Togo unsupported by evidence.	2260		5 March 2004	Huffman, B	Gabon, Ogooue-Maritime, Port Gentil
Artiodactyla	Tragulidae	mouse deer	<i>Hyemoschus</i>	<i>aquaticus</i>	Water Chevrotain	W Africa in Ghana, Côte d'Ivoire, Liberia, Sierra Leone; C Africa in Angola (Cabinda), Cameroon, Central African Republic, Dem. Rep. Congo, Equatorial Guinea (Mbiní), Gabon, Nigeria, Republic of Congo, and Bwamba Forest of Semliki Valley, Uganda, where not known to survive according to East et al. (1999) but seems likely to be present according to Kingdon's (1979) account. Supposed occurrence in Benin, Gambia, Guinea Bissau, Senegal, and Togo unsupported by evidence.	2261		6 March 2004	Huffman, B	Gabon, Ogooue-Maritime, Port Gentil

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Artiodactyla	Tragulidae	mouse deer	<i>Tragulus</i>	<i>kanchil</i>	Lesser Mouse-deer	Indochina, Burma (isthmus of Kra), Brunei, Cambodia, China (S Yunnan), Indonesia (Kalimantan, Sumatra, and many small islands), Laos, Malaysia (peninsular Malaya, Sarawak, and many small islands), Singapore, Thailand, and Vietnam.	1359	Side view, limbs and feet visible, female	1995	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Carnivora	Ailuridae	red pandas	<i>Ailurus</i>	<i>fulgens</i>	Red Panda	N Burma, China (Sichuan, Xizang, Yunnan). Recently extinct, or absent in Guizhou, Gansu, Shaanxi, and Qinghai, Nepal, Sikkim (India).	857	Close-up of face	1982	Roberts M	USA, DC, Washington, National Zoological Park
Carnivora	Ailuridae	red pandas	<i>Ailurus</i>	<i>fulgens</i>	Red Panda	N Burma, China (Sichuan, Xizang, Yunnan). Recently extinct, or absent in Guizhou, Gansu, Shaanxi, and Qinghai, Nepal, Sikkim (India).	872	Oblique view, foraging	1966	Clough GC	The Bahamas, East Plana Cay
Carnivora	Canidae	dogs	<i>Atelocynus</i>	<i>microtis</i>	Short-eared Dog	Amazonian basin: Bolivia, Brazil, Colombia, Ecuador, Peru, Venezuela (?).	585	Side view of female	1974	Rosenthal MA	USA, IL, Cook Co., Chicago, Lincoln Park Zoo
Carnivora	Canidae	dogs	<i>Canis</i>	<i>adustus</i>	Side-striped Jackal	Angola, Botswana, Cameroon, Central African Republic, Dem. Rep. Congo, Ethiopia, Gabon, Kenya, Malawi, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Senegal, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe,	2174		6 October 2004	Perry P	Botswana, North West, Okavango Delta
Carnivora	Canidae	dogs	<i>Canis</i>	<i>aureus</i>	Golden Jackal	Afghanistan, Albania, Algeria, Bangladesh, Burma, Chad, Coatia, Egypt, Eritrea, Ethiopia, Greece, Iran, Iraq, Israel, Italy, Jordan, Kenya, Lebanon, Libya, Macedonia, Mali, Mauritania, Morocco, Niger, Nigeria, Oman, Pakistan, Saudia Arabia, Senegal, Slovenia, Somalia, Sri Lanka, Sudan, Syria, Tajikistan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, United Arab Emirates, Uzbekistan, Western Sahara, Yemen.	120	Side view	1973	Gordon DC	Tanzania, Serengeti National Park
Carnivora	Canidae	dogs	<i>Canis</i>	<i>aureus</i>	Golden Jackal	Afghanistan, Albania, Algeria, Bangladesh, Burma, Chad, Coatia, Egypt, Eritrea, Ethiopia, Greece, Iran, Iraq, Israel, Italy, Jordan, Kenya, Lebanon, Libya, Macedonia, Mali, Mauritania, Morocco, Niger, Nigeria, Oman, Pakistan, Saudia Arabia, Senegal, Slovenia, Somalia, Sri Lanka, Sudan, Syria, Tajikistan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, United Arab Emirates, Uzbekistan, Western Sahara, Yemen.	1004	Side view of jackal resting	1988	Kutunidisz K	Germany, Bavaria, Augsburg Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Canidae	dogs	<i>Canis</i>	<i>aureus</i>	Golden Jackal	Afghanistan, Albania, Algeria, Bangladesh, Burma, Chad, Coatia, Egypt, Eritrea, Ethiopia, Greece, Iran, Iraq, Israel, Italy, Jordan, Kenya, Lebanon, Libya, Macedonia, Mali, Mauritania, Morocco, Niger, Nigeria, Oman, Pakistan, Saudia Arabia, Senegal, Slovenia, Somalia, Sri Lanka, Sudan, Syria, Tajikistan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, United Arab Emirates, Uzbekistan, Western Sahara, Yemen.	2175		22 February 2008	Perry P	Tanzania, Serengeti National Park
Carnivora	Canidae	dogs	<i>Canis</i>	<i>aureus</i>	Golden Jackal	Afghanistan, Albania, Algeria, Bangladesh, Burma, Chad, Coatia, Egypt, Eritrea, Ethiopia, Greece, Iran, Iraq, Israel, Italy, Jordan, Kenya, Lebanon, Libya, Macedonia, Mali, Mauritania, Morocco, Niger, Nigeria, Oman, Pakistan, Saudia Arabia, Senegal, Slovenia, Somalia, Sri Lanka, Sudan, Syria, Tajikistan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, United Arab Emirates, Uzbekistan, Western Sahara, Yemen.	2176		7 March 2005	Perry P	India, Rajasthan, Ranthambore National Park
Carnivora	Canidae	dogs	<i>Canis</i>	<i>latrans</i>	Coyote	Canada, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nicaragua, USA. Introduced to Florida and Georgia and currently widespread throughout Northern and Central America.	265	Close-up view of male's head and forequarters		Barrett RH	USA, CA, Mendocino Co., Hopland
Carnivora	Canidae	dogs	<i>Canis</i>	<i>latrans</i>	Coyote	Canada, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nicaragua, USA. Introduced to Florida and Georgia and currently widespread throughout Northern and Central America.	1126	Subspecies <i>texensis</i> , side view, individual walking in field	1991	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, Rio Grande Nature Center
Carnivora	Canidae	dogs	<i>Canis</i>	<i>latrans</i>	Coyote	Canada, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nicaragua, USA. Introduced to Florida and Georgia and currently widespread throughout Northern and Central America.	1127	Subspecies <i>texensis</i> , side view, individual pouncing on mouse (mouse not visible)	1991	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, Rio Grande Nature Center
Carnivora	Canidae	dogs	<i>Canis</i>	<i>latrans</i>	Coyote	Canada, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nicaragua, USA. Introduced to Florida and Georgia and currently widespread throughout Northern and Central America.	1267	Individual feeding on elk carcass	1993	Haweeli JD	USA, WY, Yellowstone National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Canidae	dogs	<i>Canis</i>	<i>lupus</i>	Wolf (Red Wolf)	Throughout the N hemisphere: North America south to 20°N in Oaxaca (Mexico); Europe; Asia, including the Arabian Peninsula and Japan, excluding Indochina and S India. Extirpated from most of the continental USA, Europe, and SE China and Indochina. Afghanistan, Albania, Armenia, Azerbaijan, Belarus, Bhutan, Bulgaria, Canada, China, Egypt (?), Estonia, Finland, France, Georgia, Greece, Greenland, Hungary, India, Iran, Iraq, Israel, Jordan, Kyrgyzstan, Latvia, Lebanon (?), Lithuania, Macedonia, Mexico, Mongolia, Nepal, Norway, Pakistan, Poland, Portugal, Romania, Russia, Saudi Arabia, Serbia and Montenegro, Slovakia, Spain, Sweden, Syria, Tajikistan, Turkey, Turkmenistan, Ukraine, USA (see status below), Uzbekistan.	264	View of three anesthetized animals arranged for comparison (C. latrans, C. lupus rufus, and C. lupus gregoryi)	1972	Shaw JH	USA, TX, Chambers Co., Anahuac Nat. Wildlife Refuge
Carnivora	Canidae	dogs	<i>Canis</i>	<i>lupus</i>	Wolf (Dingo)	Throughout the N hemisphere: North America south to 20°N in Oaxaca (Mexico); Europe; Asia, including the Arabian Peninsula and Japan, excluding Indochina and S India. Extirpated from most of the continental USA, Europe, and SE China and Indochina. Afghanistan, Albania, Armenia, Azerbaijan, Belarus, Bhutan, Bulgaria, Canada, China, Egypt (?), Estonia, Finland, France, Georgia, Greece, Greenland, Hungary, India, Iran, Iraq, Israel, Jordan, Kyrgyzstan, Latvia, Lebanon (?), Lithuania, Macedonia, Mexico, Mongolia, Nepal, Norway, Pakistan, Poland, Portugal, Romania, Russia, Saudi Arabia, Serbia and Montenegro, Slovakia, Spain, Sweden, Syria, Tajikistan, Turkey, Turkmenistan, Ukraine, USA (see status below), Uzbekistan.	266	Close-up of head of year-old female Dingo, C. l. dingo	1973	Barrett RH	Australia, NT, Darwin

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Canidae	dogs	<i>Canis</i>	<i>lupus</i>	Wolf	Throughout the N hemisphere: North America south to 20°N in Oaxaca (Mexico); Europe; Asia, including the Arabian Peninsula and Japan, excluding Indochina and S India. Extirpated from most of the continental USA, Europe, and SE China and Indochina. Afghanistan, Albania, Armenia, Azerbaijan, Belarus, Bhutan, Bulgaria, Canada, China, Egypt (?), Estonia, Finland, France, Georgia, Greece, Greenland, Hungary, India, Iran, Iraq, Israel, Jordan, Kyrgyzstan, Latvia, Lebanon (?), Lithuania, Macedonia, Mexico, Mongolia, Nepal, Norway, Pakistan, Poland, Portugal, Romania, Russia, Saudi Arabia, Serbia and Montenegro, Slovakia, Spain, Sweden, Syria, Tajikistan, Turkey, Turkmenistan, Ukraine, USA (see status below), Uzbekistan.	581	Side view	1976	Master LL	USA, PA, Philadelphia Zoo
Carnivora	Canidae	dogs	<i>Canis</i>	<i>lupus</i>	Wolf (Red Wolf)	Throughout the N hemisphere: North America south to 20°N in Oaxaca (Mexico); Europe; Asia, including the Arabian Peninsula and Japan, excluding Indochina and S India. Extirpated from most of the continental USA, Europe, and SE China and Indochina. Afghanistan, Albania, Armenia, Azerbaijan, Belarus, Bhutan, Bulgaria, Canada, China, Egypt (?), Estonia, Finland, France, Georgia, Greece, Greenland, Hungary, India, Iran, Iraq, Israel, Jordan, Kyrgyzstan, Latvia, Lebanon (?), Lithuania, Macedonia, Mexico, Mongolia, Nepal, Norway, Pakistan, Poland, Portugal, Romania, Russia, Saudi Arabia, Serbia and Montenegro, Slovakia, Spain, Sweden, Syria, Tajikistan, Turkey, Turkmenistan, Ukraine, USA (see status below), Uzbekistan.	968	Oblique view, C. l. rufus		Carley CJ	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Canidae	dogs	<i>Canis</i>	<i>lupus</i>	Wolf (Dingo)	Throughout the N hemisphere: North America south to 20°N in Oaxaca (Mexico); Europe; Asia, including the Arabian Peninsula and Japan, excluding Indochina and S India. Extirpated from most of the continental USA, Europe, and SE China and Indochina. Afghanistan, Albania, Armenia, Azerbaijan, Belarus, Bhutan, Bulgaria, Canada, China, Egypt (?), Estonia, Finland, France, Georgia, Greece, Greenland, Hungary, India, Iran, Iraq, Israel, Jordan, Kyrgyzstan, Latvia, Lebanon (?), Lithuania, Macedonia, Mexico, Mongolia, Nepal, Norway, Pakistan, Poland, Portugal, Romania, Russia, Saudia Arabia, Serbia and Montenegro, Slovakia, Spain, Sweden, Syria, Tajikistan, Turkey, Turkmenistan, Ukraine, USA (see status below), Uzbekistan.	1037	Side view of male Dingo standing, C. l. dingo		Kutunidisz K	Germany, Berlin, Tierpark Berlin
Carnivora	Canidae	dogs	<i>Canis</i>	<i>lupus</i>	Wolf	Throughout the N hemisphere: North America south to 20°N in Oaxaca (Mexico); Europe; Asia, including the Arabian Peninsula and Japan, excluding Indochina and S India. Extirpated from most of the continental USA, Europe, and SE China and Indochina. Afghanistan, Albania, Armenia, Azerbaijan, Belarus, Bhutan, Bulgaria, Canada, China, Egypt (?), Estonia, Finland, France, Georgia, Greece, Greenland, Hungary, India, Iran, Iraq, Israel, Jordan, Kyrgyzstan, Latvia, Lebanon (?), Lithuania, Macedonia, Mexico, Mongolia, Nepal, Norway, Pakistan, Poland, Portugal, Romania, Russia, Saudia Arabia, Serbia and Montenegro, Slovakia, Spain, Sweden, Syria, Tajikistan, Turkey, Turkmenistan, Ukraine, USA (see status below), Uzbekistan.	1038	Side view, standing, C. l. tundrarum		Kutunidisz K	Germany, Hesse, Frankfurt Zoological Garden

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Canidae	dogs	<i>Canis</i>	<i>lupus</i>	Wolf	Throughout the N hemisphere: North America south to 20°N in Oaxaca (Mexico); Europe; Asia, including the Arabian Peninsula and Japan, excluding Indochina and S India. Extirpated from most of the continental USA, Europe, and SE China and Indochina. Afghanistan, Albania, Armenia, Azerbaijan, Belarus, Bhutan, Bulgaria, Canada, China, Egypt (?), Estonia, Finland, France, Georgia, Greece, Greenland, Hungary, India, Iran, Iraq, Israel, Jordan, Kyrgyzstan, Latvia, Lebanon (?), Lithuania, Macedonia, Mexico, Mongolia, Nepal, Norway, Pakistan, Poland, Portugal, Romania, Russia, Saudia Arabia, Serbia and Montenegro, Slovakia, Spain, Sweden, Syria, Tajikistan, Turkey, Turkmenistan, Ukraine, USA (see status below), Uzbekistan.	1128	One individual standing, one lying, C. l. baileyi	1991	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, ABQ BioPark (Rio Grande) Zoo
Carnivora	Canidae	dogs	<i>Canis</i>	<i>lupus</i>	Wolf (Red Wolf)	Throughout the N hemisphere: North America south to 20°N in Oaxaca (Mexico); Europe; Asia, including the Arabian Peninsula and Japan, excluding Indochina and S India. Extirpated from most of the continental USA, Europe, and SE China and Indochina. Afghanistan, Albania, Armenia, Azerbaijan, Belarus, Bhutan, Bulgaria, Canada, China, Egypt (?), Estonia, Finland, France, Georgia, Greece, Greenland, Hungary, India, Iran, Iraq, Israel, Jordan, Kyrgyzstan, Latvia, Lebanon (?), Lithuania, Macedonia, Mexico, Mongolia, Nepal, Norway, Pakistan, Poland, Portugal, Romania, Russia, Saudia Arabia, Serbia and Montenegro, Slovakia, Spain, Sweden, Syria, Tajikistan, Turkey, Turkmenistan, Ukraine, USA (see status below), Uzbekistan.	1292	Side view, standing, C. l. rufus	1993	Forbes RB	USA, WA, Pierce Co., Tacoma, Point Defiance Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Canidae	dogs	<i>Canis</i>	<i>lupus</i>	Wolf (New Guinea Singing Dog)	Throughout the N hemisphere: North America south to 20°N in Oaxaca (Mexico); Europe; Asia, including the Arabian Peninsula and Japan, excluding Indochina and S India. Extirpated from most of the continental USA, Europe, and SE China and Indochina. Afghanistan, Albania, Armenia, Azerbaijan, Belarus, Bhutan, Bulgaria, Canada, China, Egypt (?), Estonia, Finland, France, Georgia, Greece, Greenland, Hungary, India, Iran, Iraq, Israel, Jordan, Kyrgyzstan, Latvia, Lebanon (?), Lithuania, Macedonia, Mexico, Mongolia, Nepal, Norway, Pakistan, Poland, Portugal, Romania, Russia, Saudia Arabia, Serbia and Montenegro, Slovakia, Spain, Sweden, Syria, Tajikistan, Turkey, Turkmenistan, Ukraine, USA (see status below), Uzbekistan.	1355	Side view of New Guinea Singing Dog, C. l. dingo	1994	Huckaby DG	USA, DC, Washington, National Zoological Park
Carnivora	Canidae	dogs	<i>Canis</i>	<i>mesomelas</i>	Black-backed Jackal	Allopatric south and east African populations: Angola, Botswana, Ethiopia, Kenya, Mozambique, Namibia, Somalia, Sudan, Tanzania, Uganda, Zimbabwe.	434	Close-up view of standing adult	1973	Hall JG	Kenya, Rift Valley province, Kajjado county, Amboseli National Park
Carnivora	Canidae	dogs	<i>Canis</i>	<i>mesomelas</i>	Black-backed Jackal	Allopatric south and east African populations: Angola, Botswana, Ethiopia, Kenya, Mozambique, Namibia, Somalia, Sudan, Tanzania, Uganda, Zimbabwe.	2177		4 March 2013	Perry P	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve
Carnivora	Canidae	dogs	<i>Canis</i>	<i>simensis</i>	Ethiopian Wolf	C Ethiopia.	832	Side view, walking in field.		Erickson W	Ethiopia, Bale Mountains National Park
Carnivora	Canidae	dogs	<i>Cerdocyon</i>	<i>thous</i>	Crab-eating Fox	N Argentina, Bolivia, Brazil (except Amazonia), Colombia, Guyanas, Suriname, Peru, Paraguay, Uruguay, Venezuela.	118	Side view of dead animal	1976	Myers P	Paraguay, Chaco
Carnivora	Canidae	dogs	<i>Cerdocyon</i>	<i>thous</i>	Crab-eating Fox	N Argentina, Bolivia, Brazil (except Amazonia), Colombia, Guyanas, Suriname, Peru, Paraguay, Uruguay, Venezuela.	1567	Side view, standing in a field	1992	Lord RD	Venezuela, Apure, 30 km SW of Mantecal, Hato Ed Cedral
Carnivora	Canidae	dogs	<i>Cerdocyon</i>	<i>thous</i>	Crab-eating Fox	N Argentina, Bolivia, Brazil (except Amazonia), Colombia, Guyanas, Suriname, Peru, Paraguay, Uruguay, Venezuela.	2178		3 September 2010	Perry P	Brazil, Mato Grosso do Sul, Pantanal
Carnivora	Canidae	dogs	<i>Chrysocyon</i>	<i>brachyurus</i>	Maned Wolf	NE Argentina, Paraguay; Bolivia (lowlands), Brazil (from Rio Grande do Sul to Minas Gerais, Goiás and Mato Grosso), Paraguay.	267	Full view	1968	Glass BP	Brazil, Minas Gerais, Belo Horizonte Zoo
Carnivora	Canidae	dogs	<i>Chrysocyon</i>	<i>brachyurus</i>	Maned Wolf	NE Argentina, Paraguay; Bolivia (lowlands), Brazil (from Rio Grande do Sul to Minas Gerais, Goiás and Mato Grosso), Paraguay.	1568	Close-up, front view of face	1995	Lord RD	Bolivia, Santa Cruz Zoo
Carnivora	Canidae	dogs	<i>Chrysocyon</i>	<i>brachyurus</i>	Maned Wolf	NE Argentina, Paraguay; Bolivia (lowlands), Brazil (from Rio Grande do Sul to Minas Gerais, Goiás and Mato Grosso), Paraguay.	1813	Side view of walking adult	June 21, 1991	Huckaby, DG	USA, OK, Oklahoma Co., Oklahoma City Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Canidae	dogs	<i>Cuon</i>	<i>alpinus</i>	Dhole	China (Tibet and Xinjiang: Tian Shan and Altai-extinct); Indonesia (Java, Sumatra), Malaysia, India (montane forest), N Pakistan, Indochina, North and South ?Korea, N Mongolia, Russia (Ussuri region and S Siberia).	2179		28 April 2011	Perry P	India, Madhya Pradesh, Kanha National Park
Carnivora	Canidae	dogs	<i>Cuon</i>	<i>alpinus</i>	Dhole	China (Tibet and Xinjiang: Tian Shan and Altai-extinct); Indonesia (Java, Sumatra), Malaysia, India (montane forest), N Pakistan, Indochina, North and South ?Korea, N Mongolia, Russia (Ussuri region and S Siberia).	2180		28 April 2011	Perry P	India, Madhya Pradesh, Kanha National Park
Carnivora	Canidae	dogs	<i>Cuon</i>	<i>alpinus</i>	Dhole	China (Tibet and Xinjiang: Tian Shan and Altai-extinct); Indonesia (Java, Sumatra), Malaysia, India (montane forest), N Pakistan, Indochina, North and South ?Korea, N Mongolia, Russia (Ussuri region and S Siberia).	2262		18 May 2008	Huffman, B	Canada, ONT, Toronto Zoo
Carnivora	Canidae	dogs	<i>Cuon</i>	<i>alpinus</i>	Dhole	China (Tibet and Xinjiang: Tian Shan and Altai-extinct); Indonesia (Java, Sumatra), Malaysia, India (montane forest), N Pakistan, Indochina, North and South ?Korea, N Mongolia, Russia (Ussuri region and S Siberia).	2263		18 May 2008	Huffman, B	Canada, ONT, Toronto Zoo
Carnivora	Canidae	dogs	<i>Cuon</i>	<i>alpinus</i>	Dhole	China (Tibet and Xinjiang: Tian Shan and Altai-extinct); Indonesia (Java, Sumatra), Malaysia, India (montane forest), N Pakistan, Indochina, North and South ?Korea, N Mongolia, Russia (Ussuri region and S Siberia).	2264		14 January 2010	Huffman, B	Canada, ONT, Toronto Zoo
Carnivora	Canidae	dogs	<i>Lycalopex</i>	<i>culpaeus</i>	Culpeo	Argentina (Tierra del Fuego), Bolivia, Chile, Colombia, Ecuador, Peru.	437	Side view	1974	Meserve PL	Chile, Coquimbo, Parque Nacional Fray Jorge
Carnivora	Canidae	dogs	<i>Lycalopex</i>	<i>culpaeus</i>	Culpeo	Argentina (Tierra del Fuego), Bolivia, Chile, Colombia, Ecuador, Peru.	1658	Lateral view of trotting adult	November 12, 2009	Harding LE	Chile, Antofagasta, Lago Miscanti
Carnivora	Canidae	dogs	<i>Lycaon</i>	<i>pictus</i>	African Wild Dog	Angola, Botswana, Cameroun, Central African Republic, Chad, Côte d'Ivoire (?), Ethiopia, Gambia (?), Guinea, Kenya, Malawi, Mali, Moçambique, Namibia, Sénégal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe. Recently extinct: Algeria (?), Benin, Burkina Faso (?), Burundi, Dem. Rep. Congo (?), Eritrea, Gabon, Ghana, Niger, Mauritania, Nigeria, Republic of Congo, Rwanda, Sierra Leone, Togo.	969	Oblique view	1987	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Carnivora	Canidae	dogs	<i>Lycaon</i>	<i>pictus</i>	African Wild Dog	Angola, Botswana, Cameroun, Central African Republic, Chad, Côte d'Ivoire (?), Ethiopia, Gambia (?), Guinea, Kenya, Malawi, Mali, Moçambique, Namibia, Sénégal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe. Recently extinct: Algeria (?), Benin, Burkina Faso (?), Burundi, Dem. Rep. Congo (?), Eritrea, Gabon, Ghana, Niger, Mauritania, Nigeria, Republic of Congo, Rwanda, Sierra Leone, Togo.	1659	Part of pack standing in dirt road	November 20, 2008	Harding LE	Botswana, Chobe National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Canidae	dogs	<i>Lycaon</i>	<i>pictus</i>	African Wild Dog	Angola, Botswana, Cameroun, Central African Republic, Chad, Côte d'Ivoire (?), Ethiopia, Gambia (?), Guinea, Kenya, Malawi, Mali, Moçambique, Namibia, Sénégal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe. Recently extinct: Algeria (?), Benin, Burkina Faso (?), Burundi, Dem. Rep. Congo (?), Eritrea, Gabon, Ghana, Niger, Mauritania, Nigeria, Republic of Congo, Rwanda, Sierra Leone, Togo.	2181		19 February 2008	Perry P	Tanzania, Serengeti National Park
Carnivora	Canidae	dogs	<i>Lycaon</i>	<i>pictus</i>	African Wild Dog	Angola, Botswana, Cameroun, Central African Republic, Chad, Côte d'Ivoire (?), Ethiopia, Gambia (?), Guinea, Kenya, Malawi, Mali, Moçambique, Namibia, Sénégal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe. Recently extinct: Algeria (?), Benin, Burkina Faso (?), Burundi, Dem. Rep. Congo (?), Eritrea, Gabon, Ghana, Niger, Mauritania, Nigeria, Republic of Congo, Rwanda, Sierra Leone, Togo.	2182		20 February 2008	Perry P	Tanzania, Serengeti National Park
Carnivora	Canidae	dogs	<i>Lycaon</i>	<i>pictus</i>	African Wild Dog	Angola, Botswana, Cameroun, Central African Republic, Chad, Côte d'Ivoire (?), Ethiopia, Gambia (?), Guinea, Kenya, Malawi, Mali, Moçambique, Namibia, Sénégal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe. Recently extinct: Algeria (?), Benin, Burkina Faso (?), Burundi, Dem. Rep. Congo (?), Eritrea, Gabon, Ghana, Niger, Mauritania, Nigeria, Republic of Congo, Rwanda, Sierra Leone, Togo.	2183	Social bonding	22 February 2008	Perry P	Tanzania, Serengeti National Park
Carnivora	Canidae	dogs	<i>Nyctereutes</i>	<i>procyonoides</i>	Raccoon Dog	China, Japan, Mongolia, North and South Korea, Russia. Introduced into Europe and now found in: Austria, Belarus, Bosnia and Herzegovina, Bulgaria, Denmark, Estonia, Finland, France, Germany, Hungary, Latvia, Lithuania, Moldova, Netherlands, Norway, Poland, Romania, Serbia, Slovenia, Sweden, Switzerland, Ukraine.	270	Group	1978	Cukierski M	Canada, ON, Toronto Zoo
Carnivora	Canidae	dogs	<i>Otocyon</i>	<i>megalotis</i>	Bat-eared Fox	Allopatric south and east African populations: Angola, Botswana, Ethiopia, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	117	Side view	1976	Anderson Jeremy	South Africa, Northern Cape, Kalahari Gemsbok National Park
Carnivora	Canidae	dogs	<i>Otocyon</i>	<i>megalotis</i>	Bat-eared Fox	Allopatric south and east African populations: Angola, Botswana, Ethiopia, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	1039	Oblique views from above of fox standing		Kutunidisz K	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Canidae	dogs	<i>Otocyon</i>	<i>megalotis</i>	Bat-eared Fox	Allopatric south and east African populations: Angola, Botswana, Ethiopia, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	1595	Side view of adult, walking at night	April 2, 2005	Patterson BD	Kenya, Coast province, Taita-Taveta county, Tsavo Ranches
Carnivora	Canidae	dogs	<i>Otocyon</i>	<i>megalotis</i>	Bat-eared Fox	Allopatric south and east African populations: Angola, Botswana, Ethiopia, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	2184		26 February 2008	Perry P	Tanzania, Serengeti National Park
Carnivora	Canidae	dogs	<i>Speothos</i>	<i>venaticus</i>	Bush Dog	Forested areas of Bolivia, Brazil (except the semiarid NE), Colombia, Ecuador, French Guiana, Guyana, Panama, Paraguay, E Peru, Surinam, Venezuela.	1569	Lateral view of walking adult	2000	Lord RD	Brazil, Sao Paulo Zoo
Carnivora	Canidae	dogs	<i>Urocyon</i>	<i>cinereoargenteus</i>	Gray Fox	Belize, Canada (along USA border); Colombia, Costa Rica, El Salvador, Guatemala, Mexico, Nicaragua, Panama, USA (most states except Idaho, Washington, Montana, Wyoming), Venezuela.	584	Side view	1980	Master LL	USA, MN, Hennepin Co., Minneapolis Zoo
Carnivora	Canidae	dogs	<i>Urocyon</i>	<i>littoralis</i>	Island Fox	USA (Islands off the Pacific coast of S California).	1739	Rear quartering view of adult with head turned	1995	Collins, CT - contributed by DG Huckaby	USA, CA, Santa Barbara Co., Santa Cruz Island
Carnivora	Canidae	dogs	<i>Urocyon</i>	<i>littoralis</i>	Island Fox	USA (Islands off the Pacific coast of S California).	1814	Reclining adult facing camera	August 4, 2002	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>chama</i>	Cape Fox	S Angola, Botswana, Namibia, South Africa.	970	Resting under bush	1987	Hall JG	South Africa, Northern Cape, Kalahari Gemsbok National Park
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>chama</i>	Cape Fox	S Angola, Botswana, Namibia, South Africa.	2185		ca. 1988	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>corsac</i>	Corsac Fox	N Afghanistan, NE China, Kazakhstan, Kyrgyzstan, Mongolia, Russia.	874	Side view, lying down	1983	Kutunidisz K	Slovak Republic, Bratislava Zoo
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>lagopus</i>	Arctic Fox	Circumpolar, entire tundra zone of the Holarctic, including most of the Arctic islands: Canada, Finland, Greenland, Iceland, Norway, Russia, Sweden, USA (Alaska).	114	Oblique view in white pelage	1973	Riewe R	Canada, NU, Ellesmere Island
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>lagopus</i>	Arctic Fox	Circumpolar, entire tundra zone of the Holarctic, including most of the Arctic islands: Canada, Finland, Greenland, Iceland, Norway, Russia, Sweden, USA (Alaska).	115	Close-up oblique view	1972	Riewe R	Canada, NU, Bathurst Island
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>lagopus</i>	Arctic Fox	Circumpolar, entire tundra zone of the Holarctic, including most of the Arctic islands: Canada, Finland, Greenland, Iceland, Norway, Russia, Sweden, USA (Alaska).	116	Front view in blue phase		Audio Visual Office, US Fish & Wildlife Service (photo by Nygren LR)	USA, AK, Aleutians West, Otter Island
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>lagopus</i>	Arctic Fox	Circumpolar, entire tundra zone of the Holarctic, including most of the Arctic islands: Canada, Finland, Greenland, Iceland, Norway, Russia, Sweden, USA (Alaska).	1291	Side view, resting on ground	1993	Forbes RB	USA, WA, Pierce Co., Tacoma, Point Defiance Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>macrotis</i>	Kit Fox	USA (S and C California, Nevada, SE Oregon, SW Idaho, W Utah, Arizona, New Mexico and W Texas).	269	Front view of captive	1973	Oaks EC	USA, UT, Cache Co., Logan, Utah State University Green Canyon Compound
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>macrotis</i>	Kit Fox	USA (S and C California, Nevada, SE Oregon, SW Idaho, W Utah, Arizona, New Mexico and W Texas).	1208	Sitting, facing camera, entirely in view	1992	Huckaby DG	USA, UT, Salt Lake City, Hogle Zoo
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>rueppellii</i>	Ruppell's Fox	Afghanistan, Egypt (Sinai), Iran, Morocco, Pakistan, Saudia Arabia, Somalia.	1040	Oblique view of fox sitting		Kutunidisz K	Germany, North Rhine-Westphalia, Duisberg Zoo
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>velox</i>	Swift Fox	Canada (SE British Columbia, SC Alberta and SW Saskatchewan), USA (C North America to NW Texas panhandle and E New Mexico).	583	Two captive pups six weeks old	1974	Anderson PK	Canada, AB, Cochrane
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>vulpes</i>	Red Fox	Afghanistan, Albania, Algeria, Armenia, Austria, Azerbaijan, Bangladesh, Belarus, Belgium, Bhutan, Bosnia and Herzegovina, Bulgaria, China, Croatia, Czech Republic, Denmark, Egypt, Estonia, Finland, France, Geogria, Germany, Great Britain, Greece, Hungary, Iceland, India, Iran, Iraq, Ireland, Israel, Italy, Japan, Jordan, Kazakhstan, Kyrgyzstan, Laos, Latvia, Lithuania, Macedonia, Moldova, Mongolia, Morocco, Nepal, Netherlands, North and South Korea, Norway, Pakistan, Portugal, Romania, Russia, Serbia and Montenegro, Slovakia, Slovenia, Spain, Sweden, Switzerland, Syria, Tunisia, Turkey, Turkmenistan, Ukraine, USA (Alaska, throughout most of the contiguous 48 states except central plains and SW deserts), Uzbekistan, Vietnam. Introduced to Australia.	435	Side view of female standing, nursing pups	1965	Murie A (contributed by JO Murie)	USA, AK, Denali National Park
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>vulpes</i>	Red Fox	Afghanistan, Albania, Algeria, Armenia, Austria, Azerbaijan, Bangladesh, Belarus, Belgium, Bhutan, Bosnia and Herzegovina, Bulgaria, China, Croatia, Czech Republic, Denmark, Egypt, Estonia, Finland, France, Geogria, Germany, Great Britain, Greece, Hungary, Iceland, India, Iran, Iraq, Ireland, Israel, Italy, Japan, Jordan, Kazakhstan, Kyrgyzstan, Laos, Latvia, Lithuania, Macedonia, Moldova, Mongolia, Morocco, Nepal, Netherlands, North and South Korea, Norway, Pakistan, Portugal, Romania, Russia, Serbia and Montenegro, Slovakia, Slovenia, Spain, Sweden, Switzerland, Syria, Tunisia, Turkey, Turkmenistan, Ukraine, USA (Alaska, throughout most of the contiguous 48 states except central plains and SW deserts), Uzbekistan, Vietnam. Introduced to Australia.	436	Two pups	1956	Murie A (contributed by JO Murie)	USA, AK, Denali National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>vulpes</i>	Red Fox	Afghanistan, Albania, Algeria, Armenia, Austria, Azerbaijan, Bangladesh, Belarus, Belgium, Bhutan, Bosnia and Herzegovina, Bulgaria, China, Croatia, Czech Republic, Denmark, Egypt, Estonia, Finland, France, Georgia, Germany, Great Britain, Greece, Hungary, Iceland, India, Iran, Iraq, Ireland, Israel, Italy, Japan, Jordan, Kazakhstan, Kyrgyzstan, Laos, Latvia, Lithuania, Macedonia, Moldova, Mongolia, Morocco, Nepal, Netherlands, North and South Korea, Norway, Pakistan, Portugal, Romania, Russia, Serbia and Montenegro, Slovakia, Slovenia, Spain, Sweden, Switzerland, Syria, Tunisia, Turkey, Turkmenistan, Ukraine, USA (Alaska, throughout most of the contiguous 48 states except central plains and SW deserts), Uzbekistan, Vietnam. Introduced to Australia.	582	Side view, walking	1965	Master LL	USA, MD, Anne Arundel Co., Gibson Island
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>vulpes</i>	Red Fox	Afghanistan, Albania, Algeria, Armenia, Austria, Azerbaijan, Bangladesh, Belarus, Belgium, Bhutan, Bosnia and Herzegovina, Bulgaria, China, Croatia, Czech Republic, Denmark, Egypt, Estonia, Finland, France, Georgia, Germany, Great Britain, Greece, Hungary, Iceland, India, Iran, Iraq, Ireland, Israel, Italy, Japan, Jordan, Kazakhstan, Kyrgyzstan, Laos, Latvia, Lithuania, Macedonia, Moldova, Mongolia, Morocco, Nepal, Netherlands, North and South Korea, Norway, Pakistan, Portugal, Romania, Russia, Serbia and Montenegro, Slovakia, Slovenia, Spain, Sweden, Switzerland, Syria, Tunisia, Turkey, Turkmenistan, Ukraine, USA (Alaska, throughout most of the contiguous 48 states except central plains and SW deserts), Uzbekistan, Vietnam. Introduced to Australia.	1815	Side view of adult silver phase	November 29, 1991	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>zerda</i>	Fennec Fox	Chad, Egypt, Kuwait, Libya, Mali, Mauritania, Morocco, Niger, Saudi Arabia, Sudan, Tunisia.	699	Side view	1971	Oaks EC	USA, UT, Salt Lake City, Hogle Zoo
Carnivora	Canidae	dogs	<i>Vulpes</i>	<i>zerda</i>	Fennec Fox	Chad, Egypt, Kuwait, Libya, Mali, Mauritania, Morocco, Niger, Saudi Arabia, Sudan, Tunisia.	1816	Side view of entire adult	June 14, 1992	Huckaby, DG	USA, UT, Salt Lake Co., Hogle Zoo
Carnivora	Eupleridae	Malagasy carnivorans	<i>Cryptoprocta</i>	<i>ferox</i>	Fossa	Endemic to Madagascar.	2265		27 September 2007	Huffman, B	USA, OH, Cuyahoga co., Cleveland Metroparks Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Acinonyx</i>	<i>jubatus</i>	Cheetah	Algeria, Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Egypt, Eritrea, Ethiopia, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Zambia, Zimbabwe. Recently extinct: Afghanistan, Burundi, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Libya, Morocco, Pakistan, Saudi Arabia, Senegal, Syrian Arab Republic, Tunisia, Turkmenistan, Uganda, Uzbekistan, Western Sahara, Yemen.	122	Two cheetahs at impala kill	1967	Anderson Jeremy	Zimbabwe, SE
Carnivora	Felidae	cats	<i>Acinonyx</i>	<i>jubatus</i>	Cheetah	Algeria, Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Egypt, Eritrea, Ethiopia, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Zambia, Zimbabwe. Recently extinct: Afghanistan, Burundi, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Libya, Morocco, Pakistan, Saudi Arabia, Senegal, Syrian Arab Republic, Tunisia, Turkmenistan, Uganda, Uzbekistan, Western Sahara, Yemen.	271	Close-up of head of juvenile		Burger W	
Carnivora	Felidae	cats	<i>Acinonyx</i>	<i>jubatus</i>	Cheetah	Algeria, Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Egypt, Eritrea, Ethiopia, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Zambia, Zimbabwe. Recently extinct: Afghanistan, Burundi, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Libya, Morocco, Pakistan, Saudi Arabia, Senegal, Syrian Arab Republic, Tunisia, Turkmenistan, Uganda, Uzbekistan, Western Sahara, Yemen.	700	Side view, sitting	1973	Emmrich AJ (contrib. by LC Emmrich)	Kenya, Rift Valley province, Kajiado county, Amboseli National Park
Carnivora	Felidae	cats	<i>Acinonyx</i>	<i>jubatus</i>	Cheetah	Algeria, Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Egypt, Eritrea, Ethiopia, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Zambia, Zimbabwe. Recently extinct: Afghanistan, Burundi, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Libya, Morocco, Pakistan, Saudi Arabia, Senegal, Syrian Arab Republic, Tunisia, Turkmenistan, Uganda, Uzbekistan, Western Sahara, Yemen.	1041	Close-up side view of cheetah lying down		Visser J	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Acinonyx</i>	<i>jubatus</i>	Cheetah	Algeria, Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Egypt, Eritrea, Ethiopia, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Zambia, Zimbabwe. Recently extinct: Afghanistan, Burundi, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Libya, Morocco, Pakistan, Saudi Arabia, Senegal, Syrian Arab Republic, Tunisia, Turkmenistan, Uganda, Uzbekistan, Western Sahara, Yemen.	1259	Standing, side view	1993	Haweeli JD	Tanzania, Serengeti National Park
Carnivora	Felidae	cats	<i>Acinonyx</i>	<i>jubatus</i>	Cheetah	Algeria, Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Egypt, Eritrea, Ethiopia, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Zambia, Zimbabwe. Recently extinct: Afghanistan, Burundi, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Libya, Morocco, Pakistan, Saudi Arabia, Senegal, Syrian Arab Republic, Tunisia, Turkmenistan, Uganda, Uzbekistan, Western Sahara, Yemen.	1660	Two animals, interacting	October 27, 2008	Harding LE	Namibia, Western Kalahari Desert
Carnivora	Felidae	cats	<i>Acinonyx</i>	<i>jubatus</i>	Cheetah	Algeria, Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Egypt, Eritrea, Ethiopia, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Zambia, Zimbabwe. Recently extinct: Afghanistan, Burundi, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Libya, Morocco, Pakistan, Saudi Arabia, Senegal, Syrian Arab Republic, Tunisia, Turkmenistan, Uganda, Uzbekistan, Western Sahara, Yemen.	1730	Female and three offspring resting	2004	Goheen, JR	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve
Carnivora	Felidae	cats	<i>Acinonyx</i>	<i>jubatus</i>	Cheetah	Algeria, Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Egypt, Eritrea, Ethiopia, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Zambia, Zimbabwe. Recently extinct: Afghanistan, Burundi, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Libya, Morocco, Pakistan, Saudi Arabia, Senegal, Syrian Arab Republic, Tunisia, Turkmenistan, Uganda, Uzbekistan, Western Sahara, Yemen.	2087	Adult female with juveniles feeding	27 March 2011	BA Roberts	Kenya, Rift Valley province, Laikipia county, Ol Pejeta Conservancy

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Acinonyx</i>	<i>jubatus</i>	Cheetah	Algeria, Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Egypt, Eritrea, Ethiopia, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Zambia, Zimbabwe. Recently extinct: Afghanistan, Burundi, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Libya, Morocco, Pakistan, Saudi Arabia, Senegal, Syrian Arab Republic, Tunisia, Turkmenistan, Uganda, Uzbekistan, Western Sahara, Yemen.	2088	Juvenile, showing reversed color pattern	27 March 2011	BA Roberts	Kenya, Rift Valley province, Laikipia county, Ol Pejeta Conservancy
Carnivora	Felidae	cats	<i>Caracal</i>	<i>caracal</i>	Caracal	Afghanistan, Algeria, Angola, Benin, Botswana, Burkina Faso (?), Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Djibouti, Egypt, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Lesotho, Libya, Malawi, Mali (?), Mauritania, Morocco, Mozambique, Namibia, Niger, Nigeria, Oman, Pakistan, Saudi Arabia, Senegal, Somalia, South Africa, Sudan, Syrian Arab Republic, Tajikistan, Tanzania, Togo, Tunisia, Turkey, Turkmenistan, Uganda, United Arab Emirates, Uzbekistan, Yemen, Zambia, Zimbabwe.	126	Front view, sitting	1973	Visser J	South Africa, Western Cape, Cape Point
Carnivora	Felidae	cats	<i>Caracal</i>	<i>caracal</i>	Caracal	Afghanistan, Algeria, Angola, Benin, Botswana, Burkina Faso (?), Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Djibouti, Egypt, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Lesotho, Libya, Malawi, Mali (?), Mauritania, Morocco, Mozambique, Namibia, Niger, Nigeria, Oman, Pakistan, Saudi Arabia, Senegal, Somalia, South Africa, Sudan, Syrian Arab Republic, Tajikistan, Tanzania, Togo, Tunisia, Turkey, Turkmenistan, Uganda, United Arab Emirates, Uzbekistan, Yemen, Zambia, Zimbabwe.	1596	Side view of reclining adult, facing camera with eyes shut	April 7, 2004	Patterson BD	USA, OK, Oklahoma Co., Oklahoma City Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Caracal</i>	<i>caracal</i>	Caracal	Afghanistan, Algeria, Angola, Benin, Botswana, Burkina Faso (?), Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Djibouti, Egypt, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Lesotho, Libya, Malawi, Mali (?), Mauritania, Morocco, Mozambique, Namibia, Niger, Nigeria, Oman, Pakistan, Saudi Arabia, Senegal, Somalia, South Africa, Sudan, Syrian Arab Republic, Tajikistan, Tanzania, Togo, Tunisia, Turkey, Turkmenistan, Uganda, United Arab Emirates, Uzbekistan, Yemen, Zambia, Zimbabwe.	2186		1 April 2004	Perry P	Namibia, Tsaobis Nature Park Restcamp
Carnivora	Felidae	cats	<i>Catopuma</i>	<i>temminckii</i>	Asian Golden Cat	Bangladesh, Bhutan, Cambodia, China, India, Indonesia (Sumatra), Laos, Malaysia, Burma, Nepal, Thailand, Vietnam.	2266		22 April 2002	Huffman, B	USA, OH, Hamilton co., Cincinnati Zoo & Botanical Gardens
Carnivora	Felidae	cats	<i>Felis</i>	<i>chaus</i>	Jungle Cat	Afghanistan, Bangladesh, Bhutan, Cambodia, China, Egypt, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Laos, Mongolia, Burma, Nepal, Pakistan, Russia, Sri Lanka, Syrian Arab Republic, Tajikistan, Thailand, Turkey, Turkmenistan, Uzbekistan, Vietnam.	1042	Oblique view, sitting		Kutunidisz K	Austria, Vienna Zoo
Carnivora	Felidae	cats	<i>Felis</i>	<i>manul</i>	Pallas's Cat	Afghanistan, Armenia, China, India, Iran, Kazakhstan, Kyrgyzstan, Mongolia, Pakistan, Russia, Tajikistan, Turkmenistan, Uzbekistan.	2050	Frontal view of face. Also as <i>Otocolobus manul</i> . On cover of Journal of Mammalogy 93(5)	11 May 2007	Ross S	Mongolia, Selenge province, Altanbulag district
Carnivora	Felidae	cats	<i>Felis</i>	<i>manul</i>	Pallas's Cat	Afghanistan, Armenia, China, India, Iran, Kazakhstan, Kyrgyzstan, Mongolia, Pakistan, Russia, Tajikistan, Turkmenistan, Uzbekistan.	2187	Adult molting winter coat	17 March 2012	Perry P	UK, England, Southeast, Kent county, Port Lympne Zoo
Carnivora	Felidae	cats	<i>Felis</i>	<i>margarita</i>	Sand Cat	Afghanistan (?), Algeria, Chad, Egypt, Iran (?), Iraq (?), Israel, Jordan, Kazakhstan, Kuwait, Libya (?), Mali (?), Mauritania (?), Morocco, Niger, Oman, Pakistan, Qatar, Saudi Arabia, Sudan (?), Syrian Arab Republic (?), Turkmenistan, United Arab Emirates, Uzbekistan, Western Sahara (?), Yemen.	1597	Side view of sitting adult, showing face	April 11, 2004	Patterson BD	USA, IL, Cook Co., Chicago, Brookfield Zoo
Carnivora	Felidae	cats	<i>Felis</i>	<i>nigripes</i>	Black-footed Cat	Botswana, Namibia, South Africa.	1005	Front view of cat sitting	1988	Shoemaker AH	USA, OH, Hamilton Co., Cincinnati Zoo & Botanical Garden
Carnivora	Felidae	cats	<i>Felis</i>	<i>nigripes</i>	Black-footed Cat	Botswana, Namibia, South Africa.	1043	Oblique view of cat sitting with half-eaten pigeon		Visser J	South Africa, Northern Cape, Victoria West

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Felis</i>	<i>silvestris</i>	Wildcat	Afghanistan, Algeria, Angola, Armenia, Azerbaijan, Belarus, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, China, Djibouti, Egypt, Eritrea, Ethiopia, Gambia, Georgia, Ghana, Guinea, Guinea-Bissau, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Kyrgyzstan, Lebanon, Lesotho, Libya, Luxembourg, Macedonia, Malawi, Mali, Mauritania, Morocco, Mozambique, Namibia, Niger, Nigeria, Oman, Pakistan, Republic of Congo, Russia, Saudi Arabia, Senegal, Serbia and Montenegro, Sierra Leone, Slovakia, Slovenia, Somalia, South Africa, Sudan, Swaziland, Switzerland, Syrian Arab Republic, Tajikistan, Tanzania, Togo, Tunisia, Turkey, Turkmenistan, Uganda, United Arab Emirates, USA, Uzbekistan, Western Sahara, Yemen, Zambia, Zimbabwe.	1044	Oblique view of cat sitting		Kutunidisz K	Netherlands, Rotterdam Zoo
Carnivora	Felidae	cats	<i>Felis</i>	<i>silvestris</i>	Wildcat	Afghanistan, Algeria, Angola, Armenia, Azerbaijan, Belarus, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, China, Djibouti, Egypt, Eritrea, Ethiopia, Gambia, Georgia, Ghana, Guinea, Guinea-Bissau, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Kyrgyzstan, Lebanon, Lesotho, Libya, Luxembourg, Macedonia, Malawi, Mali, Mauritania, Morocco, Mozambique, Namibia, Niger, Nigeria, Oman, Pakistan, Republic of Congo, Russia, Saudi Arabia, Senegal, Serbia and Montenegro, Sierra Leone, Slovakia, Slovenia, Somalia, South Africa, Sudan, Swaziland, Switzerland, Syrian Arab Republic, Tajikistan, Tanzania, Togo, Tunisia, Turkey, Turkmenistan, Uganda, United Arab Emirates, USA, Uzbekistan, Western Sahara, Yemen, Zambia, Zimbabwe.	1209	Side view, face toward camera, <i>F. s. gordonii</i>		Groves CP	Qatar, Dohra

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Felis</i>	<i>silvestris</i>	Wildcat	Afghanistan, Algeria, Angola, Armenia, Azerbaijan, Belarus, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, China, Djibouti, Egypt, Eritrea, Ethiopia, Gambia, Georgia, Ghana, Guinea, Guinea-Bissau, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Kyrgyzstan, Lebanon, Lesotho, Libya, Luxembourg, Macedonia, Malawi, Mali, Mauritania, Morocco, Mozambique, Namibia, Niger, Nigeria, Oman, Pakistan, Republic of Congo, Russia, Saudi Arabia, Senegal, Serbia and Montenegro, Sierra Leone, Slovakia, Slovenia, Somalia, South Africa, Sudan, Swaziland, Switzerland, Syrian Arab Republic, Tajikistan, Tanzania, Togo, Tunisia, Turkey, Turkmenistan, Uganda, United Arab Emirates, USA, Uzbekistan, Western Sahara, Yemen, Zambia, Zimbabwe.	1598	Quartering rear view of adult facing camera at night, F. s. libyca	December 13, 2003	Patterson BD	Kenya, Coast province, Taita-Taveta county, Tsavo Ranches
Carnivora	Felidae	cats	<i>Felis</i>	<i>silvestris</i>	Wildcat	Afghanistan, Algeria, Angola, Armenia, Azerbaijan, Belarus, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, China, Djibouti, Egypt, Eritrea, Ethiopia, Gambia, Georgia, Ghana, Guinea, Guinea-Bissau, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Kyrgyzstan, Lebanon, Lesotho, Libya, Luxembourg, Macedonia, Malawi, Mali, Mauritania, Morocco, Mozambique, Namibia, Niger, Nigeria, Oman, Pakistan, Republic of Congo, Russia, Saudi Arabia, Senegal, Serbia and Montenegro, Sierra Leone, Slovakia, Slovenia, Somalia, South Africa, Sudan, Swaziland, Switzerland, Syrian Arab Republic, Tajikistan, Tanzania, Togo, Tunisia, Turkey, Turkmenistan, Uganda, United Arab Emirates, USA, Uzbekistan, Western Sahara, Yemen, Zambia, Zimbabwe.	2188		ca. 1988	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Felis</i>	<i>silvestris</i>	Wildcat	Afghanistan, Algeria, Angola, Armenia, Azerbaijan, Belarus, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, China, Djibouti, Egypt, Eritrea, Ethiopia, Gambia, Georgia, Ghana, Guinea, Guinea-Bissau, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Kyrgyzstan, Lebanon, Lesotho, Libya, Luxembourg, Macedonia, Malawi, Mali, Mauritania, Morocco, Mozambique, Namibia, Niger, Nigeria, Oman, Pakistan, Republic of Congo, Russia, Saudi Arabia, Senegal, Serbia and Montenegro, Sierra Leone, Slovakia, Slovenia, Somalia, South Africa, Sudan, Swaziland, Switzerland, Syrian Arab Republic, Tajikistan, Tanzania, Togo, Tunisia, Turkey, Turkmenistan, Uganda, United Arab Emirates, USA, Uzbekistan, Western Sahara, Yemen, Zambia, Zimbabwe.	2189		ca. 1988	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park
Carnivora	Felidae	cats	<i>Leopardus</i>	<i>colocolo?</i>	Colocolo	Chile.	873	Side view, might be <i>L. braccatus</i> or <i>pajeros</i>	1983	Kutunidisz K	Netherlands, Rotterdam Zoo
Carnivora	Felidae	cats	<i>Leopardus</i>	<i>geoffroyi</i>	Geoffroy's Cat	Argentina, Bolivia, Brazil, Chile, Paraguay, Uruguay.	1356	Side view, feet and tail visible	1994	Huckaby DG	USA, DC, Washington, National Zoological Park
Carnivora	Felidae	cats	<i>Leopardus</i>	<i>geoffroyi</i>	Geoffroy's Cat	Argentina, Bolivia, Brazil, Chile, Paraguay, Uruguay.	1599	Side view of adult, facing camera	April 4, 2004	Patterson BD	USA, LA, Orleans Par., New Orleans, Audubon Zoo
Carnivora	Felidae	cats	<i>Leopardus</i>	<i>pardalis</i>	Ocelot	Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, El Salvador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Suriname, Trinidad and Tobago, USA (Texas, Arizona), Uruguay, Venezuela.	125	Close-up of head and neck	1977	August PV	Venezuela, Guarico, 45 km south of Calabozo
Carnivora	Felidae	cats	<i>Leopardus</i>	<i>pardalis</i>	Ocelot	Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, El Salvador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Suriname, Trinidad and Tobago, USA (Texas, Arizona), Uruguay, Venezuela.	1571	Front view, sitting erect on branch	1999	Lord RD	Venezuela, Turmero, Leslie Pantin Zoo
Carnivora	Felidae	cats	<i>Leopardus</i>	<i>tigrinus</i>	Oncilla	Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, French Guiana, Guyana, Nicaragua (?), Panama, Paraguay (?), Peru, Suriname, Venezuela.	1045	Oblique view of cat sitting, tail covering feet		Kutunidisz K	Netherlands, Rotterdam Zoo
Carnivora	Felidae	cats	<i>Leopardus</i>	<i>wiedii</i>	Margay	Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, El Salvador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Suriname, USA (Texas), Uruguay, Venezuela.	278	Resting pose	1978	Thorington CM	Panama, Barro Colorado Island

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Leopardus</i>	<i>wiedii</i>	Margay	Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, El Salvador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Suriname, USA (Texas), Uruguay, Venezuela.	922	Close-up front view of face of juvenile	1977	Fontaine RP	Panama, Barro Colorado Island
Carnivora	Felidae	cats	<i>Leptailurus</i>	<i>serval</i>	Serval	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Djibouti, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho (?), Liberia, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Rwanda, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Believed to be extirpated in Algeria, Morocco, and Tunisia.	277	Standing pose	1978	Hickman GC	South Africa, Limpopo or Mpumalanga, Kruger National Park
Carnivora	Felidae	cats	<i>Leptailurus</i>	<i>serval</i>	Serval	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Djibouti, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho (?), Liberia, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Rwanda, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Believed to be extirpated in Algeria, Morocco, and Tunisia.	818	Side view		Wolff JO	USA, DC, Washington, National Zoological Park
Carnivora	Felidae	cats	<i>Leptailurus</i>	<i>serval</i>	Serval	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Djibouti, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho (?), Liberia, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Rwanda, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Believed to be extirpated in Algeria, Morocco, and Tunisia.	2190		18 August 2006	Perry P	South Africa, Mpumalanga, Sabi Sand Game Reserve
Carnivora	Felidae	cats	<i>Leptailurus</i>	<i>serval</i>	Serval	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Djibouti, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho (?), Liberia, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Rwanda, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Believed to be extirpated in Algeria, Morocco, and Tunisia.	2191	With rodent prey	27 September 2008	Perry P	South Africa, Eastern Cape, Shamwari Game Lodge

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Lynx</i>	<i>canadensis</i>	Canadian Lynx	Canada, USA (C Utah and SW Colorado, NE Nebraska, S Indiana, and West Virginia).	587	Side view, walking	1980	Master LL	USA, MN, Hennepin Co., Minneapolis Zoo
Carnivora	Felidae	cats	<i>Lynx</i>	<i>lynx</i>	Eurasian Lynx	Afghanistan, Albania, Armenia, Austria, Azerbaijan, Belarus, Bhutan, Bosnia and Herzegovina (?), China, Croatia, Czech Republic, Estonia, Finland, France, Georgia, Germany, Greece, Hungary, India, Iran, Iraq (?), Italy, Kazakhstan, North Korea, Kyrgyzstan, Latvia, Lithuania, Macedonia, Mongolia, Nepal, Norway, Pakistan, Poland, Romania, Russia, Slovakia, Slovenia, Sweden, Switzerland, Tajikistan, Turkey, Turkmenistan, Uzbekistan, Serbia and Montenegro. Recently extinct in Bulgaria.	1046	Side view of male standing, showing tail, L. I. kozlovi		Kutunidisiz K	Germany, Thuringia, Erfurt Zoo
Carnivora	Felidae	cats	<i>Lynx</i>	<i>rufus</i>	Bobcat	Canada (S British Columbia to Nova Scotia), Mexico (south to Oaxaca), USA.	819	Side view		Wolff JO	USA, DC, Washington, National Zoological Park
Carnivora	Felidae	cats	<i>Lynx</i>	<i>rufus</i>	Bobcat	Canada (S British Columbia to Nova Scotia), Mexico (south to Oaxaca), USA.	1293	Side view from above, feet and tail visible	1988	Best TL	USA, AZ, Pima Co., Tucson, Arizona Sonoran Desert Museum
Carnivora	Felidae	cats	<i>Lynx</i>	<i>rufus</i>	Bobcat	Canada (S British Columbia to Nova Scotia), Mexico (south to Oaxaca), USA.	1991	Lateral view of mounted skeleton running alongside skeleton of rabbit		Villemarette Josh	
Carnivora	Felidae	cats	<i>Neofelis</i>	<i>nebulosa</i>	Clouded Leopard	Bangladesh, Bhutan, Brunei, Cambodia, China, India, Indonesia (Sumatra, Kalimantan), Laos, Malaysia, Burma, Nepal, Taiwan, Thailand, Vietnam.	923	Side view of female with young	1985	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Carnivora	Felidae	cats	<i>Panthera</i>	<i>leo</i>	Lion	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Guinea-Bissau (?), India, Lesotho, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Recently extinct: Afghanistan, Algeria, Egypt, Gambia, Iraq, Israel, Jordan, Kenya, Lebanon, Libya, Kuwait, Mauritania, Morocco, Pakistan, Republic of Congo, Rwanda, Saudi Arabia, Syrian Arab Republic, Turkey, Tunisia, Western Sahara.	123	Side view of resting female	1972	Gordon DC	Kenya, Rift Valley province, Narok county, Maasai Mara Plain

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Panthera</i>	<i>leo</i>	Lion	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Guinea-Bissau (?), India, Lesotho, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Recently extinct: Afghanistan, Algeria, Egypt, Gambia, Iraq, Israel, Jordan, Kenya, Lebanon, Libya, Kuwait, Mauritania, Morocco, Pakistan, Republic of Congo, Rwanda, Saudi Arabia, Syrian Arab Republic, Turkey, Tunisia, Western Sahara.	272	Face of adult male	1976	Gordon DC	Kenya, Rift Valley province, Narok county, Maasai Mara Plain
Carnivora	Felidae	cats	<i>Panthera</i>	<i>leo</i>	Lion	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Guinea-Bissau (?), India, Lesotho, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Recently extinct: Afghanistan, Algeria, Egypt, Gambia, Iraq, Israel, Jordan, Kenya, Lebanon, Libya, Kuwait, Mauritania, Morocco, Pakistan, Republic of Congo, Rwanda, Saudi Arabia, Syrian Arab Republic, Turkey, Tunisia, Western Sahara.	273	Juvenile	1970	Twiest GL	USA, FL, Palm Beach Co., Lion Country Safari
Carnivora	Felidae	cats	<i>Panthera</i>	<i>leo</i>	Lion	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Guinea-Bissau (?), India, Lesotho, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Recently extinct: Afghanistan, Algeria, Egypt, Gambia, Iraq, Israel, Jordan, Kenya, Lebanon, Libya, Kuwait, Mauritania, Morocco, Pakistan, Republic of Congo, Rwanda, Saudi Arabia, Syrian Arab Republic, Turkey, Tunisia, Western Sahara.	820	Male and six cubs feeding on buffalo kill, female resting in background	1984	Wolff JO	Kenya

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Panthera</i>	<i>leo</i>	Lion	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Guinea-Bissau (?), India, Lesotho, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Recently extinct: Afghanistan, Algeria, Egypt, Gambia, Iraq, Israel, Jordan, Kenya, Lebanon, Libya, Kuwait, Mauritania, Morocco, Pakistan, Republic of Congo, Rwanda, Saudi Arabia, Syrian Arab Republic, Turkey, Tunisia, Western Sahara.	1260	Male standing, side view	1993	Haweeli JD	Tanzania, Arusha, Ngorongoro Crater
Carnivora	Felidae	cats	<i>Panthera</i>	<i>leo</i>	Lion	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Guinea-Bissau (?), India, Lesotho, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Recently extinct: Afghanistan, Algeria, Egypt, Gambia, Iraq, Israel, Jordan, Kenya, Lebanon, Libya, Kuwait, Mauritania, Morocco, Pakistan, Republic of Congo, Rwanda, Saudi Arabia, Syrian Arab Republic, Turkey, Tunisia, Western Sahara.	1600	Two adult males, one lacking mane, walking in grass	July 27, 2003	Patterson BD	Kenya, Coast province, Taita-Taveta county, Tsavo Ranches
Carnivora	Felidae	cats	<i>Panthera</i>	<i>leo</i>	Lion	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Guinea-Bissau (?), India, Lesotho, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Recently extinct: Afghanistan, Algeria, Egypt, Gambia, Iraq, Israel, Jordan, Kenya, Lebanon, Libya, Kuwait, Mauritania, Morocco, Pakistan, Republic of Congo, Rwanda, Saudi Arabia, Syrian Arab Republic, Turkey, Tunisia, Western Sahara.	1601	Adult male with very scant mane, facing camera	October 5, 2003	Patterson BD	Kenya, Coast province, Taita-Taveta county, Tsavo Ranches

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Panthera</i>	<i>leo</i>	Lion	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Guinea-Bissau (?), India, Lesotho, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Recently extinct: Afghanistan, Algeria, Egypt, Gambia, Iraq, Israel, Jordan, Kenya, Lebanon, Libya, Kuwait, Mauritania, Morocco, Pakistan, Republic of Congo, Rwanda, Saudi Arabia, Syrian Arab Republic, Turkey, Tunisia, Western Sahara.	2089	Adults preparing to copulate	1 April 2011	BA Roberts	Kenya, Rift Valley province, Laikipia county, Ol Pejeta Conservancy
Carnivora	Felidae	cats	<i>Panthera</i>	<i>leo</i>	Lion	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Guinea-Bissau (?), India, Lesotho, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Recently extinct: Afghanistan, Algeria, Egypt, Gambia, Iraq, Israel, Jordan, Kenya, Lebanon, Libya, Kuwait, Mauritania, Morocco, Pakistan, Republic of Congo, Rwanda, Saudi Arabia, Syrian Arab Republic, Turkey, Tunisia, Western Sahara.	2090	Adults copulating	1 April 2011	BA Roberts	Kenya, Rift Valley province, Laikipia county, Ol Pejeta Conservancy
Carnivora	Felidae	cats	<i>Panthera</i>	<i>leo</i>	Lion	Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Guinea-Bissau (?), India, Lesotho, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Recently extinct: Afghanistan, Algeria, Egypt, Gambia, Iraq, Israel, Jordan, Kenya, Lebanon, Libya, Kuwait, Mauritania, Morocco, Pakistan, Republic of Congo, Rwanda, Saudi Arabia, Syrian Arab Republic, Turkey, Tunisia, Western Sahara.	2192		6 March 2005	Perry P	India, Gujarat, Gir Forest National Park and Wildlife Sanctuary
Carnivora	Felidae	cats	<i>Panthera</i>	<i>onca</i>	Jaguar	Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Suriname, Venezuela. Recently extinct in United States, El Salvador, and Uruguay.	795	Side view	1982	Chehebar CE	Argentina, Buenos Aires Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Panthera</i>	<i>onca</i>	Jaguar	Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Suriname, Venezuela. Recently extinct in United States, El Salvador, and Uruguay.	1992	Diagonal anterior view of mounted skeleton		Villemarette Josh	
Carnivora	Felidae	cats	<i>Panthera</i>	<i>onca</i>	Jaguar	Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Suriname, Venezuela. Recently extinct in United States, El Salvador, and Uruguay.	2193	Mating at night on river sandbank	11 September 2010	Perry P	Brazil, Mato Grosso do Sul, Pantanal
Carnivora	Felidae	cats	<i>Panthera</i>	<i>onca</i>	Jaguar	Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Suriname, Venezuela. Recently extinct in United States, El Salvador, and Uruguay.	2194		11 September 2010	Perry P	Brazil, Mato Grosso do Sul, Pantanal
Carnivora	Felidae	cats	<i>Panthera</i>	<i>pardus</i>	Leopard	Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan, Republic of Congo, Russia, Saudia Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.	124	Side view, resting in tree	1973	Gordon DC	Tanzania, Serengeti National Park
Carnivora	Felidae	cats	<i>Panthera</i>	<i>pardus</i>	Leopard	Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan, Republic of Congo, Russia, Saudia Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.	438	Close-up, resting in tree	1968	Hall JG	Tanzania, Serengeti National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Panthera</i>	<i>pardus</i>	Leopard	Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan, Republic of Congo, Russia, Saudia Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.	1261	Sleeping in tree	1993	Haweeli JD	Tanzania, Serengeti National Park
Carnivora	Felidae	cats	<i>Panthera</i>	<i>pardus</i>	Leopard	Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan, Republic of Congo, Russia, Saudia Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.	1602	Adult, side view, reclining on branch	September 10, 2005	Patterson BD	South Africa, Mpumalanga, Mala Mala
Carnivora	Felidae	cats	<i>Panthera</i>	<i>pardus</i>	Leopard	Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan, Republic of Congo, Russia, Saudia Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.	1993	Lateral view of mounted skeleton		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Panthera</i>	<i>pardus</i>	Leopard	Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan, Republic of Congo, Russia, Saudia Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.	2195	Mating pair, female with territorial male	3 September 2005	Perry P	South Africa, Mpumalanga, Sabi Sand Game Reserve
Carnivora	Felidae	cats	<i>Panthera</i>	<i>pardus</i>	Leopard	Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan, Republic of Congo, Russia, Saudia Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.	2196		28 November 2005	Perry P	South Africa, Mpumalanga, Sabi Sand Game Reserve
Carnivora	Felidae	cats	<i>Panthera</i>	<i>pardus</i>	Leopard	Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan, Republic of Congo, Russia, Saudia Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.	2197		25 June 2005	Perry P	<u>South Africa, Mpumalanga, Sabi Sand Game Reserve</u>

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Panthera</i>	<i>tigris</i>	Tiger	Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan, Republic of Congo, Russia, Saudia Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.	274	Two resting adults		Bailie C	USA, FL, Palm Beach Co., Lion Country Safari
Carnivora	Felidae	cats	<i>Panthera</i>	<i>tigris</i>	Tiger	Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan, Republic of Congo, Russia, Saudia Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.	1210	Close-up, front view, head and forelimbs, P. t. altaica, (Siberian tiger)		Andera M	Czech Republic, Prague Zoological Park
Carnivora	Felidae	cats	<i>Panthera</i>	<i>tigris</i>	Tiger	Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan, Republic of Congo, Russia, Saudia Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.	1211	Side view, standing, P. t. altaica, (Siberian tiger)		Groves CP	Czech Republic, Prague Zoological Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Panthera</i>	<i>tigris</i>	Tiger	Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan, Republic of Congo, Russia, Saudia Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.	1212	Side view, walking, P. t. sumatrae, (Sumatran tiger)		Groves CP	Malaysia, Kuala Lumpur, Zoo Negara
Carnivora	Felidae	cats	<i>Panthera</i>	<i>tigris</i>	Tiger	Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan, Republic of Congo, Russia, Saudia Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.	2198		29 April 2011	Perry P	India, Madhya Pradesh, Kanha National Park
Carnivora	Felidae	cats	<i>Pardofelis</i>	<i>marmorata</i>	Marbled Cat	Bangladesh (?), Bhutan (?), Brunei Darussalam, Cambodia, China, India, Indonesia (Sumatra and Kalimantan), Laos, Malaysia, Burma, Nepal, Thailand, Vietnam.	2067	Side view of adult	ca. 1980	Groves, CP	Germany, Hesse, Frankfort am Mein, private zoo of Walter Scheffel
Carnivora	Felidae	cats	<i>Prionailurus</i>	<i>bengalensis</i>	Leopard Cat	Afghanistan, Bangladesh, Burma, Cambodia, China, India, Indonesia, Laos, Malaysia, Nepal, North Korea, Pakistan, Philippines, Russia (Far East), Taiwan, Thailand, South Korea, and Vietnam.	860	Close-up front view of a pair	1983	Kutunidisz K	Germany, Saxony, Leipzig Zoological Garden
Carnivora	Felidae	cats	<i>Prionailurus</i>	<i>rubiginosus</i>	Rusty-spotted Cat	India, Sri Lanka.	1603	Side view, sitting adult, face and tail visible	April 4, 2004	Patterson BD	USA, LA, Orleans Par., New Orleans, Audubon Zoo
Carnivora	Felidae	cats	<i>Prionailurus</i>	<i>viverrinus</i>	Fishing Cat	Bangladesh, Bhutan, Brunei, Cambodia, India, Indonesia (Java, Sumatra), Laos, Malaysia (Peninsular), Burma, Nepal, Pakistan, Sri Lanka, Thailand, Vietnam.	1006	Front view of cat sitting	1988	Shoemaker AH	USA, OH, Hamilton Co., Cincinnati Zoo & Botanical Garden
Carnivora	Felidae	cats	<i>Puma</i>	<i>concolor</i>	Cougar	Argentina, Belize, Bolivia, Brazil, Canada, Chile, Colombia, Ecuador, El Salvador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Paraguay, Peru, Suriname, USA, Uruguay, Venezuela.	275	Male walking	1967	Barrett RH	USA, CA, Tulare Co., Three Rivers

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Felidae	cats	<i>Puma</i>	<i>concolor</i>	Cougar	Argentina, Belize, Bolivia, Brazil, Canada, Chile, Colombia, Ecuador, El Salvador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Paraguay, Peru, Suriname, USA, Uruguay, Venezuela.	276	Male crouching on log		Barrett RH	USA, CA, Tulare Co., Three Rivers
Carnivora	Felidae	cats	<i>Puma</i>	<i>concolor</i>	Cougar	Argentina, Belize, Bolivia, Brazil, Canada, Chile, Colombia, Ecuador, El Salvador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Paraguay, Peru, Suriname, USA, Uruguay, Venezuela.	586	Close-up, crouched, P. c. puma	1975	Raedeke KJ	Chile, Magallanes and Chilean Antarctic
Carnivora	Felidae	cats	<i>Puma</i>	<i>yagouaroundi</i>	Jaguarundi	Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, El Salvador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Suriname, USA (Arizona, Texas, Florida – introduced), Venezuela. Recently extinct in Uruguay.	1294	Side view from above, feet and tail visible	1988	Best TL	USA, AZ, Pima Co., Tucson, Arizona Sonoran Desert Museum
Carnivora	Felidae	cats	<i>Puma</i>	<i>yagouaroundi</i>	Jaguarundi	Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, El Salvador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Suriname, USA (Arizona, Texas, Florida – introduced), Venezuela. Recently extinct in Uruguay.	1570	Side view of front half, reclining	1994	Lord RD	Venezuela, Turmero, Leslie Pantin Zoo
Carnivora	Felidae	cats	<i>Smilodon</i>	<i>fatalis</i>	Sabre-toothed Cat	Extinct. Known from various sites in North and South America	1817	Side view of mounted skeleton	July 30, 1996	Huckaby, DG	USA, CA, San Francisco Co., California Academy of Sciences
Carnivora	Felidae	cats	<i>Uncia</i>	<i>uncia</i>	Snow Leopard	Afghanistan, Bhutan, China, India, Kazakhstan, Kyrgyzstan, Mongolia, Nepal, Pakistan, Russia, Tajikistan, Uzbekistan.	1007	Front view of leopard resting	1987	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, ABQ BioPark (Rio Grande) Zoo
Carnivora	Felidae	cats	<i>Uncia</i>	<i>uncia</i>	Snow Leopard	Afghanistan, Bhutan, China, India, Kazakhstan, Kyrgyzstan, Mongolia, Nepal, Pakistan, Russia, Tajikistan, Uzbekistan.	1994	Lateral view of mounted skeleton standing on rock		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Carnivora	Herpestidae	mongooses	<i>Atilax</i>	<i>paludinosus</i>	Marsh Mongoose	Algeria, Angola, Botswana, Cameroon, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Ethiopia, Gabon, Liberia, Malawi, Mozambique, Niger, Rwanda, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Uganda, and Zambia.	287	Side view of juvenile	1978	Hickman GC	South Africa, KwaZulu-Natal, Pietermaritzburg
Carnivora	Herpestidae	mongooses	<i>Crossarchus</i>	<i>obscurus</i>	Common Kusimanse	Côte d'Ivoire, Sierra Leone, Liberia, and Ghana (west of the Dahomey Gap).	1213	Side view, entirely in view	1993	Huckaby DG	USA, OR, Multnomah Co., Portland, Oregon Zoo
Carnivora	Herpestidae	mongooses	<i>Cynictis</i>	<i>penicillata</i>	Yellow Mongoose	S Angola, Botswana, Namibia, South Africa, SW Zimbabwe.	971	Side view, sitting at burrow entrance	1987	Hall JG	South Africa, Northern Cape, Kalahari Gemsbok National Park
Carnivora	Herpestidae	mongooses	<i>Cynictis</i>	<i>penicillata</i>	Yellow Mongoose	S Angola, Botswana, Namibia, South Africa, SW Zimbabwe.	2199		22 April 2010	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park
Carnivora	Herpestidae	mongooses	<i>Cynictis</i>	<i>penicillata</i>	Yellow Mongoose	S Angola, Botswana, Namibia, South Africa, SW Zimbabwe.	2200		22 April 2010	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Herpestidae	mongooses	<i>Galerella</i>	<i>sanguinea</i>	Slender Mongoose	Angola, Benin, Botswana, Burkina Faso, Cameroon, Cape Verde Isls, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Ethiopia, Ghana, Kenya, Liberia, Malawi, Mauritana, Mozambique, Namibia, Niger, Republic of Congo, Rwanda, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	286	Side view	1976	Hickman GC	South Africa, Limpopo or Mpumalanga, Kruger National Park
Carnivora	Herpestidae	mongooses	<i>Galerella</i>	<i>sanguinea</i>	Slender Mongoose	Angola, Benin, Botswana, Burkina Faso, Cameroon, Cape Verde Isls, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Ethiopia, Ghana, Kenya, Liberia, Malawi, Mauritana, Mozambique, Namibia, Niger, Republic of Congo, Rwanda, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	974	Resting on rock		Rood J	Tanzania, Serengeti National Park
Carnivora	Herpestidae	mongooses	<i>Galerella</i>	<i>sanguinea</i>	Slender Mongoose	Angola, Benin, Botswana, Burkina Faso, Cameroon, Cape Verde Isls, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Ethiopia, Ghana, Kenya, Liberia, Malawi, Mauritana, Mozambique, Namibia, Niger, Republic of Congo, Rwanda, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	1604	Rear view of sitting adult, side of head and entire tail visible	September 11, 2005	Patterson BD	Botswana, Ngamiland, Moremi National Park
Carnivora	Herpestidae	mongooses	<i>Galerella</i>	<i>sanguinea</i>	Slender Mongoose	Angola, Benin, Botswana, Burkina Faso, Cameroon, Cape Verde Isls, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Ethiopia, Ghana, Kenya, Liberia, Malawi, Mauritana, Mozambique, Namibia, Niger, Republic of Congo, Rwanda, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	2201		27 November 2009	Perry P	South Africa, Limpopo or Mpumalanga, Kruger National Park
Carnivora	Herpestidae	mongooses	<i>Helogale</i>	<i>parvula</i>	Common Dwarf Mongoose	Angola, Botswana, Dem. Rep. Congo, Ethiopia, Gambia, Kenya, Malawi, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia.	143	Group on rocks	1976	Hickman GC	South Africa, Limpopo or Mpumalanga, Kruger National Park
Carnivora	Herpestidae	mongooses	<i>Helogale</i>	<i>parvula</i>	Common Dwarf Mongoose	Angola, Botswana, Dem. Rep. Congo, Ethiopia, Gambia, Kenya, Malawi, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia.	285	Side view	1978	Hickman GC	South Africa, Limpopo or Mpumalanga, Kruger National Park
Carnivora	Herpestidae	mongooses	<i>Helogale</i>	<i>parvula</i>	Common Dwarf Mongoose	Angola, Botswana, Dem. Rep. Congo, Ethiopia, Gambia, Kenya, Malawi, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia.	972	Group on mound at den		Rood J	Tanzania, Serengeti National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Herpestidae	mongooses	<i>Helogale</i>	<i>parvula</i>	Common Dwarf Mongoose	Angola, Botswana, Dem. Rep. Congo, Ethiopia, Gambia, Kenya, Malawi, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia.	973	Two adults on mound, one carrying young		Rood J	Tanzania, Serengeti National Park
Carnivora	Herpestidae	mongooses	<i>Helogale</i>	<i>parvula</i>	Common Dwarf Mongoose	Angola, Botswana, Dem. Rep. Congo, Ethiopia, Gambia, Kenya, Malawi, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia.	1661	Sitting on rock; tail and head visible	November 23, 2008	Harding LE	Botswana, Chobe National Park, Linyanti Camp
Carnivora	Herpestidae	mongooses	<i>Helogale</i>	<i>parvula</i>	Common Dwarf Mongoose	Angola, Botswana, Dem. Rep. Congo, Ethiopia, Gambia, Kenya, Malawi, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia.	2202	Adult and two juveniles; one calling	19 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Lewa Wildlife Conservancy
Carnivora	Herpestidae	mongooses	<i>Herpestes</i>	<i>edwardsi</i>	Indian Gray Mongoose	Afghanistan, Bahrain, India, Indonesia, Iran, Japan, Kuwait, Nepal, Pakistan, Saudia Arabia, Sri Lanka. Populations believed to be introductions in Malaysia, Ryukyu Isls, Mauritius (Corbet and Hill, 1980; Wells, 1989).	2267		23 February 2011	Huffman, B	India, Delhi
Carnivora	Herpestidae	mongooses	<i>Herpestes</i>	<i>javanicus</i>	Small Asian Mongoose	Afghanistan, Bangladesh, Bhutan, Burma, Cambodia, China, India, Indonesia, Malaysia, Nepal, Pakistan, Thailand, and Vietnam. Introduced to: Bosnia and Herzegovina, Croatia, Cuba, Dominican Republic, Fiji Isls, Jamacia, Japan, Puerto Rico, Surinam, West Indies, USA (Hawaiian Isls), and many other tropical regions.	2268		8 March 2011	Huffman, B	India, Assam, Guwahati
Carnivora	Herpestidae	mongooses	<i>Herpestes</i>	<i>javanicus</i>	Small Asian Mongoose	Afghanistan, Bangladesh, Bhutan, Burma, Cambodia, China, India, Indonesia, Malaysia, Nepal, Pakistan, Thailand, and Vietnam. Introduced to: Bosnia and Herzegovina, Croatia, Cuba, Dominican Republic, Fiji Isls, Jamacia, Japan, Puerto Rico, Surinam, West Indies, USA (Hawaiian Isls), and many other tropical regions.	2269		8 March 2011	Huffman, B	India, Assam, Guwahati
Carnivora	Herpestidae	mongooses	<i>Ichneumia</i>	<i>albicauda</i>	White-tailed Mongoose	Angola, Botswana, Burkina Faso, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Ghana, Kenya, Kenya, Mozambique, Namibia, Niger, Nigeria, Oman, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Yemen, Zambia, Zimbabwe.	710	Side view	1981	Hickman GC	Kenya, Nairobi National Park
Carnivora	Herpestidae	mongooses	<i>Ichneumia</i>	<i>albicauda</i>	White-tailed Mongoose	Angola, Botswana, Burkina Faso, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Ghana, Kenya, Kenya, Mozambique, Namibia, Niger, Nigeria, Oman, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Yemen, Zambia, Zimbabwe.	2203		22 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Herpestidae	mongooses	<i>Mungos</i>	<i>mungo</i>	Banded Mongoose	Angola, Botswana, Burundi, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Ethiopia, Guinea-Bissau, Kenya, Malawi, Mozambique, Namibia, Niger, Nigeria, Rwanda, Senegal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	144	Side view	1975	Hickman GC	South Africa, KwaZulu-Natal, Pietermaritzburg, Queen Elizabeth Park
Carnivora	Herpestidae	mongooses	<i>Mungos</i>	<i>mungo</i>	Banded Mongoose	Angola, Botswana, Burundi, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Ethiopia, Guinea-Bissau, Kenya, Malawi, Mozambique, Namibia, Niger, Nigeria, Rwanda, Senegal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	975	Group on mound		Rood J	Tanzania, Serengeti National Park
Carnivora	Herpestidae	mongooses	<i>Mungos</i>	<i>mungo</i>	Banded Mongoose	Angola, Botswana, Burundi, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Ethiopia, Guinea-Bissau, Kenya, Malawi, Mozambique, Namibia, Niger, Nigeria, Rwanda, Senegal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	1605	Adult on hind legs, facing camera, front feet visible	February 4, 2004	Patterson BD	Kenya, Coast province, Taita-Taveta county, Tsavo Ranches
Carnivora	Herpestidae	mongooses	<i>Mungos</i>	<i>mungo</i>	Banded Mongoose	Angola, Botswana, Burundi, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Ethiopia, Guinea-Bissau, Kenya, Malawi, Mozambique, Namibia, Niger, Nigeria, Rwanda, Senegal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	1606	Six adults facing camera, two standing	February 4, 2004	Patterson BD	Kenya, Coast province, Taita-Taveta county, Tsavo Ranches
Carnivora	Herpestidae	mongooses	<i>Mungos</i>	<i>mungo</i>	Banded Mongoose	Angola, Botswana, Burundi, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Ethiopia, Guinea-Bissau, Kenya, Malawi, Mozambique, Namibia, Niger, Nigeria, Rwanda, Senegal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	1662	Adult and juvenile foraging in grass	November 25, 2008	Harding LE	South Africa, Limpopo or Mpumalanga, Kruger National Park
Carnivora	Herpestidae	mongooses	<i>Mungos</i>	<i>mungo</i>	Banded Mongoose	Angola, Botswana, Burundi, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Ethiopia, Guinea-Bissau, Kenya, Malawi, Mozambique, Namibia, Niger, Nigeria, Rwanda, Senegal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	2204		25 September 2007	Perry P	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve
Carnivora	Herpestidae	mongooses	<i>Mungos</i>	<i>mungo</i>	Banded Mongoose	Angola, Botswana, Burundi, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Ethiopia, Guinea-Bissau, Kenya, Malawi, Mozambique, Namibia, Niger, Nigeria, Rwanda, Senegal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	2205		25 September 2007	Perry P	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve
Carnivora	Herpestidae	mongooses	<i>Suricata</i>	<i>suricata</i>	Meerkat	Angola, S Botswana, Namibia, South Africa.	145	Side and front views (two animals)	1976	Anderson Jeremy	South Africa, Northern Cape, Kalahari Gemsbok National Park
Carnivora	Herpestidae	mongooses	<i>Suricata</i>	<i>suricata</i>	Meerkat	Angola, S Botswana, Namibia, South Africa.	146	Profile of group, standing		Viljoen S	South Africa

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Herpestidae	mongooses	<i>Suricata</i>	<i>suricata</i>	Meerkat	Angola, S Botswana, Namibia, South Africa.	976	Close-up of four meerkats at burrow entrance		Rood J	South Africa, Northern Cape, Kalahari Gemsbok National Park
Carnivora	Herpestidae	mongooses	<i>Suricata</i>	<i>suricata</i>	Meerkat	Angola, S Botswana, Namibia, South Africa.	1047	Close-up frontal view of meerkat sitting		Kutunidisz K	Hungary, Budapest Zoo
Carnivora	Herpestidae	mongooses	<i>Suricata</i>	<i>suricata</i>	Meerkat	Angola, S Botswana, Namibia, South Africa.	1757	Adult with young	1992	Fink, KW - contributed by DG Huckaby	
Carnivora	Herpestidae	mongooses	<i>Suricata</i>	<i>suricata</i>	Meerkat	Angola, S Botswana, Namibia, South Africa.	1995	Diagonal anterior view of mounted skeleton on hind feet		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Carnivora	Hyaenidae	hyaenas	<i>Crocuta</i>	<i>crocuta</i>	Spotted Hyaena	Angola, Botswana, Cameroon, Dem. Rep. Congo, Ethiopia, Gabon, Gambia, Guinea, Kenya, Malawi, Mauritania, Mozambique, Namibia, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	127	Group at kill site	1976	Gordon DC	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve
Carnivora	Hyaenidae	hyaenas	<i>Crocuta</i>	<i>crocuta</i>	Spotted Hyaena	Angola, Botswana, Cameroon, Dem. Rep. Congo, Ethiopia, Gabon, Gambia, Guinea, Kenya, Malawi, Mauritania, Mozambique, Namibia, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	279	Cub standing	1978	Hickman GC	South Africa, Limpopo or Mpumalanga, Kruger National Park
Carnivora	Hyaenidae	hyaenas	<i>Crocuta</i>	<i>crocuta</i>	Spotted Hyaena	Angola, Botswana, Cameroon, Dem. Rep. Congo, Ethiopia, Gabon, Gambia, Guinea, Kenya, Malawi, Mauritania, Mozambique, Namibia, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	1262	Side view, standing	1993	Haweeli JD	Tanzania, Serengeti National Park
Carnivora	Hyaenidae	hyaenas	<i>Crocuta</i>	<i>crocuta</i>	Spotted Hyaena	Angola, Botswana, Cameroon, Dem. Rep. Congo, Ethiopia, Gabon, Gambia, Guinea, Kenya, Malawi, Mauritania, Mozambique, Namibia, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	2091	Adult and juvenile	27 March 2011	BA Roberts	Kenya, Rift Valley province, Laikipia county, Ol Pejeta Conservancy
Carnivora	Hyaenidae	hyenas	<i>Crocuta</i>	<i>crocuta</i>	Spotted Hyena	Angola, Botswana, Cameroon, Dem. Rep. Congo, Ethiopia, Gabon, Gambia, Guinea, Kenya, Malawi, Mauritania, Mozambique, Namibia, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	2206	With juvenile flamingo prey	25 June 2009	Perry P	Kenya, Rift Valley province, Nakuru county, Lake Nakuru National Park
Carnivora	Hyaenidae	hyenas	<i>Crocuta</i>	<i>crocuta</i>	Spotted Hyena	Angola, Botswana, Cameroon, Dem. Rep. Congo, Ethiopia, Gabon, Gambia, Guinea, Kenya, Malawi, Mauritania, Mozambique, Namibia, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	2207		26 September 2007	Perry P	Tanzania, Serengeti National Park
Carnivora	Hyaenidae	hyaenas	<i>Hyaena</i>	<i>brunnea</i>	Brown Hyaena	Botswana, Mozambique, Namibia, South Africa, Zimbabwe.	439	Oblique view	1978	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Hyaenidae	hyenas	<i>Hyaena</i>	<i>hyaena</i>	Striped Hyena	Afghanistan, Algeria, Armenia, Azerbaijan, Egypt, Ethiopia, India, Iran, Iraq, Israel, Kenya, Libya, Mali, Morocco, Nepal, Nigeria, Pakistan, Saudi Arabia, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Turkmenistan, Uzbekistan, Yemen.	1758	Adults interacting		Fink, KW - contributed by DG Huckaby	
Carnivora	Hyaenidae	hyaenas	<i>Proteles</i>	<i>cristatus</i>	Aardwolf	Angola, Botswana, Central African Republic, Egypt, Ethiopia, Kenya, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	1048	Close-up side view of head		Visser J	South Africa, Western Cape
Carnivora	Hyaenidae	hyenas	<i>Proteles</i>	<i>cristatus</i>	Aardwolf	Angola, Botswana, Central African Republic, Egypt, Ethiopia, Kenya, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	1818	Reclining adult facing camera	September, 1987	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Carnivora	Mephitidae	skunks	<i>Conepatus</i>	<i>semistriatus</i>	Striped Hog-nosed Skunk	Belize, Brazil, Guatemala, Honduras, Nicaragua, Mexico (Veracruz, Tabasco, and Yucatan), Peru.	1573	Quartering view of entire animal, walking	2000	Lord RD	Venezuela, Turmero, Leslie Pantin Zoo
Carnivora	Mephitidae	skunks	<i>Mephitis</i>	<i>macroura</i>	Hooded Skunk	Belize, Brazil, Guatemala, Honduras, Nicaragua, Mexico (Veracruz, Tabasco, and Yucatan), Peru.	281	Dorsal view of captive	1964	Barrett RH	USA, CA, Humboldt Co., Arcata
Carnivora	Mephitidae	skunks	<i>Mephitis</i>	<i>macroura</i>	Hooded Skunk	Belize, Brazil, Guatemala, Honduras, Nicaragua, Mexico (Veracruz, Tabasco, and Yucatan), Peru.	1996	Lateral view of mounted skeleton with tail raised		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Carnivora	Mephitidae	skunks	<i>Mephitis</i>	<i>mephitis</i>	Striped Skunk	Canada (SW Northwest Territories to Hudson Bay and S Quebec), Mexico (N Tamaulipas, N Durango, and N Baja California), USA.	280	Oblique view	1976	Yates T (contributed by Sydney Anderson)	USA, NJ, Bergen Co., Closter
Carnivora	Mephitidae	skunks	<i>Mephitis</i>	<i>mephitis</i>	Striped Skunk	Canada (SW Northwest Territories to Hudson Bay and S Quebec), Mexico (N Tamaulipas, N Durango, and N Baja California), USA.	1997	Lateral view of mounted skeleton with tail raised		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Carnivora	Mephitidae	skunks	<i>Spilogale</i>	<i>putorius</i>	Eastern Spotted Skunk	Canada (SW Northwest Territories to Hudson Bay and S Quebec), Mexico (N Tamaulipas, N Durango, and N Baja California), USA.	1998	Diagonal anterior view of mounted skeleton on front feet with tail raised		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Carnivora	Mephitidae	skunks	<i>Spilogale</i>	<i>pygmaea</i>	Pygmy Spotted Skunk	Mexico (West coastal regions from Sinaloa to Oaxaca).	130	Side view, hand-held	1970	Baker RH	Mexico, Nay., Compostela
Carnivora	Mustelidae	weasels & relatives	<i>Aonyx</i>	<i>cinerea</i>	Oriental Small-clawed Otter	Bangladesh, Burma, S China (incl. Hainan Isl), India, Indonesia (Sumatra, Java, Kalimantan), Laos, Malaysia (West, Sarawak, Sabah), Philippines (Palawan Isl), Taiwan, Thailand, Vietnam.	1049	Dorso-lateral view of pair of otters at edge of pool		Kutunidisz K	France, Alsace, Mulhouse Zoo
Carnivora	Mustelidae	weasels & relatives	<i>Arctonyx</i>	<i>collaris</i>	Hog Badger	Bangladesh, Bhutan, Burma, China, India, Indonesia (Sumatra), Laos, W Malaysia, Thailand, Vietnam.	1050	Oblique view		Kutunidisz K	Germany, North Rhine-Westphalia, Duisberg Zoo
Carnivora	Mustelidae	weasels & relatives	<i>Eira</i>	<i>barbara</i>	Tayra	Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, Guatemala, Guyana, Honduras, Mexico (Sinaloa and Tamaulipas), Nicaragua, Panama, Peru, Surinam, Trinidad, Venezuela.	441	Side view	1978	Carter TS	Brazil, Rio de Janeiro Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Mustelidae	weasels & relatives	<i>Eira</i>	<i>barbara</i>	Tayra	Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, Guatemala, Guyana, Honduras, Mexico (Sinaloa and Tamaulipas), Nicaragua, Panama, Peru, Surinam, Trinidad, Venezuela.	1574	Diagonal view of standing animal	1983	Lord RD	Venezuela, Aragua, Maracay, Las Delicias Zoo
Carnivora	Mustelidae	weasels & relatives	<i>Enhydra</i>	<i>lutris</i>	Sea Otter	Canada, Russia (Sakhalin Isl, Kurile Isls, Commander Isls, Kamchatka), USA (Aleutian Isls, and S Alaska to California). Formerly in Japan (coastal Hokkaido) and Mexico (Baja California).	799	Side view, in kelp bed	1975	Hall JG	USA, CA, Monterey
Carnivora	Mustelidae	weasels & relatives	<i>Enhydra</i>	<i>lutris</i>	Sea Otter	Canada, Russia (Sakhalin Isl, Kurile Isls, Commander Isls, Kamchatka), USA (Aleutian Isls, and S Alaska to California). Formerly in Japan (coastal Hokkaido) and Mexico (Baja California).	800	Side view, lying on back with rock on chest	1976	Hall JG	USA, CA, Monterey
Carnivora	Mustelidae	weasels & relatives	<i>Enhydra</i>	<i>lutris</i>	Sea Otter	Canada, Russia (Sakhalin Isl, Kurile Isls, Commander Isls, Kamchatka), USA (Aleutian Isls, and S Alaska to California). Formerly in Japan (coastal Hokkaido) and Mexico (Baja California).	801	Side view, lying on back eating crab	1976	Hall JG	USA, CA, Monterey
Carnivora	Mustelidae	weasels & relatives	<i>Enhydra</i>	<i>lutris</i>	Sea Otter	Canada, Russia (Sakhalin Isl, Kurile Isls, Commander Isls, Kamchatka), USA (Aleutian Isls, and S Alaska to California). Formerly in Japan (coastal Hokkaido) and Mexico (Baja California).	1298	Lateral and anterior views of skull	1995	Forbes RB	USA, OR, Multnomah Co., Sauvic Island
Carnivora	Mustelidae	weasels & relatives	<i>Galictis</i>	<i>cuja</i>	Lesser Grison	Argentina, Bolivia, Peru, Brazil, Chile, Paraguay.	1575	Lateral view	1995	Lord RD	Bolivia, Santa Cruz Zoo
Carnivora	Mustelidae	weasels & relatives	<i>Galictis</i>	<i>vittata</i>	Greater Grison	Argentina, Bolivia, Colombia, Costa Rica, Guatemala, Guyana, Mexico (San Luis Potosi and Veracruz), Panama, Peru, Venezuela.	1576	Lateral view of head and forelimb	1998	Lord RD	Venezuela, Turmero, Leslie Pantin Zoo
Carnivora	Mustelidae	weasels & relatives	<i>Gulo</i>	<i>gulo</i>	Wolverine	Canada, China (Heilongjiang, Xinjiang, Inner Mongolia), Finland, Mongolia, Norway, Russia, Sweden, USA (Alaska, Wyoming, Idaho, Montana)	442	View of head and forequarters	1978	Sutton DA	USA, WA, Tacoma, Northwest Trek Wildlife Park
Carnivora	Mustelidae	weasels & relatives	<i>Gulo</i>	<i>gulo</i>	Wolverine	Canada, China (Heilongjiang, Xinjiang, Inner Mongolia), Finland, Mongolia, Norway, Russia, Sweden, USA (Alaska, Wyoming, Idaho, Montana)	807	Side view of skull		Oaks EC	
Carnivora	Mustelidae	weasels & relatives	<i>Gulo</i>	<i>gulo</i>	Wolverine	Canada, China (Heilongjiang, Xinjiang, Inner Mongolia), Finland, Mongolia, Norway, Russia, Sweden, USA (Alaska, Wyoming, Idaho, Montana)	1295	Dorsal view of skull	1994	Forbes RB	USA, AK
Carnivora	Mustelidae	weasels & relatives	<i>Gulo</i>	<i>gulo</i>	Wolverine	Canada, China (Heilongjiang, Xinjiang, Inner Mongolia), Finland, Mongolia, Norway, Russia, Sweden, USA (Alaska, Wyoming, Idaho, Montana)	1296	Ventral view of skull	1994	Forbes RB	USA, AK
Carnivora	Mustelidae	weasels & relatives	<i>Gulo</i>	<i>gulo</i>	Wolverine	Canada, China (Heilongjiang, Xinjiang, Inner Mongolia), Finland, Mongolia, Norway, Russia, Sweden, USA (Alaska, Wyoming, Idaho, Montana)	1297	Lateral view of skull and lower jaw	1994	Forbes RB	USA, AK

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Mustelidae	weasels & relatives	<i>Hydrictis</i>	<i>maculicollis</i>	Spotted-necked Otter	Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Ethiopia, Gabon, Kenya, Liberia, Malawi, Mozambique, Namibia, Nigeria, Rwanda, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia.	2270		26 August 2001	Huffman, B	Canada, ONT, Toronto Zoo
Carnivora	Mustelidae	weasels & relatives	<i>Hydrictis</i>	<i>maculicollis</i>	Spotted-necked Otter	Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Ethiopia, Gabon, Kenya, Liberia, Malawi, Mozambique, Namibia, Nigeria, Rwanda, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia.	2271		30 September 2009	Huffman, B	Canada, ONT, Toronto Zoo
Carnivora	Mustelidae	weasels & relatives	<i>Hydrictis</i>	<i>maculicollis</i>	Spotted-necked Otter	Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Ethiopia, Gabon, Kenya, Liberia, Malawi, Mozambique, Namibia, Nigeria, Rwanda, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia.	2272		30 September 2009	Huffman, B	Canada, ONT, Toronto Zoo
Carnivora	Mustelidae	weasels & relatives	<i>Lontra</i>	<i>canadensis</i>	North American River Otter	Canada, USA (except for arid SW desert regions), USA (historical distributions of Alaska and most of contiguous 48 states exclusive of the Central Plains).	802	Close-up of captive showing webbed forefoot	1982	Humphrey SR	USA, FL
Carnivora	Mustelidae	weasels & relatives	<i>Lontra</i>	<i>canadensis</i>	North American River Otter	Canada, USA (except for arid SW desert regions), USA (historical distributions of Alaska and most of contiguous 48 states exclusive of the Central Plains).	859	Group on riverbank	1982	Hall JG	USA, WY, Teton Co., Grand Teton National Park
Carnivora	Mustelidae	weasels & relatives	<i>Lontra</i>	<i>longicaudis</i>	Neotropical Otter	Argentina, Belize, Brazil, Columbia, Costa Rica, Ecuador, El Salvador, Guatemala, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Uruguay, Venezuela.	2208		12 September 2010	Perry P	Brazil, Mato Grosso do Sul, Pantanal
Carnivora	Mustelidae	weasels & relatives	<i>Lutrogale</i>	<i>perspicillata</i>	Smooth-coated Otter	Afghanistan, Bangladesh, China, India, Indonesia (Sumatra, Java, Kalimantan), Iraq, Malaysia, Nepal, Pakistan, Thailand, Vietnam.	2273		6 March 2011	Huffman, B	India, Assam, Kaziranga National Park
Carnivora	Mustelidae	weasels & relatives	<i>Lutrogale</i>	<i>perspicillata</i>	Smooth-coated Otter	Afghanistan, Bangladesh, China, India, Indonesia (Sumatra, Java, Kalimantan), Iraq, Malaysia, Nepal, Pakistan, Thailand, Vietnam.	2274		6 March 2011	Huffman, B	India, Assam, Kaziranga National Park
Carnivora	Mustelidae	weasels & relatives	<i>Martes</i>	<i>pennanti</i>	Fisher	Canada (Yukon to E Quebec), USA (Sierra Nevadas, N Rocky Mtns; Minnesota, N Wisconsin, Michigan upper peninsula, New York, Maine).	590	Oblique view	1980	Master LL	USA, MN, Hennepin Co., Minneapolis Zoo
Carnivora	Mustelidae	weasels & relatives	<i>Mellivora</i>	<i>capensis</i>	Honey Badger	Nepal (Savanna and steppe), India, Turkmenistan, Lebanon, South Africa.	1299	Side view, feet and tail visible	1976	Best TL	Switzerland, Basel Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Mustelidae	weasels & relatives	<i>Mustela</i>	<i>erminea</i>	Ermine	Circumboreal, tundra and forested regions of Palearctic. Afghanistan, Algeria, Austria, Belarus, Belgium, Bosnia and Herzegovina, Canada, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Japan (C Honshu), Kazakhstan, Kyrgyzstan, Latvia, Lithuania, Luxembourg, Mongolia, Netherlands, New Zealand (introduced), Norway, Poland, Romania, Russia, Serbia and Montenegro, Slovakia, Slovenia, Spain, Sweden, Switzerland, Tajikistan, USA (C California, N New Mexico, N Iowa and Maryland).	588	Side view in white winter coat	1974	Anderson PK	Canada, AB, Calgary
Carnivora	Mustelidae	weasels & relatives	<i>Mustela</i>	<i>erminea</i>	Ermine	Circumboreal, tundra and forested regions of Palearctic. Afghanistan, Algeria, Austria, Belarus, Belgium, Bosnia and Herzegovina, Canada, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Japan (C Honshu), Kazakhstan, Kyrgyzstan, Latvia, Lithuania, Luxembourg, Mongolia, Netherlands, New Zealand (introduced), Norway, Poland, Romania, Russia, Serbia and Montenegro, Slovakia, Slovenia, Spain, Sweden, Switzerland, Tajikistan, USA (C California, N New Mexico, N Iowa and Maryland).	1051	Oblique view of weasel in summer coat, tail not shown	1989	Wrazen JA	USA, VT, Lamoille Co., Eden
Carnivora	Mustelidae	weasels & relatives	<i>Mustela</i>	<i>frenata</i>	Long-tailed Weasel	Belize, Bolivia, S Canada, Columbia, Costa Rica, Ecuador, El Salvador, Guatemala, Honduras, Mexico, Nicaragua, Panama, Peru, USA (most states excluding SW deserts), Venezuela.	1348	Front view, standing on hind legs, facing camera		Grondahl CD	
Carnivora	Mustelidae	weasels & relatives	<i>Mustela</i>	<i>nigripes</i>	Black-footed Ferret	Formerly, Canada (S Alberta and Saskatchewan), USA (south to Arizona, Oklahoma, and NW Texas). Viable populations now only in captivity.	128	Side view, at burrow entrance		Audio Visual Office, US Fish & Wildlife Service (photo by LC Goldman)	USA, SD, Mellele Co., White River
Carnivora	Mustelidae	weasels & relatives	<i>Mustela</i>	<i>nigripes</i>	Black-footed Ferret	Formerly, Canada (S Alberta and Saskatchewan), USA (south to Arizona, Oklahoma, and NW Texas). Viable populations now only in captivity.	1999	Lateral view of mounted skeleton		Villemarette Josh	
Carnivora	Mustelidae	weasels & relatives	<i>Mustela</i>	<i>nigripes</i>	Black-footed Ferret	Formerly, Canada (S Alberta and Saskatchewan), USA (south to Arizona, Oklahoma, and NW Texas).	2080	Lateral view of adult showing entire body	2 August 2013	BM Zinke	USA, KS, Logan county
Carnivora	Mustelidae	weasels & relatives	<i>Mustela</i>	<i>nigripes</i>	Black-footed Ferret	Formerly, Canada (S Alberta and Saskatchewan), USA (south to Arizona, Oklahoma, and NW Texas).	2081	Lateral view of crouching adult	2 August 2013	BM Zinke	USA, KS, Logan county
Carnivora	Mustelidae	weasels & relatives	<i>Mustela</i>	<i>nigripes</i>	Black-footed Ferret	Formerly, Canada (S Alberta and Saskatchewan), USA (south to Arizona, Oklahoma, and NW Texas).	2082	Lateral view of adult dragging dead <i>Cynomys ludovicianus</i> , Black-tailed Prairie Dog	6 August 2013	BM Zinke	USA, KS, Logan county

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Mustelidae	weasels & relatives	<i>Mustela</i>	<i>nigripes</i>	Black-footed Ferret	Formerly, Canada (S Alberta and Saskatchewan), USA (south to Arizona, Oklahoma, and NW Texas).	2083	Lateral view of adult dragging dead <i>Cynomys ludovicianus</i> , Black-tailed Prairie Dog	6 August 2013	BM Zinke	USA, KS, Logan county
Carnivora	Mustelidae	weasels & relatives	<i>Mustela</i>	<i>nivalis</i>	Least Weasel	Albania, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Canada, China, Corsica, Crete, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Italy, Japan (Hokkaido and Honshu), Latvia, Lithuania, Luxembourg, Macedonia, Moldova, Mongolia, Netherlands, New Zealand (introduced – Corbet and Hill, 1980), Norway, Poland, Portugal, Romania, Russia, Sardinia, Serbia and Montenegro, Sicily, Slovakia, Slovenia, Spain, Sweden, Switzerland, Taiwan, USA, (Alaska and most of the USA except SW), Ukraine.	440	Oblique view, 32-day old female	1979	Pattie D	Canada, AB, Camrose
Carnivora	Mustelidae	weasels & relatives	<i>Mustela</i>	<i>nivalis</i>	Least Weasel	Albania, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Canada, China, Corsica, Crete, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Italy, Japan (Hokkaido and Honshu), Latvia, Lithuania, Luxembourg, Macedonia, Moldova, Mongolia, Netherlands, New Zealand (introduced – Corbet and Hill, 1980), Norway, Poland, Portugal, Romania, Russia, Sardinia, Serbia and Montenegro, Sicily, Slovakia, Slovenia, Spain, Sweden, Switzerland, Taiwan, USA, (Alaska and most of the USA except SW), Ukraine.	1214	Side view, close-up	1993	Andera M	Czech Republic, Prague Zoological Park
Carnivora	Mustelidae	weasels & relatives	<i>Mustela</i>	<i>nivalis</i>	Least Weasel	Albania, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Canada, China, Corsica, Crete, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Italy, Japan (Hokkaido and Honshu), Latvia, Lithuania, Luxembourg, Macedonia, Moldova, Mongolia, Netherlands, New Zealand (introduced – Corbet and Hill, 1980), Norway, Poland, Portugal, Romania, Russia, Sardinia, Serbia and Montenegro, Sicily, Slovakia, Slovenia, Spain, Sweden, Switzerland, Taiwan, USA, (Alaska and most of the USA except SW), Ukraine.	1350	Side view, in grass		Grondahl CD	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Mustelidae	weasels & relatives	<i>Mustela</i>	<i>putorius</i>	European Polecat	Albania, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Italy, Latvia, Lithuania, Luxembourg, Macedonia, Moldova, Morocco, Netherlands, Norway, Poland, Portugal, Romania, Serbia and Montenegro, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine.	589	Side view of pair showing sexual size dimorphism, <i>M. p. furo</i> (Domestic Ferret)	1973	Master LL	
Carnivora	Mustelidae	weasels & relatives	<i>Neovison</i>	<i>vison</i>	American Mink	Canada, USA (Alaska and through all of USA except SW deserts). Introduced to Belarus, Belgium, China, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Iceland, Ireland, Italy, Japan (Hokkaido), Latvia, Lithuania, Netherlands, Norway, Poland, Portugal, Russia, Spain, Sweden.	1129	Dorsolateral view of individual swimming		Mech LD	USA, MN
Carnivora	Mustelidae	weasels & relatives	<i>Pteronura</i>	<i>brasiliensis</i>	Giant Otter	Argentina, Bolivia, Brazil, Colombia, Ecuador, Guyana, Peru, Suriname, Venezuela.	129	Oblique view of captive	1977	August PV	Venezuela, Distrito Federal, Parque del Este
Carnivora	Mustelidae	weasels & relatives	<i>Pteronura</i>	<i>brasiliensis</i>	Giant Otter	Argentina, Bolivia, Brazil, Colombia, Ecuador, Guyana, Peru, Suriname, Venezuela.	924	Close-up of head and forelegs	1978	Fontaine RP	Peru, Lima Zoo
Carnivora	Mustelidae	weasels & relatives	<i>Pteronura</i>	<i>brasiliensis</i>	Giant Otter	Argentina, Bolivia, Brazil, Colombia, Ecuador, Guyana, Peru, Suriname, Venezuela.	2209		7 September 2010	Perry P	Brazil, Mato Grosso do Sul, Pantanal
Carnivora	Mustelidae	weasels & relatives	<i>Taxidea</i>	<i>taxus</i>	American Badger	Canada (British Columbia, Alberta, Saskatchewan, Manitoba, Ontario), Mexico (Baja California N and C Mexico), USA (Illinois, Indiana, Ohio, Michigan, Wisconsin, and most states west of the Mississippi River, except Louisiana, Arkansas).	701	Close-up of head of old male	1973	Lampe R	USA, MN, Anoka Co.
Carnivora	Mustelidae	weasels & relatives	<i>Taxidea</i>	<i>taxus</i>	American Badger	Canada (British Columbia, Alberta, Saskatchewan, Manitoba, Ontario), Mexico (Baja California N and C Mexico), USA (Illinois, Indiana, Ohio, Michigan, Wisconsin, and most states west of the Mississippi River, except Louisiana, Arkansas).	702	Close-up of front foot	1973	Lampe R	USA, MN, Anoka Co.
Carnivora	Mustelidae	weasels & relatives	<i>Taxidea</i>	<i>taxus</i>	American Badger	Canada (British Columbia, Alberta, Saskatchewan, Manitoba, Ontario), Mexico (Baja California N and C Mexico), USA (Illinois, Indiana, Ohio, Michigan, Wisconsin, and most states west of the Mississippi River, except Louisiana, Arkansas).	703	View of burrow	1972	Lampe R	USA, MN, Anoka Co., Cedar Creek Natural History Area
Carnivora	Nandiniidae	African palm civets	<i>Nandinia</i>	<i>binotata</i>	African Palm Civet	Angola, Benin, Burundi, Cameroon, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Gabon, Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, Mozambique, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	2275		21 February 2004	Huffman, B	Cameroon, Centre, Yaounde, Mvog Betsi Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Nandiniidae	African palm civets	<i>Nandinia</i>	<i>binotata</i>	African Palm Civet	Angola, Benin, Burundi, Cameroon, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Gabon, Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, Mozambique, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	2276		23 February 2004	Huffman, B	Cameroon, Centre, Yaounde, Mvog Betsi Zoo
Carnivora	Nandiniidae	African palm civets	<i>Nandinia</i>	<i>binotata</i>	African Palm Civet	Angola, Benin, Burundi, Cameroon, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Gabon, Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, Mozambique, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	2277		23 February 2004	Huffman, B	Cameroon, Centre, Yaounde, Mvog Betsi Zoo
Carnivora	Odobenidae	walruses	<i>Odobenus</i>	<i>rosmarus</i>	Walrus	Arctic sea- coastal regions of Belgium (vagrant), Canada, Great Britain (vagrant), Greenland, Iceland (vagrant), Japan (Honshu), Netherlands (vagrant), Norway, Russia, USA (Alaska, New England-vagrant).	443	Close-up of head and forequarters of male in herd, O. r. divergens	1978	Gordon KR	USA, AK, Dillingham, Round Island
Carnivora	Odobenidae	walruses	<i>Odobenus</i>	<i>rosmarus</i>	Walrus	Arctic sea- coastal regions of Belgium (vagrant), Canada, Great Britain (vagrant), Greenland, Iceland (vagrant), Japan (Honshu), Netherlands (vagrant), Norway, Russia, USA (Alaska, New England-vagrant).	444	Large group hauled out on land, O. r. divergens	1978	Gordon KR	USA, AK, Dillingham, Round Island
Carnivora	Odobenidae	walruses	<i>Odobenus</i>	<i>rosmarus</i>	Walrus	Arctic sea- coastal regions of Belgium (vagrant), Canada, Great Britain (vagrant), Greenland, Iceland (vagrant), Japan (Honshu), Netherlands (vagrant), Norway, Russia, USA (Alaska, New England-vagrant).	445	Small group of males on rocks, O. r. divergens	1978	Gordon KR	USA, AK, Dillingham, Round Island
Carnivora	Odobenidae	walruses	<i>Odobenus</i>	<i>rosmarus</i>	Walrus	Arctic sea- coastal regions of Belgium (vagrant), Canada, Great Britain (vagrant), Greenland, Iceland (vagrant), Japan (Honshu), Netherlands (vagrant), Norway, Russia, USA (Alaska, New England-vagrant).	1268	Side view of male, on rock by water	1992	Haweeli JD	USA, AK, Dillingham, Round Island
Carnivora	Odobenidae	walruses	<i>Odobenus</i>	<i>rosmarus</i>	Walrus	Arctic sea- coastal regions of Belgium (vagrant), Canada, Great Britain (vagrant), Greenland, Iceland (vagrant), Japan (Honshu), Netherlands (vagrant), Norway, Russia, USA (Alaska, New England-vagrant).	1269	Group of males, includes front view of tusks	1992	Haweeli JD	USA, AK, Dillingham, Round Island
Carnivora	Odobenidae	walruses	<i>Odobenus</i>	<i>rosmarus</i>	Walrus	Arctic sea- coastal regions of Belgium (vagrant), Canada, Great Britain (vagrant), Greenland, Iceland (vagrant), Japan (Honshu), Netherlands (vagrant), Norway, Russia, USA (Alaska, New England-vagrant).	1715	Small group in hole in pack ice	July, 1975	Matschke G	USA, AK, Nome, Bering Sea, St. Lawrence Island, near Savoonga

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Odobenidae	walruses	<i>Odobenus</i>	<i>rosmarus</i>	Walrus	Arctic sea- coastal regions of Belgium (vagrant), Canada, Great Britain (vagrant), Greenland, Iceland (vagrant), Japan (Honshu), Netherlands (vagrant), Norway, Russia, USA (Alaska, New England-vagrant).	1716	Adult male emerging from water	July, 1995	Matschke G	USA, AK, Dillingham, Round Island
Carnivora	Odobenidae	walruses	<i>Odobenus</i>	<i>rosmarus</i>	Walrus	Arctic sea- coastal regions of Belgium (vagrant), Canada, Great Britain (vagrant), Greenland, Iceland (vagrant), Japan (Honshu), Netherlands (vagrant), Norway, Russia, USA (Alaska, New England-vagrant).	1717	Two adults interacting in water	July, 1995	Matschke G	USA, AK, Dillingham, Round Island
Carnivora	Odobenidae	walruses	<i>Odobenus</i>	<i>rosmarus</i>	Walrus	Arctic sea- coastal regions of Belgium (vagrant), Canada, Great Britain (vagrant), Greenland, Iceland (vagrant), Japan (Honshu), Netherlands (vagrant), Norway, Russia, USA (Alaska, New England-vagrant).	1718	Adult male lying on back on land	July, 1995	Matschke G	USA, AK, Dillingham, Round Island
Carnivora	Odobenidae	walruses	<i>Odobenus</i>	<i>rosmarus</i>	Walrus	Arctic sea- coastal regions of Belgium (vagrant), Canada, Great Britain (vagrant), Greenland, Iceland (vagrant), Japan (Honshu), Netherlands (vagrant), Norway, Russia, USA (Alaska, New England-vagrant).	1719	Side view of adult male	July, 1995	Matschke G	USA, AK, Dillingham, Round Island
Carnivora	Otariidae	eared seals	<i>Arctocephalus</i>	<i>forsteri</i>	Australasian Fur Seal	Coastal regions of Australia (Eclipse Isl in the west to S end of Tasmania), New Zealand and nearby subantarctic isls.	805	Side view	1976	Oaks EC	New Zealand, South Island, Kaikoura Peninsula
Carnivora	Otariidae	eared seals	<i>Arctocephalus</i>	<i>galapagoensis</i>	Galapagos Fur Seal	Galapagos Islands	591	Side view, mouth open	1980	Hoeck HN	Ecuador, Galapagos, Santiago
Carnivora	Otariidae	eared seals	<i>Arctocephalus</i>	<i>galapagoensis</i>	Galapagos Fur Seal	Galapagos Islands	592	Close-up of head, oblique view	1980	Hoeck HN	Ecuador, Galapagos, Santiago
Carnivora	Otariidae	eared seals	<i>Arctocephalus</i>	<i>pusillus</i>	Brown Fur Seal	Two allopatric populations: (1) Southern African coastal regions of Angola (vagrant populations), Namibia (Cape Cross southward), South Africa (east to Algoa Bay) (2) Coastal regions of SE Australia, Tasmania.	131	Front view		Visser J	South Africa, Western Cape, False Bay
Carnivora	Otariidae	eared seals	<i>Arctocephalus</i>	<i>pusillus</i>	Brown Fur Seal	Two allopatric populations: (1) Southern African coastal regions of Angola (vagrant populations), Namibia (Cape Cross southward), South Africa (east to Algoa Bay) (2) Coastal regions of SE Australia, Tasmania.	1663	Adult male, females, and pups on beach	October 29, 2008	Harding LE	Namibia, Erongo, Swakopmund
Carnivora	Otariidae	eared seals	<i>Arctocephalus</i>	<i>pusillus doriferus</i>	Brown Fur Seal	Two allopatric populations: (1) Southern African coastal regions of Angola (vagrant populations), Namibia (Cape Cross southward), South Africa (east to Algoa Bay) (2) Coastal regions of SE Australia, Tasmania.	1897	Adult male, adult female, and young on rock; <i>A. p. doriferus</i> . Image on cover of Journal of Mammalogy 91(2)	2005	Gibbens, JR	Australia, Victoria, Bass Strait, Kanowna Island
Carnivora	Otariidae	eared seals	<i>Callorhinus</i>	<i>ursinus</i>	Northern Fur Seal	North Pacific coastal regions in Canada, China (vagrant to Shandong), Japan, Mexico (coasts of Baja California), Russia (Okhotsk and Bering Seas, Commander and Pribilof Isls), USA (Alaska, Washington, Oregon, S California).	1300	Dorsal and lateral view of skull (lower jaw not included)	1994	Forbes RB	USA, OR

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Otariidae	eared seals	<i>Callorhinus</i>	<i>ursinus</i>	Northern Fur Seal	North Pacific coastal regions in Canada, China (vagrant to Shandong), Japan, Mexico (costs of Baja California), Russia (Okhotsk and Bering Seas, Commander and Pribilof Isls), USA (Alaska, Washington, Oregon, S California).	1301	Lateral view, on land	1993	Bergstrom BJ	USA, AK, Aleutians West, St. Paul Island
Carnivora	Otariidae	eared seals	<i>Callorhinus</i>	<i>ursinus</i>	Northern Fur Seal	North Pacific coastal regions in Canada, China (vagrant to Shandong), Japan, Mexico (costs of Baja California), Russia (Okhotsk and Bering Seas, Commander and Pribilof Isls), USA (Alaska, Washington, Oregon, S California).	1302	Herd, hauled out on rocks by beach	1993	Bergstrom BJ	USA, AK, Aleutians West, St. Paul Island
Carnivora	Otariidae	eared seals	<i>Eumetopias</i>	<i>jubatus</i>	Steller Sea Lion	Northern Pacific coastal regions of Canada, China (vagrant populations to Jiangsu), Japan (from Hokkaido N), Russia, USA (Alaska, Washington, Oregon, California).	1270	Male and group of females, on rock above surf	1990	Haweeli JD	USA, AK, Kenai Peninsula, Resurrection Bay
Carnivora	Otariidae	eared seals	<i>Eumetopias</i>	<i>jubatus</i>	Steller Sea Lion	Northern Pacific coastal regions of Canada, China (vagrant populations to Jiangsu), Japan (from Hokkaido N), Russia, USA (Alaska, Washington, Oregon, California).	1303	Bull, ashore on large rock	1989	Bergstrom BJ	USA, AK, Kenai Peninsula, Resurrection Bay
Carnivora	Otariidae	eared seals	<i>Eumetopias</i>	<i>jubatus</i>	Stellar Sea Lion	Northern Pacific coastal regions of Canada, China (vagrant populations to Jiangsu), Japan (from Hokkaido N), Russia, USA (Alaska, Washington, Oregon, California).	1819	Front, quartering view of mounted skeleton	June 20, 1999	Huckaby, DG	USA, WA, Pierce Co., Tacoma, Point Defiance Zoo
Carnivora	Otariidae	eared seals	<i>Eumetopias</i>	<i>jubatus</i>	Stellar Sea Lion	Northern Pacific coastal regions of Canada, China (vagrant populations to Jiangsu), Japan (from Hokkaido N), Russia, USA (Alaska, Washington, Oregon, California).	1759	Adult female resting next to adult female <i>Zalophus californianus</i>	1980	Fink, KW - contributed by DG Huckaby	
Carnivora	Otariidae	eared seals	<i>Otaria</i>	<i>flavescens</i>	South American Sea Lion	South American coasts of Argentina, Brazil (south from Recife dos Tórres), Chile, Peru, Uruguay, Falkland Isls. Vagrant populations occasionally in Columbia, Ecuador (Galapagos Isls), Panama.	447	Oblique view from rear, male out of water	1979	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Carnivora	Otariidae	eared seals	<i>Otaria</i>	<i>flavescens</i>	South American Sea Lion	South American coasts of Argentina, Brazil (south from Recife dos Tórres), Chile, Peru, Uruguay, Falkland Isls. Vagrant populations occasionally in Columbia, Ecuador (Galapagos Isls), Panama.	448	Oblique view of female with young	1977	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Carnivora	Otariidae	eared seals	<i>Otaria</i>	<i>flavescens</i>	South American Sea Lion	South American coasts of Argentina, Brazil (south from Recife dos Tórres), Chile, Peru, Uruguay, Falkland Isls. Vagrant populations occasionally in Columbia, Ecuador (Galapagos Isls), Panama.	593	Bull and harem	1974	Raedeke KJ	Chile, Magallanes and Chilean Antarctic
Carnivora	Otariidae	eared seals	<i>Otaria</i>	<i>flavescens</i>	South American Sea Lion	South American coasts of Argentina, Brazil (south from Recife dos Tórres), Chile, Peru, Uruguay, Falkland Isls. Vagrant populations occasionally in Columbia, Ecuador (Galapagos Isls), Panama.	1664	Close-up of head of adult male	May 28, 2006	Harding LE	Chile, Los Rios, Valdivia Province, Valdivia

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Otariidae	eared seals	<i>Zalophus</i>	<i>californianus</i>	California Sea Lion	Northern Pacific coastal regions of Canada (British Columbia), Mexico (Baja California, and throughout the Gulf of California), USA (Washington, Oregon, California).	132	Oblique view of two males	1975	Guthrie DA	USA, CA, Ventura Co., Santa Barbara Island
Carnivora	Otariidae	eared seals	<i>Zalophus</i>	<i>californianus</i>	California Sea Lion	Northern Pacific coastal regions of Canada (British Columbia), Mexico (Baja California, and throughout the Gulf of California), USA (Washington, Oregon, California).	133	Side view of head and neck	1973	Cunningham HN Jr	USA, NY, Erie Co., Buffalo Zoo
Carnivora	Otariidae	eared seals	<i>Zalophus</i>	<i>californianus</i>	California Sea Lion	Northern Pacific coastal regions of Canada (British Columbia), Mexico (Baja California, and throughout the Gulf of California), USA (Washington, Oregon, California).	446	Group of females	1976	Sutton DA	Mexico, B.C., San Martin Island
Carnivora	Otariidae	eared seals	<i>Zalophus</i>	<i>californianus</i>	California Sea Lion	Northern Pacific coastal regions of Canada (British Columbia), Mexico (Baja California, and throughout the Gulf of California), USA (Washington, Oregon, California).	1142	Side view of individual on land, showing front and rear flippers and tail	1992	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, ABQ BioPark (Rio Grande) Zoo
Carnivora	Otariidae	eared seals	<i>Zalophus</i>	<i>californianus</i>	California Sea Lion	Northern Pacific coastal regions of Canada (British Columbia), Mexico (Baja California, and throughout the Gulf of California), USA (Washington, Oregon, California).	1143	Dorsal and posterior view of individual swimming, showing extensive span of front flippers as sea lion changes swimming direction	1992	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, ABQ BioPark (Rio Grande) Zoo
Carnivora	Otariidae	eared seals	<i>Zalophus</i>	<i>wollebaeki</i>	Galapagos Sea Lion	Ecuador (Galapagos Isls), vagrant populations to coastal regions of Columbia and Ecuador.	2326		14 June 2007	SI Zeveloff	Ecuador, Galapagos
Carnivora	Phocidae	earless seals	<i>Halichoerus</i>	<i>grypus</i>	Gray Seal	Temperate and subarctic waters around Canada (Newfoundland area), Denmark, Estonia, Finland, France, Germany, Great Britain, Greenland, Iceland, Ireland, Latvia, Lithuania, Netherlands, Norway, Portugal (vagrant), Russia (Kola Peninsula), Sweden, USA (Maine, New Hampshire, Massachusetts, New Jersey - vagrant).	454	Two females and one male hauled out of water	1979	Shoemaker AH	Denmark, Copenhagen Zoo
Carnivora	Phocidae	earless seals	<i>Hydrurga</i>	<i>leptonyx</i>	Leopard Seal	Circumpolar pack-ice zone south to the shores of Antarctica. Also coastal regions of Australia, Chile, Falkland Isls, Kerguelen Isls, New Zealand), South Sandwich Isls, South Africa.	284	Skull, showing incisors and canines	1972	Drabek CM	
Carnivora	Phocidae	earless seals	<i>Hydrurga</i>	<i>leptonyx</i>	Leopard Seal	Circumpolar pack-ice zone south to the shores of Antarctica. Also coastal regions of Australia, Chile, Falkland Isls, Kerguelen Isls, New Zealand), South Sandwich Isls, South Africa.	707	Side view, resting on ice	1978	Thomas J	Antarctica, near Palmer Peninsula
Carnivora	Phocidae	earless seals	<i>Leptonychotes</i>	<i>weddellii</i>	Weddell Seal	Coastal fast ice areas of Antarctic continent and adjacent islands. Vagrant populations: Argentina, Australia, Chile, Falkland Isls, Macquarie Isl, New Zealand, Uruguay.	137	Oblique view	1971	Drabek CM	Antarctica, McMurdo Sound

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Phocidae	earless seals	<i>Leptonychotes</i>	<i>weddellii</i>	Weddell Seal	Coastal fast ice areas of Antarctic continent and adjacent islands. Vagrant populations: Argentina, Australia, Chile, Falkland Isls, Macquarie Isl, New Zealand, Uruguay.	705	Female with young	1977	Thomas J	Antarctica, McMurdo Sound
Carnivora	Phocidae	earless seals	<i>Leptonychotes</i>	<i>weddellii</i>	Weddell Seal	Coastal fast ice areas of Antarctic continent and adjacent islands. Vagrant populations: Argentina, Australia, Chile, Falkland Isls, Macquarie Isl, New Zealand, Uruguay.	706	Close-up of head of young	1977	Thomas J	Antarctica, McMurdo Sound
Carnivora	Phocidae	earless seals	<i>Lobodon</i>	<i>carcinophaga</i>	Crab-eater Seal	Antarctic seas, frequently on pack ice around Antarctic Continent. Vagrant populations: Argentina, Australia, Brazil, Falkland Isls, New Zealand, South Africa, Tasmania, Uruguay.	136	Oblique view	1964	Drabek CM	Antarctica, McMurdo Sound
Carnivora	Phocidae	earless seals	<i>Lobodon</i>	<i>carcinophaga</i>	Crab-eater Seal	Antarctic seas, frequently on pack ice around Antarctic Continent. Vagrant populations: Argentina, Australia, Brazil, Falkland Isls, New Zealand, South Africa, Tasmania, Uruguay.	283	Side view of skull, showing dentition	1972	Drabek CM	
Carnivora	Phocidae	earless seals	<i>Lobodon</i>	<i>carcinophaga</i>	Crab-eater Seal	Antarctic seas, frequently on pack ice around Antarctic Continent. Vagrant populations: Argentina, Australia, Brazil, Falkland Isls, New Zealand, South Africa, Tasmania, Uruguay.	704	Male and female	1977	Drabek CM	Antarctica, near Palmer Peninsula
Carnivora	Phocidae	earless seals	<i>Mirounga</i>	<i>angustirostris</i>	Northern Elephant Seal	Mexico (Baja California), USA (SE Alaska to California).	134	Side view of adult male	1974	Guthrie DA	Mexico, B.C., San Benito Island
Carnivora	Phocidae	earless seals	<i>Mirounga</i>	<i>angustirostris</i>	Northern Elephant Seal	Mexico (Baja California), USA (SE Alaska to California).	282	Newborn	1974	Guthrie DA	Mexico, B.C., San Benito Island
Carnivora	Phocidae	earless seals	<i>Mirounga</i>	<i>angustirostris</i>	Northern Elephant Seal	Mexico (Baja California), USA (SE Alaska to California).	449	Oblique view of male	1971	Sutton DA	Mexico, B.C., Guadalupe Island
Carnivora	Phocidae	earless seals	<i>Mirounga</i>	<i>angustirostris</i>	Northern Elephant Seal	Mexico (Baja California), USA (SE Alaska to California).	450	Female nursing pup	1973	Sutton DA	Mexico, B.C., San Benito Island
Carnivora	Phocidae	earless seals	<i>Mirounga</i>	<i>angustirostris</i>	Northern Elephant Seal	Mexico (Baja California), USA (SE Alaska to California).	451	Male with harem	1971	Sutton DA	Mexico, B.C., Guadalupe Island
Carnivora	Phocidae	earless seals	<i>Mirounga</i>	<i>angustirostris</i>	Northern Elephant Seal	Mexico (Baja California), USA (SE Alaska to California).	452	Close-up of male's forefoot	1976	Sutton DA	Mexico, B.C., San Benito Island
Carnivora	Phocidae	earless seals	<i>Mirounga</i>	<i>angustirostris</i>	Northern Elephant Seal	Mexico (Baja California), USA (SE Alaska to California).	453	Close-up of male's hindlimbs	1976	Sutton DA	Mexico, B.C., San Benito Island
Carnivora	Phocidae	earless seals	<i>Mirounga</i>	<i>angustirostris</i>	Northern Elephant Seal	Mexico (Baja California), USA (SE Alaska to California).	2040	Adult male in threat display	February 17, 2013	Baez A	USA, CA, San Luis Obispo co., 7.7 mi. N San Simeon, Piedras Blancas seal rookery
Carnivora	Phocidae	earless seals	<i>Mirounga</i>	<i>angustirostris</i>	Northern Elephant Seal	Mexico (Baja California), USA (SE Alaska to California).	2041	Subadult with possible bite of Cookie Cutter Shark (<i>Isistius brasiliensis</i>).	November 25, 2012	Baez A	USA, CA, San Luis Obispo co., 7.7 mi. N San Simeon, Piedras Blancas seal rookery
Carnivora	Phocidae	earless seals	<i>Mirounga</i>	<i>angustirostris</i>	Northern Elephant Seal	Mexico (Baja California), USA (SE Alaska to California).	2042	Adult female flipping sand onto her back	January 4, 2013	Baez A	USA, CA, San Luis Obispo co., 7.7 mi. N San Simeon, Piedras Blancas seal rookery
Carnivora	Phocidae	earless seals	<i>Mirounga</i>	<i>angustirostris</i>	Northern Elephant Seal	Mexico (Baja California), USA (SE Alaska to California).	2043	Two adult males fighting	February 17, 2013	Baez A	USA, CA, San Luis Obispo co., 7.7 mi. N San Simeon, Piedras Blancas seal rookery

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Phocidae	earless seals	<i>Mirounga</i>	<i>angustirostris</i>	Northern Elephant Seal	Mexico (Baja California), USA (SE Alaska to California).	2044	Two juvenile males fighting	November 25, 2012	Baez A	USA, CA, San Luis Obispo co., 7.7 mi. N San Simeon, Piedras Blancas seal rookery
Carnivora	Phocidae	earless seals	<i>Mirounga</i>	<i>leonina</i>	Southern Elephant Seal	Circumpolar mainly in the subantarctic zone, including Antarctica, Macquarie, Kerguelen, S Georgia Isls, and Argentina (Peninsula Valdez). Vagrant populations recorded at Australia, Brazil, Chile, Mauritius, Mozambique, Namibia, New Zealand, Oman, Uruguay.	796	Side view of female	1981	Chehebar CE	Argentina, Chubut
Carnivora	Phocidae	earless seals	<i>Monachus</i>	<i>schauinslandi</i>	Hawaiian Monk Seal	USA (NW Hawaiian Isls, from Nihoa to Kure).	138	Side view of female with young		Audio Visual Office, US Fish and Wildlife Service	USA, HA, Honolulu Co., Hawaiian Islands National Wildlife Refuge
Carnivora	Phocidae	earless seals	<i>Monachus</i>	<i>schauinslandi</i>	Hawaiian Monk Seal	USA (NW Hawaiian Isls, from Nihoa to Kure).	1820	Side view of adult out of water	July 6, 1999	Huckaby, DG	USA, HA, Honolulu Co., Honolulu Zoo
Carnivora	Phocidae	earless seals	<i>Monachus</i>	<i>schauinslandi</i>	Hawaiian Monk Seal	USA (NW Hawaiian Isls, from Nihoa to Kure).	1821	Side view of head out of water, with algae growth	July 6, 1999	Huckaby, DG	USA, HA, Honolulu Co., Honolulu Zoo
Carnivora	Phocidae	earless seals	<i>Monachus</i>	<i>schauinslandi</i>	Hawaiian Monk Seal	USA (NW Hawaiian Isls, from Nihoa to Kure).	2000	Ventral view of mounted skeleton of floating animal		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Carnivora	Phocidae	earless seals	<i>Ommatophoca</i>	<i>rossii</i>	Ross Seal	Circumpolar, Antarctic pack ice, particularly King Haakon VII Sea. Vagrant populations on Heard Isl and S Australia.	708	Side view, vocalizing	1978	Thomas J	Antarctica, Palmer Peninsula
Carnivora	Phocidae	earless seals	<i>Pagophilus</i>	<i>groenlandicus</i>	Harp Seal	N Atlantic and Arctic oceans and coastal regions of Canada (Newfoundland), France (vagrant), Germany (vagrant), Greenland, Iceland, Norway, Russia from E Canada to the White Sea (Russia), Scotland (vagrant), USA (Virginia - vagrant).	2278		16 February 2007	Huffman, B	USA, MI, Oakland co., Detroit Zoo
Carnivora	Phocidae	earless seals	<i>Pagophilus</i>	<i>groenlandicus</i>	Harp Seal	N Atlantic and Arctic oceans and coastal regions of Canada (Newfoundland), France (vagrant), Germany (vagrant), Greenland, Iceland, Norway, Russia from E Canada to the White Sea (Russia), Scotland (vagrant), USA (Virginia - vagrant).	2279		23 June 2008	Huffman, B	USA, MI, Oakland co., Detroit Zoo
Carnivora	Phocidae	earless seals	<i>Pagophilus</i>	<i>groenlandicus</i>	Harp Seal	N Atlantic and Arctic oceans and coastal regions of Canada (Newfoundland), France (vagrant), Germany (vagrant), Greenland, Iceland, Norway, Russia from E Canada to the White Sea (Russia), Scotland (vagrant), USA (Virginia - vagrant).	2280		12 May 2009	Huffman, B	USA, MI, Oakland co., Detroit Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Phocidae	earless seals	<i>Phoca</i>	<i>vitulina</i>	Harbor Seal	Coastal regions of Canada, China (south to Kiangsu), Denmark, Germany, Great Britain, Greenland, Iceland, Ireland, Japan (Hokkaido), Mexico (Baja California, Isla Guadalupe-vagrant), Netherlands, Norway, Portugal, Russia (Kurile Isls and Kamchatka), Sweden, USA (Atlantic coast: Maine, Massachusetts, New Hampshire, vagrants: New York, Florida, Vermont. Pacific Coast: Alaska, Washington, Oregon, California).	135	Side view	1973	Cunningham HN Jr	USA, NY, Erie Co., Buffalo Zoo
Carnivora	Phocidae	earless seals	<i>Phoca</i>	<i>vitulina</i>	Harbor Seal	Coastal regions of Canada, China (south to Kiangsu), Denmark, Germany, Great Britain, Greenland, Iceland, Ireland, Japan (Hokkaido), Mexico (Baja California, Isla Guadalupe-vagrant), Netherlands, Norway, Portugal, Russia (Kurile Isls and Kamchatka), Sweden, USA (Atlantic coast: Maine, Massachusetts, New Hampshire, vagrants: New York, Florida, Vermont. Pacific Coast: Alaska, Washington, Oregon, California).	594	Close-up of head	1980	Master LL	USA, MN, Hennepin Co., Minneapolis Zoo
Carnivora	Phocidae	earless seals	<i>Phoca</i>	<i>vitulina</i>	Harbor Seal	Coastal regions of Canada, China (south to Kiangsu), Denmark, Germany, Great Britain, Greenland, Iceland, Ireland, Japan (Hokkaido), Mexico (Baja California, Isla Guadalupe-vagrant), Netherlands, Norway, Portugal, Russia (Kurile Isls and Kamchatka), Sweden, USA (Atlantic coast: Maine, Massachusetts, New Hampshire, vagrants: New York, Florida, Vermont. Pacific Coast: Alaska, Washington, Oregon, California).	1131	Underwater, lateral view	1989	Forbes RB	USA, CA, San Francisco Co., California Academy of Sciences
Carnivora	Phocidae	earless seals	<i>Phoca</i>	<i>vitulina</i>	Harbor Seal	Coastal regions of Canada, China (south to Kiangsu), Denmark, Germany, Great Britain, Greenland, Iceland, Ireland, Japan (Hokkaido), Mexico (Baja California, Isla Guadalupe-vagrant), Netherlands, Norway, Portugal, Russia (Kurile Isls and Kamchatka), Sweden, USA (Atlantic coast: Maine, Massachusetts, New Hampshire, vagrants: New York, Florida, Vermont. Pacific Coast: Alaska, Washington, Oregon, California).	1304	Immature individual, on platform by pool		Bergstrom BJ	USA, AK, Kenai Peninsula, Seward
Carnivora	Phocidae	earless seals	<i>Phoca</i>	<i>vitulina</i>	Harbor Seal	Coastal regions of Canada, China (south to Kiangsu), Denmark, Germany, Great Britain, Greenland, Iceland, Ireland, Japan (Hokkaido), Mexico (Baja California, Isla Guadalupe-vagrant), Netherlands, Norway, Portugal, Russia (Kurile Isls and Kamchatka), Sweden, USA (Atlantic coast: Maine, Massachusetts, New Hampshire, vagrants: New York, Florida, Vermont. Pacific Coast: Alaska, Washington, Oregon, California).	1305	Lateral and dorsal views of skull	1994	Forbes RB	USA, OR

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Phocidae	earless seals	<i>Phoca</i>	<i>vitulina</i>	Harbor Seal	Coastal regions of Canada, China (south to Kiangsu), Denmark, Germany, Great Britain, Greenland, Iceland, Ireland, Japan (Hokkaido), Mexico (Baja California, Isla Guadalupe-vagrant), Netherlands, Norway, Portugal, Russia (Kurile Isls and Kamchatka), Sweden, USA (Atlantic coast: Maine, Massachusetts, New Hampshire, vagrants: New York, Florida, Vermont. Pacific Coast: Alaska, Washington, Oregon, California).	1822	Front, quartering view of mounted skeleton	June 20, 1999	Huckaby, DG	USA, WA, Pierce Co., Tacoma, Point Defiance Zoo
Carnivora	Phocidae	earless seals	<i>Pusa</i>	<i>sibirica</i>	Baikal Seal	Endemic to Lake Baikal (Russia).	925	Close-up view of head and foreflippers; 2 animals	1986	Andera M	Germany, Berlin Zoological Garden
Carnivora	Procyonidae	raccoons & relatives	<i>Bassaricyon</i>	<i>neblina</i>	Olinguito	Northern Andes of Colombia and Ecuador	2071	Adult in tree	July 09 2005	Gurney M	Ecuador, Pichincha, Tandayapa Bird Lodge, 2350 m
Carnivora	Procyonidae	raccoons & relatives	<i>Bassaricyon</i>	<i>neblina</i>	Olinguito	Northern Andes of Colombia and Ecuador	2072	Adult in tree	July 09 2005	Gurney M	Ecuador, Pichincha, Tandayapa Bird Lodge, 2350 m
Carnivora	Procyonidae	raccoons & relatives	<i>Bassaricyon</i>	<i>neblina</i>	Olinguito	Northern Andes of Colombia and Ecuador	2073	Adult in tree	July 09 2005	Gurney M	Ecuador, Pichincha, Tandayapa Bird Lodge, 2350 m
Carnivora	Procyonidae	raccoons & relatives	<i>Bassariscus</i>	<i>astutus</i>	Ringtail	Mexico (from USA to the Isthmus of Tehuantepec, Tiburon Isl and several other islands in the Gulf of California), USA (SW Oregon, N Nevada, Utah, SW Wyoming and W Colorado, south through California, Arizona, New Mexico and Texas).	858	Side view on log	1979	Hall JG	USA, AZ, Cochise Co., Chiricahua Mountains
Carnivora	Procyonidae	raccoons & relatives	<i>Bassariscus</i>	<i>astutus</i>	Ringtail	Mexico (from USA to the Isthmus of Tehuantepec, Tiburon Isl and several other islands in the Gulf of California), USA (SW Oregon, N Nevada, Utah, SW Wyoming and W Colorado, south through California, Arizona, New Mexico and Texas).	1689	Side view of released adult on rock wall	October 8, 2008	Ambos A	USA, NV, Clark Co., Black Canyon
Carnivora	Procyonidae	raccoons & relatives	<i>Bassariscus</i>	<i>astutus</i>	Ringtail	Mexico (from USA to the Isthmus of Tehuantepec, Tiburon Isl and several other islands in the Gulf of California), USA (SW Oregon, N Nevada, Utah, SW Wyoming and W Colorado, south through California, Arizona, New Mexico and Texas).	1720	Side view of adult on limb facing camera	November 6, 2005	Wyatt DT	USA, CA, Sutter Co., Sutter Buttes, base of North Butte
Carnivora	Procyonidae	raccoons & relatives	<i>Bassariscus</i>	<i>astutus</i>	Ringtail	Mexico (from USA to the Isthmus of Tehuantepec, Tiburon Isl and several other islands in the Gulf of California), USA (SW Oregon, N Nevada, Utah, SW Wyoming and W Colorado, south through California, Arizona, New Mexico and Texas).	1721	Side view of adult on limb with foot raised	November 4, 2006	Wyatt DT	USA, CA, Sutter Co., Sutter Buttes, base of North Butte
Carnivora	Procyonidae	raccoons & relatives	<i>Nasua</i>	<i>narica</i>	White-nosed Coati	Belize, Colombia (Gulf of Uraba), Costa Rica, El Salvador, Guatemala, Honduras, Mexico (except Baja California), Nicaragua, Panama, USA (S Arizona and SW New Mexico).	139	Side view		des Lauriers J	USA, AZ, Pima Co., Tucson, Arizona Sonoran Desert Museum

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Procyonidae	raccoons & relatives	<i>Nasua</i>	<i>narica</i>	White-nosed Coati	Belize, Colombia (Gulf of Uraba), Costa Rica, El Salvador, Guatemala, Honduras, Mexico (except Baja California), Nicaragua, Panama, USA (S Arizona and SW New Mexico).	926	Side view of female nursing infant	1977	Fontaine RP	Panama, Barro Colorado Island
Carnivora	Procyonidae	raccoons & relatives	<i>Nasua</i>	<i>narica</i>	White-nosed Coati	Belize, Colombia (Gulf of Uraba), Costa Rica, El Salvador, Guatemala, Honduras, Mexico (except Baja California), Nicaragua, Panama, USA (S Arizona and SW New Mexico).	1722	Front view of juvenile	June 20, 2006	Wyatt DT	Belize, Belize, near La Democracia
Carnivora	Procyonidae	raccoons & relatives	<i>Nasua</i>	<i>nasua</i>	South American Coati	Argentina, Bolivia, Brazil, Colombia, Guyana, Paraguay, Peru, Surinam, Uruguay, Venezuela.	2210		5 September 2010	Perry P	Brazil, Mato Grosso do Sul, Pantanal
Carnivora	Procyonidae	raccoons & relatives	<i>Nasua</i>	<i>nasua</i>	South American Coati	Argentina, Bolivia, Brazil, Colombia, Guyana, Paraguay, Peru, Surinam, Uruguay, Venezuela.	2211		5 September 2010	Perry P	Brazil, Mato Grosso do Sul, Pantanal
Carnivora	Procyonidae	raccoons & relatives	<i>Potos</i>	<i>flavus</i>	Kinkajou	Belize, Bolivia, Brazil (Mato Grosso), Colombia, Costa Rica, Ecuador, Guatemala, Guyana, Mexico (S Tamaulipas and Guerrero and possibly Michoacan), Nicaragua, Panama, Peru, Surinam, Venezuela.	1572	Lateral view of head and forelimb, resting on branch	1994	Lord RD	
Carnivora	Procyonidae	raccoons & relatives	<i>Potos</i>	<i>flavus</i>	Kinkajou	Belize, Bolivia, Brazil (Mato Grosso), Colombia, Costa Rica, Ecuador, Guatemala, Guyana, Mexico (S Tamaulipas and Guerrero and possibly Michoacan), Nicaragua, Panama, Peru, Surinam, Venezuela.	2001	Lateral view of mounted skeleton on branch		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Carnivora	Procyonidae	raccoons & relatives	<i>Procyon</i>	<i>cancrivorus</i>	Crab-eating Raccoon	Argentina, Bolivia, Brazil, Colombia, Costa Rica, Guyana, Panama, Peru, Surinam, Trinidad and Tobago, Venezuela.	1577	Side view of standing adult, tail not visible	1982	Lord RD	Venezuela, Aragua, Maracay, Las Delicias Zoo
Carnivora	Procyonidae	raccoons & relatives	<i>Procyon</i>	<i>lotor</i>	Raccoon	S Canada, Mexico, Panama, USA (except parts of the Rocky Mtns). Introductions into: Austria, Azerbaijan, Belarus, Czech Republic, Denmark, France, Germany, Russia, Switzerland, Uzbekistan.	140	Side view of male	1974	Berliner WF (contributed by Sydney Anderson)	USA, GA, Liberty Co., Saint Catherine's Island
Carnivora	Procyonidae	raccoons & relatives	<i>Procyon</i>	<i>lotor</i>	Raccoon	S Canada, Mexico, Panama, USA (except parts of the Rocky Mtns). Introductions into: Austria, Azerbaijan, Belarus, Czech Republic, Denmark, France, Germany, Russia, Switzerland, Uzbekistan.	709	Ventral view of skull, dorsal view of lower jaw	1979	Van Devender RW	USA, OK
Carnivora	Ursidae	bears	<i>Ailuropoda</i>	<i>melanoleuca</i>	Giant Panda	China (Sichuan, Shensi, Gansu; perhaps Qinghai, on E edge of Tibetan plateau).	977	Lying on back, eating bamboo using "thumb"	1987	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Carnivora	Ursidae	bears	<i>Ailuropoda</i>	<i>melanoleuca</i>	Giant Panda	China (Sichuan, Shensi, Gansu; perhaps Qinghai, on E edge of Tibetan plateau).	1052	Side view of young panda walking		Groves CP	China, Sichuan, Chengdu Zoo
Carnivora	Ursidae	bears	<i>Helarctos</i>	<i>malayanus</i>	Sun Bear	Burma, China (Yunnan), India, Indonesia (Sumatra, Kalimantan), Kampuchea, Laos, Malaysia, Thailand, Vietnam.	770	Oblique view	1981	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Carnivora	Ursidae	bears	<i>Helarctos</i>	<i>malayanus</i>	Sun Bear	Burma, China (Yunnan), India, Indonesia (Sumatra, Kalimantan), Kampuchea, Laos, Malaysia, Thailand, Vietnam.	1053	Front view of bear sitting up		Kutunidisz K	Germany, Berlin Zoological Garden
Carnivora	Ursidae	bears	<i>Helarctos</i>	<i>malayanus</i>	Sun Bear	Burma, China (Yunnan), India, Indonesia (Sumatra, Kalimantan), Kampuchea, Laos, Malaysia, Thailand, Vietnam.	1306	Frontal view of four individuals	1976	Best TL	Switzerland, Basel Zoo
Carnivora	Ursidae	bears	<i>Melursus</i>	<i>ursinus</i>	Sloth Bear	India (north to the Indian desert and to the foothills of the Himalayas), Sri Lanka.	927	Front view of bear sitting up	1986	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Ursidae	bears	<i>Melursus</i>	<i>ursinus</i>	Sloth Bear	India (north to the Indian desert and to the foothills of the Himalayas), Sri Lanka.	1823	Quartering view of adult, sitting up	June, 1990	Huckaby, DG	USA, DC, Washington, National Zoological Park
Carnivora	Ursidae	bears	<i>Tremarctos</i>	<i>ornatus</i>	Spectacled Bear	Mountainous regions of W Bolivia, Colombia, Ecuador, Panama (?), Peru, W Venezuela.	928	Bear sitting in tree	1987	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Carnivora	Ursidae	bears	<i>Tremarctos</i>	<i>ornatus</i>	Spectacled Bear	Mountainous regions of W Bolivia, Colombia, Ecuador, Panama (?), Peru, W Venezuela.	1824	Side view of standing adult	June 14, 1997	Huckaby, DG	USA, OK, Oklahoma Co., Oklahoma City Zoo
Carnivora	Ursidae	bears	<i>Ursus</i>	<i>americanus</i>	American Black Bear	Canada, Mexico (N Nayarit and S Tamaulipas), USA.	142	Partial front view of female in tree	1976	Riewe R	Canada, NW, Aubry Lake
Carnivora	Ursidae	bears	<i>Ursus</i>	<i>americanus</i>	American Black Bear	Canada, Mexico (N Nayarit and S Tamaulipas), USA.	1132	Ventral view of skulls side by side (U. americanus on left), showing larger last upper molar in U. arctos (a small individual)		Forbes RB	
Carnivora	Ursidae	bears	<i>Ursus</i>	<i>americanus</i>	Black Bear	Canada, Mexico (N Nayarit and S Tamaulipas), USA.	1825	Side view of walking adult, brown phase	June, 1990	Huckaby, DG	USA, DC, Washington, National Zoological Park
Carnivora	Ursidae	bears	<i>Ursus</i>	<i>arctos</i>	Brown Bear	Afghanistan, Albania, Armenia, Austria, Azerbaijan, Belarus, Bhutan, Bosnia and Herzegovina, Bulgaria, N and W China, Croatia, Estonia, Finland, France, Greece, India, Iran, Iraq, Israel, Italy, Japan (Hokkaido), Kazakhstan, Lebanon, Macdeonia, N Mexico, Mongolia, North Korea, Norway, N Pakistan, Poland, Romania, Russia, Serbia and Montenegro, Slovakia, Spain, Sweden, Syria, Turkey, Ukraine, W USA.	455	Side view of adult, U. a. horribilis	1961	Murie A (contributed by JO Murie)	USA, AK, Denali National Park
Carnivora	Ursidae	bears	<i>Ursus</i>	<i>arctos</i>	Brown Bear	Afghanistan, Albania, Armenia, Austria, Azerbaijan, Belarus, Bhutan, Bosnia and Herzegovina, Bulgaria, N and W China, Croatia, Estonia, Finland, France, Greece, India, Iran, Iraq, Israel, Italy, Japan (Hokkaido), Kazakhstan, Lebanon, Macdeonia, N Mexico, Mongolia, North Korea, Norway, N Pakistan, Poland, Romania, Russia, Serbia and Montenegro, Slovakia, Spain, Sweden, Syria, Turkey, Ukraine, W USA.	821	Close-up view of swimming bear's head	1983	August PV	USA, DC, Washington, National Zoological Park
Carnivora	Ursidae	bears	<i>Ursus</i>	<i>arctos</i>	Brown Bear	Afghanistan, Albania, Armenia, Austria, Azerbaijan, Belarus, Bhutan, Bosnia and Herzegovina, Bulgaria, N and W China, Croatia, Estonia, Finland, France, Greece, India, Iran, Iraq, Israel, Italy, Japan (Hokkaido), Kazakhstan, Lebanon, Macdeonia, N Mexico, Mongolia, North Korea, Norway, N Pakistan, Poland, Romania, Russia, Serbia and Montenegro, Slovakia, Spain, Sweden, Syria, Turkey, Ukraine, W USA.	1008	Side view of male, U. a. syriacus	1988	Kutunidisiz K	Netherlands, Amsterdam Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Ursidae	bears	<i>Ursus</i>	<i>arctos</i>	Brown Bear	Afghanistan, Albania, Armenia, Austria, Azerbaijan, Belarus, Bhutan, Bosnia and Herzegovina, Bulgaria, N and W China, Croatia, Estonia, Finland, France, Greece, India, Iran, Iraq, Israel, Italy, Japan (Hokkaido), Kazakhstan, Lebanon, Macedonia, N Mexico, Mongolia, North Korea, Norway, N Pakistan, Poland, Romania, Russia, Serbia and Montenegro, Slovakia, Spain, Sweden, Syria, Turkey, Ukraine, W USA.	1271	Individual in river, eating fish	1990	Haweeli JD	USA, AK, Katmai National Park
Carnivora	Ursidae	bears	<i>Ursus</i>	<i>maritimus</i>	Polar Bear	Canada, Greenland, USA (Alaska), Russia. Circumpolar in the Arctic, S limits determined by ice pack.	141	Side view	1973	Cunningham HN Jr	USA, NY, Erie Co., Buffalo Zoo
Carnivora	Ursidae	bears	<i>Ursus</i>	<i>maritimus</i>	Polar Bear	Canada, Greenland, USA (Alaska), Russia. Circumpolar in the Arctic, S limits determined by ice pack.	1272	Two individuals "play-fighting"	1986	Haweeli JD	Canada, MB, Churchill
Carnivora	Ursidae	bears	<i>Ursus</i>	<i>maritimus</i>	Polar Bear	Canada, Greenland, USA (Alaska), Russia. Circumpolar in the Arctic, S limits determined by ice pack.	1307	Side view walking, in captivity, feet visible		Bergstrom BJ	
Carnivora	Ursidae	bears	<i>Ursus</i>	<i>thibetanus</i>	Asian Black Bear	Afghanistan, China, India, Indochina, Japan, North and ? South Korea, Laos, Nepal, Pakistan, Taiwan, Thailand, Russia (SE Primorski Krai), Vietnam.	856	Oblique view of male standing on all fours	1982	Baer JF	USA, OR, Multnomah Co., Portland, Oregon Zoo
Carnivora	Viverridae	genets, civets, & relatives	<i>Arctictis</i>	<i>binturong</i>	Binturong	Bangladesh, Bhutan, Burma, China (Yunnan), India (incl. Sikkim), Indonesia (Kalimantan, Java, Sumatra), Laos, Malaysia, Nepal, Philippine Isls (Palawan), Thailand, Vietnam.	978	Close-up view of head	1982	Pearson DW	USA, NC, Chatham Co., Pittsboro, Carolina Tiger Rescue (Carnivore Evolutionary Research Institute)
Carnivora	Viverridae	genets, civets, & relatives	<i>Chrotogale</i>	<i>owstoni</i>	Owston's Palm Civet	China (Yunnan, Guangxi), Laos, Vietnam.	2068	Two adults		Groves, CP	Vietnam, Hanoi Zoo
Carnivora	Viverridae	genets, civets, & relatives	<i>Civittictis</i>	<i>civetta</i>	African Civet	Angola, Benin, Botswana, Cameroon, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Ethiopia, Gabon, Gambia, Guinea, Kenya, Liberia, Malawi, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	1826	Side view of adult	June 25, 1999	Huckaby, DG	USA, WA, King Co., Seattle, Woodland Park Zoo
Carnivora	Viverridae	genets, civets, & relatives	<i>Civittictis</i>	<i>civetta</i>	African Civet	Angola, Benin, Botswana, Cameroon, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Ethiopia, Gabon, Gambia, Guinea, Kenya, Liberia, Malawi, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.	2212		25 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Carnivora	Viverridae	genets, civets, & relatives	<i>Genetta</i>	<i>maculata</i>	Rusty-spotted Genet	Angola, Botswana, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Eritrea, Equatorial Guinea (incl. Bioko), Ethiopia, Gabon, Ghana, Kenya, Malawi, Mozambique, Namibia, Nigeria, Republic of Congo, Rwanda, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	595	Adult, facing camera, head, front feet, & tail visible		Willan K	Zimbabwe, Masvingo, Kyle Dam (Lake Mutirikwe) National (Recreational) Park
Carnivora	Viverridae	genets, civets, & relatives	<i>Genetta</i>	<i>maculata</i>	Rusty-spotted Genet	Angola, Botswana, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Eritrea, Equatorial Guinea (incl. Bioko), Ethiopia, Gabon, Ghana, Kenya, Malawi, Mozambique, Namibia, Nigeria, Republic of Congo, Rwanda, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	2213		27 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park
Carnivora	Viverridae	genets, civets, & relatives	<i>Genetta</i>	<i>maculata</i>	Rusty-spotted Genet	Angola, Botswana, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Eritrea, Equatorial Guinea (incl. Bioko), Ethiopia, Gabon, Ghana, Kenya, Malawi, Mozambique, Namibia, Nigeria, Republic of Congo, Rwanda, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.	2214		20 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Lewa Wildlife Conservancy
Carnivora	Viverridae	genets, civets, & relatives	<i>Hemigalus</i>	<i>derbyanus</i>	Banded Palm Civet	Burma (peninsular), Indonesia (Sipora Isl, South Pagi Isl, Kalimantan, Sumatra), Malaysia, Thailand.	2281		21 September 2007	Huffman, B	USA, OH, Delaware co., Columbus Zoo and Aquarium
Carnivora	Viverridae	genets, civets, & relatives	<i>Hemigalus</i>	<i>derbyanus</i>	Banded Palm Civet	Burma (peninsular), Indonesia (Sipora Isl, South Pagi Isl, Kalimantan, Sumatra), Malaysia, Thailand.	2282		21 September 2007	Huffman, B	USA, OH, Delaware co., Columbus Zoo and Aquarium
Carnivora	Viverridae	genets, civets, & relatives	<i>Hemigalus</i>	<i>derbyanus</i>	Banded Palm Civet	Burma (peninsular), Indonesia (Sipora Isl, South Pagi Isl, Kalimantan, Sumatra), Malaysia, Thailand.	2283		21 September 2007	Huffman, B	USA, OH, Delaware co., Columbus Zoo and Aquarium
Carnivora	Viverridae	genets, civets, & relatives	<i>Hemigalus</i>	<i>derbyanus</i>	Banded Palm Civet	Burma (peninsular), Indonesia (Sipora Isl, South Pagi Isl, Kalimantan, Sumatra), Malaysia, Thailand.	2284		23 September 2007	Huffman, B	USA, OH, Delaware co., Columbus Zoo and Aquarium
Carnivora	Viverridae	genets, civets, & relatives	<i>Paradoxurus</i>	<i>hermaphroditus</i>	Asian Palm civet	Bhutan, Burma, Cambodia, China, India, Indonesia, Laos, Malaysia, Nepal, New Guinea, Philippine Isls, Singapore, Sri Lanka, Thailand, Vietnam; scattered records in Sulawesi, Moluccas, and Aru Isls, probably resulting from introductions.	1054	Side view of (Vietnam) male sitting		Kutunidisz K	Hungary, Budapest Zoo
Carnivora	Viverridae	genets, civets, & relatives	<i>Prionodon</i>	<i>linsang</i>	Banded Linsang	Burma (peninsular), Indonesia (Banka Isl; Java; Kalimantan, Billiton Isl); Malaysia (West) to Sumatra.	2285		3 April 1999	Huffman, B	USA, OH, Hamilton co., Cincinnati Zoo & Botanical Gardens
Carnivora	Viverridae	genets, civets, & relatives	<i>Viverricula</i>	<i>indica</i>	Small Indian Civet	Afghanistan, Bangladesh, Burma, Cambodia, China, Hong Kong, India, Indonesia (Borneo, Sumatra, Java, Kangean Isl, Sumbawa, Bali), Laos, Malaysia, Nepal, Pakistan, Sri Lanka, Taiwan, Thailand, Vietnam. Introduced to Yemen, Zanzibar and Pemba Isl, Socotra Isl, Madagascar, the Comoro Isls, and the Philippines; scattered distribution on many SE Asian islands due to introductions.	1827	Side view of adult	October, 1996	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Cetacea	Balaenidae	bowheads and right whales	<i>Balaena</i>	<i>mysticetus</i>	Bowhead	Northern hemisphere: arctic waters. Strays have occurred in Japan, Gulf of St. Lawrence, and Massachusetts.	1828	Side view of skull and lower jaw	September, 1998	Huckaby, DG	USA, CA, Los Angeles Co., Natural History Museum
Cetacea	Balaenidae	bowheads and right whales	<i>Eubalaena</i>	<i>australis</i>	Southern Right Whale	Southern hemisphere: Antarctic to temperate waters; occasionally along the northern part of the Antarctic Peninsula.	2215		24 September 2005	Perry P	South Africa, Western Cape, Hermanus
Cetacea	Balaenidae	bowheads and right whales	<i>Eubalaena</i>	<i>glacialis</i>	North Atlantic Right Whale	North Atlantic: temperate to tropical waters.	1829	Side view of skull and lower jaw	June 22, 2000	Huckaby, DG	USA, MA, Suffolk Co., Boston, New England Aquarium
Cetacea	Balaenidae	bowheads and right whales	<i>Eubalaena</i>	<i>glacialis</i>	North Atlantic Right Whale	North Atlantic: temperate to tropical waters.	1830	Close up of front limb of mounted skeleton	June 22, 2000	Huckaby, DG	USA, MA, Suffolk Co., Boston, New England Aquarium
Cetacea	Balaenidae	bowheads and right whales	<i>Eubalaena</i>	<i>glacialis</i>	North Atlantic Right Whale	North Atlantic: temperate to tropical waters.	1831	Side view of most of mounted skeleton	June 22, 2000	Huckaby, DG	USA, MA, Suffolk Co., Boston, New England Aquarium
Cetacea	Balaenopteridae	rorquals	<i>Balaenoptera</i>	<i>acutorostrata</i>	Common Minke Whale	Worldwide: arctic to tropical waters.	1832	Ventral view of braincase, showing intact tympanoperiotic	September, 1998	Huckaby, DG	USA, CA, Los Angeles Co., Natural History Museum
Cetacea	Balaenopteridae	rorquals	<i>Balaenoptera</i>	<i>acutorostrata</i>	Common Minke Whale	Worldwide: arctic to tropical waters.	1833	Dorsal view of skull of mounted skeleton	June 20, 1999	Huckaby, DG	USA, WA, Pierce Co., Tacoma, Point Defiance Zoo
Cetacea	Balaenopteridae	rorquals	<i>Balaenoptera</i>	<i>acutorostrata</i>	Common Minke Whale	Worldwide: arctic to tropical waters.	1834	Quartering side view of mounted skeleton	June 20, 1999	Huckaby, DG	USA, WA, Pierce Co., Tacoma, Point Defiance Zoo
Cetacea	Balaenopteridae	rorquals	<i>Balaenoptera</i>	<i>borealis</i>	Sei Whale	Worldwide: cold-temperate to warm-temperate waters. Distributional records sometimes confused with <i>B. edeni</i> .	577	Aerial view of two feeding		Cetacean & Turtle Assessment Program, Univ. of RI, School of Oceanography and Bureau of Land Management	
Cetacea	Balaenopteridae	rorquals	<i>Balaenoptera</i>	<i>musculus</i>	Blue Whale	Worldwide: arctic to tropical waters.	578	Aerial view		Cetacean & Turtle Assessment Prog., Univ. of RI, School of Oceanography	
Cetacea	Balaenopteridae	rorquals	<i>Balaenoptera</i>	<i>musculus</i>	Blue Whale	Worldwide: arctic to tropical waters.	808	Close-up of dried baleen plate		Oaks EC	
Cetacea	Balaenopteridae	rorquals	<i>Balaenoptera</i>	<i>musculus</i>	Blue Whale	Worldwide: arctic to tropical waters.	1215	Three-quarter view (from front) of postcranial skeleton	1990	Huckaby DG	USA, CA, Santa Barbara Co., Santa Barbara Museum
Cetacea	Balaenopteridae	rorquals	<i>Balaenoptera</i>	<i>musculus</i>	Blue Whale	Worldwide: arctic to tropical waters.	1216	Three-quarter view (from front), showing entire skeleton but emphasizing skull, two persons in photo for scale	1990	Huckaby DG	USA, CA, Santa Barbara Co., Santa Barbara Museum
Cetacea	Balaenopteridae	rorquals	<i>Balaenoptera</i>	<i>musculus</i>	Blue Whale	Worldwide: arctic to tropical waters.	1835	Quartering view of mounted skeleton	August, 1999	Huckaby, DG	USA, CA, Santa Barbara Co., Santa Barbara Museum
Cetacea	Balaenopteridae	rorquals	<i>Balaenoptera</i>	<i>musculus</i>	Blue Whale	Worldwide: arctic to tropical waters.	1836	Frontal view of skull of mounted skeleton	August, 1999	Huckaby, DG	USA, CA, Santa Barbara Co., Santa Barbara Museum
Cetacea	Balaenopteridae	rorquals	<i>Balaenoptera</i>	<i>physalus</i>	Fin Whale	Worldwide: arctic to tropical waters.	769	Side view of dorsal fin	1981	Prescott R	USA, MA, off Provincetown

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Cetacea	Balaenopteridae	rorquals	<i>Balaenoptera</i>	<i>physalus</i>	Fin Whale	Worldwide: arctic to tropical waters.	1837	Ventral view of skull	June, 2004	Huckaby, DG	USA, CA, Humboldt Co., Arcata, Humboldt State University
Cetacea	Balaenopteridae	rorquals	<i>Megaptera</i>	<i>novaeangliae</i>	Humpback Whale	Panoceanic	575	Aerial view	1980	Cetacean & Turtle Assessment Program, Univ. of RI, School of Oceanography	Atlantic Ocean, NW
Cetacea	Balaenopteridae	rorquals	<i>Megaptera</i>	<i>novaeangliae</i>	Humpback Whale	Panoceanic	576	Breaching	1974	Winn HE Office of Naval Research	Atlantic Ocean, NW
Cetacea	Balaenopteridae	rorquals	<i>Megaptera</i>	<i>novaeangliae</i>	Humpback Whale	Panoceanic	698	Close-up of head, dorsal view	1981	Thomas J	Antarctic Convergence, 60 degrees South Latitude
Cetacea	Balaenopteridae	rorquals	<i>Megaptera</i>	<i>novaeangliae</i>	Humpback Whale	Panoceanic	768	Tail-lobbing	1981	Prescott R	USA, MA, off Provincetown
Cetacea	Balaenopteridae	rorquals	<i>Megaptera</i>	<i>novaeangliae</i>	Humpback Whale	Panoceanic	2002	Diagonal anterior view of mounted skeleton		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Cetacea	Delphinidae	ocean dolphins	<i>Cephalorhynchus</i>	<i>heavisidii</i>	Haviside's Dolphin	South Africa to perhaps S Angola: coastal waters from Cape Town to 17°09'S (Namibia).	2310	Diving in bow wake	30 October 2008	Harding LE	Namibia, Erongo region, Walvis Bay
Cetacea	Delphinidae	ocean dolphins	<i>Delphinus</i>	<i>capensis</i>	Long-beaked Common Dolphin	Near-shore tropical to temperate waters, worldwide.	579	Dorso-lateral view of animal swimming underwater beside ship	1979	Cetacean and Turtle Assessment Program, Univ. of Rhode Island, School of Oceanography	Atlantic Ocean, NW
Cetacea	Delphinidae	ocean dolphins	<i>Globicephala</i>	<i>macrorhynchus</i>	Short-finned Pilot Whale	Worldwide: tropical and warm-temperate waters; cold-temperate waters of the N Pacific, where it appears to stray as far north as the Gulf of Alaska (Pike and MacAskie, 1969).	1838	Side view of skull of mounted skeleton	October, 1990	Huckaby, DG	USA, CA, Los Angeles Co., Cabrillo Marine Aquarium
Cetacea	Delphinidae	ocean dolphins	<i>Globicephala</i>	<i>macrorhynchus</i>	Short-finned Pilot Whale	Worldwide: tropical and warm-temperate waters; cold-temperate waters of the N Pacific, where it appears to stray as far north as the Gulf of Alaska (Pike and MacAskie, 1969).	1839	Side view of mounted skeleton	October, 1990	Huckaby, DG	USA, CA, Los Angeles Co., Cabrillo Marine Aquarium
Cetacea	Delphinidae	ocean dolphins	<i>Globicephala</i>	<i>sp.</i>	pilot whale	Worldwide	929	Animal jumping above aquarium tank	1982	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles, Marineland of the Pacific
Cetacea	Delphinidae	ocean dolphins	<i>Globicephala</i>	<i>sp.</i>	pilot whale	Worldwide	930	Close-up of head with mouth open, showing teeth	1983	Hays L (contrib. by DG Huckaby)	USA, CA, San Diego Co., Sea World
Cetacea	Delphinidae	ocean dolphins	<i>Grampus</i>	<i>griseus</i>	Risso's dolphin	Worldwide: temperate to tropical waters.	1055	Close-up side view of head	1989	Jefferson T	USA, CA
Cetacea	Delphinidae	ocean dolphins	<i>Lagenorhynchus</i>	<i>obliquidens</i>	Pacific White-sided Dolphin	North Pacific: cold-temperate waters except warm-temperate waters of the ends of its range. Undocumented sighting from Hong Kong.	433	Ventrolateral view	1976	Senger CM	USA, CA, San Francisco Co., Steinhart Aquarium
Cetacea	Delphinidae	ocean dolphins	<i>Lagenorhynchus</i>	<i>obliquidens</i>	Pacific White-sided Dolphin	North Pacific: cold-temperate waters except warm-temperate waters of the ends of its range. Undocumented sighting from Hong Kong.	1009	Side view of dolphin leaping out of water	1988	Forbes RB	USA, CA, San Diego Co., Sea World
Cetacea	Delphinidae	ocean dolphins	<i>Lagenorhynchus</i>	<i>obliquidens</i>	Pacific White-sided Dolphin	North Pacific: cold-temperate waters except warm-temperate waters of the ends of its range. Undocumented sighting from Hong Kong.	2003	Lateral view of mounted skeleton		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Cetacea	Delphinidae	ocean dolphins	<i>Lissodelphis</i>	<i>borealis</i>	Northern Right Whale Dolphin	North Pacific: cold-temperate waters.	1056	Underwater posterodorsal view	1987	Jefferson T	USA, CA

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Cetacea	Delphinidae	ocean dolphins	<i>Orcinus</i>	<i>orca</i>	Killer Whale	Worldwide: all seas and oceans.	979	Oblique view of animal leaping out of water	1987	Huckaby DG	USA, CA, San Diego Co., Sea World
Cetacea	Delphinidae	ocean dolphins	<i>Orcinus</i>	<i>orca</i>	Killer Whale	Worldwide: all seas and oceans.	1057	Close-up oblique view on ledge of pool	1988	Huckaby DG	USA, CA, San Diego Co., Sea World
Cetacea	Delphinidae	ocean dolphins	<i>Orcinus</i>	<i>orca</i>	Killer Whale	Worldwide: all seas and oceans.	1058	Close-up of head, mouth open, showing teeth	1988	Huckaby DG	USA, CA, San Diego Co., Sea World
Cetacea	Delphinidae	ocean dolphins	<i>Orcinus</i>	<i>orca</i>	Killer Whale	Worldwide: all seas and oceans.	1133	Anterolateral view of skull (some postcranial skeleton visible)	1988	Forbes RB	USA, CA, San Diego Co., Sea World
Cetacea	Delphinidae	ocean dolphins	<i>Pseudorca</i>	<i>crassidens</i>	False Killer Whale	Worldwide: temperate to tropical waters.	1059	Two whales leaping	1990	Huckaby DG	USA, CA, San Diego Co., Sea World
Cetacea	Delphinidae	ocean dolphins	<i>Pseudorca</i>	<i>crassidens</i>	False Killer Whale	Worldwide: temperate to tropical waters.	1134	Ventrolateral view of skull and anterior portion of postcranial skeleton	1988	Forbes RB	USA, CA, San Diego Co., Sea World
Cetacea	Delphinidae	ocean dolphins	<i>Stenella</i>	<i>frontalis</i>	Atlantic Spotted Dolphin	Atlantic Ocean including the Gulf of Mexico: warm-temperate to tropical waters.	580	Side view, porpoising	1980	Cetacean and Turtle Assessment Program, Univ. of Rhode Island School of Oceanography	Atlantic Ocean, NW
Cetacea	Delphinidae	ocean dolphins	<i>Tursiops</i>	<i>aduncus</i>	Indopacific Bottlenose Dolphin	Indian Ocean; distribution in Pacific uncertain.	980	Close-up of head, showing teeth and blowhole		Groves CP	Australia, WA, Shark Bay
Cetacea	Delphinidae	ocean dolphins	<i>Tursiops</i>	<i>aduncus</i>	Indopacific Bottlenose Dolphin	Indian Ocean; distribution in Pacific uncertain.	981	Small school interacting with people near beach		Groves CP	Australia, WA, Shark Bay
Cetacea	Delphinidae	ocean dolphins	<i>Tursiops</i>	<i>truncatus</i>	Bottlenose Dolphin	Worldwide: temperate to tropical waters, including the Black Sea.	262	Side view	1970	Oaks EC	The Bahamas, Bimini, Learner Marine Laboratory
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	833	Specimen washed up on Pacific beach, two people nearby for scale	1966	Sheppe WA	USA, CA, Humboldt Co.
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	834	View of open mouth, showing baleen	1966	Sheppe WA	USA, CA, Humboldt Co.
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	835	Close-up of baleen, some held aside to show structure and arrangement	1966	Sheppe WA	USA, CA, Humboldt Co.
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	836	Close-up of top of head, showing blowholes and barnacles	1966	Sheppe WA	USA, CA, Humboldt Co.
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	837	Close-up of flukes, person nearby for scale	1966	Sheppe WA	USA, CA, Humboldt Co.
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	1135	Anterior view of skull (without mandible)		Forbes RB	USA, OR, Lane Co., Eugene, University of Oregon, Museum of Natural History
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	1136	Lateral view of skull (without mandible)		Forbes RB	USA, OR, Lane Co., Eugene, University of Oregon, Museum of Natural History

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	1217	Side view of skull, with lower jaw, showing baleen	1990	Huckaby DG	USA, CA, Los Angeles Co., Cabrillo Marine Aquarium
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	1308	Anterior view of mounted skeleton [bar represents 1 meter]	1994	Forbes RB	USA, WA
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	1840	Side view of mounted skeleton	August, 1990	Huckaby, DG	USA, CA, Monterey Co., Monterey Bay Aquarium
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	1841	Side view of skull of mounted skeleton	August, 1990	Huckaby, DG	USA, CA, Monterey Co., Monterey Bay Aquarium
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	1842	Side view of skull and lower jaw	June, 2004	Huckaby, DG	USA, CA, Humboldt Co., Arcata, Humboldt State University
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	1843	Close up of side of skull	June, 2004	Huckaby, DG	USA, CA, Humboldt Co., Arcata, Humboldt State University
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	1844	Close up of external nares of skull	June, 2004	Huckaby, DG	USA, CA, Humboldt Co., Arcata, Humboldt State University
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	1845	Close up of nasals of skull	June, 2004	Huckaby, DG	USA, CA, Humboldt Co., Arcata, Humboldt State University
Cetacea	Eschrichtiidae	gray whales	<i>Eschrichtius</i>	<i>robustus</i>	Gray Whale	North Pacific: warm temperate to arctic waters.	1846	Close up of side of skull	June, 2004	Huckaby, DG	USA, CA, Humboldt Co., Arcata, Humboldt State University
Cetacea	Monodontidae	narwhals, belugas	<i>Delphinapterus</i>	<i>leucas</i>	Beluga	Circumpolar in Arctic seas	263	Side view	1969	Oaks EC	USA, NY, Kings Co., Brooklyn, New York Aquarium
Cetacea	Monodontidae	narwhals, belugas	<i>Delphinapterus</i>	<i>leucas</i>	Beluga	Circumpolar in Arctic seas	804	Dorsal view, showing blowhole open	1969	Oaks EC	USA, NY, Kings Co., Brooklyn, New York Aquarium
Cetacea	Monodontidae	narwhals, belugas	<i>Delphinapterus</i>	<i>leucas</i>	Beluga	Circumpolar in Arctic seas	1388	Two adults, heads out of water	August 7, 1995	Andera M	Germany, North Rhine-Westphalia, Duisberg Zoo
Cetacea	Monodontidae	narwhals, belugas	<i>Delphinapterus</i>	<i>leucas</i>	Beluga	Circumpolar in Arctic seas	1665	Dorsal view of adult; head, tail, and forelimbs visible	February 17, 2007	Harding LE	Canada, BC, Vancouver Aquarium
Cetacea	Phocoenidae	porpoises	<i>Phocoena</i>	<i>phocoena</i>	Harbor Porpoise	N Atlantic and N Pacific Oceans, isolated population in Black Sea, extends south to Senegal in E Atlantic	1130	Lateral view of skull and postcranial skeleton		Forbes RB	USA, OR, Lane Co., Eugene, University of Oregon, Museum of Natural History
Cetacea	Phocoenidae	porpoises	<i>Phocoena</i>	<i>phocoena</i>	Harbor Porpoise	N Atlantic and N Pacific Oceans, isolated population in Black Sea, extends south to Senegal in E Atlantic	1357	Side views of sculpture and of full skeleton	1994	Huckaby DG	USA, DC, Washington, National Museum of Natural History
Cetacea	Phocoenidae	porpoises	<i>Phocoenoides</i>	<i>dalli</i>	Dall Porpoise	North Pacific: cold-temperate waters.	1060	Side view of young and adult out of water	1985	Jefferson T	
Cetacea	Physeteridae	sperm whales	<i>Kogia</i>	<i>breviceps</i>	Pygmy Sperm Whale	warm oceans of the world	1137	Dorsal view of skull (without mandible)		Forbes RB	USA, OR, Multnomah Co., Portland, Portland State University Collection of Vertebrates
Cetacea	Physeteridae	sperm whales	<i>Kogia</i>	<i>breviceps</i>	Pygmy Sperm Whale	warm oceans of the world	1138	Ventral view of skull (without mandible)		Forbes RB	USA, OR, Multnomah Co., Portland, Portland State University Collection of Vertebrates
Cetacea	Physeteridae	sperm whales	<i>Physeter</i>	<i>catodon</i>	Sperm Whale	Worldwide: antarctic and cold-temperate waters (northern hemisphere) to tropical waters.	1847	Side view of skull and lower jaw	July 7, 1989	Huckaby, DG	USA, HA, Honolulu Co., Bishop Museum

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Cetacea	Physeteridae	sperm whales	<i>Physeter</i>	<i>catodon</i>	Sperm Whale	Worldwide: antarctic and cold-temperate waters (northern hemisphere) to tropical waters.	1848	Side view of skull	June, 2004	Huckaby, DG	USA, CA, Humboldt Co., Arcata, Humboldt State University
Cetacea	Physeteridae	sperm whales	<i>Physeter</i>	<i>catodon</i>	Sperm Whale	Worldwide: antarctic and cold-temperate waters (northern hemisphere) to tropical waters.	1849	Frontal view of skull	June, 2004	Huckaby, DG	USA, CA, Humboldt Co., Arcata, Humboldt State University
Cetacea	Physeteridae	sperm whales	<i>Physeter</i>	<i>catodon</i>	Sperm Whale	Worldwide: antarctic and cold-temperate waters (northern hemisphere) to tropical waters.	1850	Close up of left naris	June, 2004	Huckaby, DG	USA, CA, Humboldt Co., Arcata, Humboldt State University
Cetacea	Ziphiidae	beaked whales	<i>Mesoplodon</i>	<i>carlhubbsi</i>	Hubbs' Beaked Whale	North Pacific: temperate waters.	1851	Side view of skull and body of mounted skeleton	June, 2004	Huckaby, DG	USA, CA, Humboldt Co., Arcata, Humboldt State University
Cetacea	Ziphiidae	beaked whales	<i>Mesoplodon</i>	<i>carlhubbsi</i>	Hubbs' Beaked Whale	North Pacific: temperate waters.	1852	Quartering view of skull	June, 2004	Huckaby, DG	USA, CA, Humboldt Co., Arcata, Humboldt State University
Cetacea	Ziphiidae	beaked whales	<i>Mesoplodon</i>	<i>carlhubbsi</i>	Hubbs' Beaked Whale	North Pacific: temperate waters.	1853	Frontal view of skull	June, 2004	Huckaby, DG	USA, CA, Humboldt Co., Arcata, Humboldt State University
Chiroptera	Craseonycteridae	hog-nosed bats	<i>Craseonycteris</i>	<i>thonglongyai</i>	Hog-nosed Bat	Thailand, Burma	498	Close-up of head, side view	1980	Humphrey SR	Thailand
Chiroptera	Emballonuridae	sac-winged bats	<i>Balantiopteryx</i>	<i>plicata</i>	Gray Sac-winged Bat	Costa Rica to C Sonora and S Baja California (Mexico); N Colombia	351	Close-up of head, front view	1967	LaVal RK	Mexico, Pue., Puebla
Chiroptera	Emballonuridae	sac-winged bats	<i>Balantiopteryx</i>	<i>plicata</i>	Gray Sac-winged Bat	Costa Rica to C Sonora and S Baja California (Mexico); N Colombia	2343		26 April 2009	A Trejo-Ortiz	Mexico, Oaxaca, Huatulco National Park
Chiroptera	Emballonuridae	sac-winged bats	<i>Centronycteris</i>	<i>centralis</i>	Thomas' Shaggy Bat	S Mexico to SE Peru	381	Close-up of head, Oblique view	1973	LaVal RK	Costa Rica, Heredia, La Selva
Chiroptera	Emballonuridae	sac-winged bats	<i>Emballonura</i>	<i>alecto</i>	Small Asian Sheath-tailed Bat	Philippines, Borneo, Sulawesi, and Tanimbar (Indonesia), Moluccas, and adjacent small islands including Anambas Isl	1434	Front view with wings open	1984	Francis CM	Malaysia, Sabah, Sepilok
Chiroptera	Emballonuridae	sac-winged bats	<i>Emballonura</i>	<i>monticola</i>	Lesser Sheath-tailed Bat	Burma and Thailand to W Malaysia; Borneo; Sumatra, Rhio Arch., Banka, Billiton, Enggano, Babi Isls, Batu Isls, Nias Isl, Mentawai Isls, Java, Sulawesi	1435	Wild - roosting under wooden table	1981	Francis CM	Malaysia, Negri Sembilan, Pasoh Forest Reserve
Chiroptera	Emballonuridae	sac-winged bats	<i>Peropteryx</i>	<i>macrotis</i>	Lesser Dog-like Bat	Guerrero and Yucatán (Mexico) to Peru, Bolivia, Paraguay, and S and E Brazil	1398	Close-up head view	1977	Lord RD	Venezuela, Aragua, Maracay
Chiroptera	Emballonuridae	sac-winged bats	<i>Rhynchonycteris</i>	<i>naso</i>	Proboscis Bat	E Oaxaca and C Veracruz (Mexico) to C and E Brazil, Peru, Bolivia, French Guiana, Guyana, and Surinam; Trinidad	1399	Male, lateral view of head showing ear and nose	1978	Lord RD	Venezuela, Aragua, Maracay
Chiroptera	Emballonuridae	sac-winged bats	<i>Saccopteryx</i>	<i>bilineata</i>	Greater Sac-winged Bat	Jalisco and Veracruz (Mexico) to Bolivia, Guianas, and E Brazil south to Rio de Janiero; Trinidad and Tobago	028	Dorsal view, showing stripes and location of wing-sacs	1977	August PV	Venezuela, Guarico, 45 km south of Calabozo
Chiroptera	Emballonuridae	sac-winged bats	<i>Saccopteryx</i>	<i>bilineata</i>	Greater Sac-winged Bat	Jalisco and Veracruz (Mexico) to Bolivia, Guianas, and E Brazil south to Rio de Janiero; Trinidad and Tobago	211	Ventral view showing wing sacs	1977	August PV	Venezuela, Guarico, 45 km south of Calabozo
Chiroptera	Emballonuridae	sac-winged bats	<i>Saccopteryx</i>	<i>canescens</i>	Frosted Sac-winged Bat	Colombia, Venezuela, Guianas, N Brazil, Peru, Bolivia	1400	Female, dorsal view showing back stripes	1978	Lord RD	Venezuela, Guarico, Guaribe
Chiroptera	Emballonuridae	sac-winged bats	<i>Saccopteryx</i>	<i>leptura</i>	Lesser Sac-winged Bat	Chiapas and Tabasco (Mexico) to SE Brazil, Peru, and N Bolivia; Guianas; Margarita Isl (Venezuela); Trinidad and Tobago	350	Dorsal view, showing face	1972	LaVal RK	Panama, Barro Colorado Island
Chiroptera	Emballonuridae	sac-winged bats	<i>Taphozous</i>	<i>mauritanus</i>	Mauritian Tomb Bat	South Africa to Sudan and Somalia to Senegal; Mauritius and Réunion Isls (Mascarene Isls); São Tomé and Príncipe; Madagascar; Assumption Isl and Aldabra Isl	212	Close-up of head	1975	LaVal RK	South Africa, KwaZulu-Natal, Pietermaritzburg

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Emballonuridae	sac-winged bats	<i>Taphozous</i>	<i>melanopogon</i>	Black-bearded Tomb Bat	Sri Lanka; India; Burma; Thailand; Laos; Cambodia; Vietnam; S China; Malay Peninsula and adjacent islands; Borneo; Sumatra, Java, Lombok, Sumbawa, Moyo, Alor, Timor, and Sulawesi (Indonesia), Philippines	876	T. m. philippinensis - Side of head	1983	Heideman PD	Philippines, Negros
Chiroptera	Emballonuridae	sac-winged bats	<i>Taphozous</i>	<i>melanopogon</i>	Black-bearded Tomb Bat	Sri Lanka; India; Burma; Thailand; Laos; Cambodia; Vietnam; S China; Malay Peninsula and adjacent islands; Borneo; Sumatra, Java, Lombok, Sumbawa, Moyo, Alor, Timor, and Sulawesi (Indonesia), Philippines	1436	Side of head	1984	Francis CM	Malaysia, Sabah, Kota Kinabalu
Chiroptera	Emballonuridae	sac-winged bats	<i>Taphozous</i>	<i>melanopogon</i>	Black-bearded Tomb Bat	Sri Lanka; India; Burma; Thailand; Laos; Cambodia; Vietnam; S China; Malay Peninsula and adjacent islands; Borneo; Sumatra, Java, Lombok, Sumbawa, Moyo, Alor, Timor, and Sulawesi (Indonesia), Philippines	1437	Close-up of wing pouch	1984	Francis CM	Malaysia, Sabah, Kota Kinabalu
Chiroptera	Furipteridae	smoky & thumbless bats	<i>Furipterus</i>	<i>horrens</i>	Thumbless Bat	Costa Rica south to Peru, the Guianas, and E Brazil; Trinidad	352	Side view	1974	LaVal RK	Costa Rica, Heredia, La Selva
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Aselliscus</i>	<i>stoliczkanus</i>	Stoliczka's Asian Trident Bat	Burma, S China, Thailand, Laos, Vietnam, W Malaysia	1442	Close-up view of head	1998	Francis CM	Laos
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Cloeotis</i>	<i>percivali</i>	Percival's Short-eared Trident Bat	Kenya, Tanzania, S Dem. Rep. Congo, Mozambique, Zambia, Zimbabwe, SE Botswana, Swaziland, NE South Africa	221	Close-up front view, hand-held	1976	Laycock P	Zimbabwe, Manicaland, Mutare (formerly Umtali)
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Coelops</i>	<i>frithii</i>	East Asian Tailless Leaf-nosed Bat	Bangladesh and NE India to S China, Thailand, Burma, Laos, Vietnam, south to W Malaysia, Sumatra, and Java and Bali; Taiwan	1443	Close-up front view, Field Cat. No. 950128.2	1995	Francis CM	Laos, Bolikhamxai province, Nam Kading, Ban Keng Bit
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>armiger</i>	Great Leaf-nosed Bat	N India, Nepal, Burma, S and SE China, Vietnam, Laos, Cambodia, Thailand, Malay Peninsula, Taiwan	502	Close-up front view	1980	Humphrey SR	Thailand
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>armiger</i>	Great Leaf-nosed Bat	N India, Nepal, Burma, S and SE China, Vietnam, Laos, Cambodia, Thailand, Malay Peninsula, Taiwan	1457	Close-up of face, Field Cat. No. 970508.1	1997	Francis CM	Laos
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>armiger</i>	Great Leaf-nosed Bat	N India, Nepal, Burma, S and SE China, Vietnam, Laos, Cambodia, Thailand, Malay Peninsula, Taiwan	1458	Close-up of face	1997	Francis CM	Malaysia, Negri Sembilan, Pasoh Forest Reserve
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>bicolor</i>	Bicolored Leaf-nosed Bat	Laos, Vietnam, S Thailand, and Malaysia to Borneo and the Philippines; Java, Sumbawa, Seralu, Sumba, Savu, Roti, and Timor Isls (Indonesia), and adjacent small islands. A Cambodian record was rejected and a Bali record was rejected; a Taiwan record is doubtful	503	Close-up of head, oblique view	1980	Humphrey SR	Thailand
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>bicolor</i>	Bicolored Leaf-nosed Bat	Laos, Vietnam, S Thailand, and Malaysia to Borneo and the Philippines; Java, Sumbawa, Seralu, Sumba, Savu, Roti, and Timor Isls (Indonesia), and adjacent small islands. A Cambodian record was rejected and a Bali record was rejected; a Taiwan record is doubtful	1444	Ventral view, full body, wings extended	1986	Francis CM	Malaysia, Sabah, Gomantong Caves
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>caffer</i>	Sundevall's Leaf-nosed Bat	SW Arabian Peninsula including Yemen; most of subsaharan Africa except the central forested region; Morocco; Zanzibar and Pemba	222	Close-up front view of immature	1976	Laycock P	Zimbabwe, Manicaland, Mutare (formerly Umtali)

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>cineraceus</i>	Ashy Leaf-nosed Bat	Pakistan and India to Burma, Thailand, Laos, Vietnam, Sumatra and Borneo; adjacent small islands including Kangean Isls (Indonesia); probably the Philippines	1445	Ventral view, wings extended	1982	Francis CM	Malaysia, Sabah, Madai Caves
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>diadema</i>	Diadem Leaf-nosed Bat	Burma and Vietnam through Thailand, Laos, W Malaysia and Indonesia (including Sumatra, Borneo, and Bali) to New Guinea, Bismarck Arch., Solomon Isls and NE Australia; Philippines; Nicobar Isls. Reports of this species from Cambodia cannot be confirmed	1446	Hanging mother with offspring, side view, wings closed	1983	Francis CM	Malaysia, Sabah, Gomantong Caves
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>diadema</i>	Diadem Leaf-nosed Bat	Burma and Vietnam through Thailand, Laos, W Malaysia and Indonesia (including Sumatra, Borneo, and Bali) to New Guinea, Bismarck Arch., Solomon Isls and NE Australia; Philippines; Nicobar Isls. Reports of this species from Cambodia cannot be confirmed	1447	Close-up of face, Field Cat. No. 980221.2	1998	Francis CM	Laos
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>doriae</i>	Bornean Leaf-nosed Bat	W Malaysia, Sarawak and Sabah (Malaysia), Borneo and Sumatra (Indonesia)	1454	Close-up of face, Field Cat. No. 870811.1	1987	Francis CM	Malaysia, Negri Sembilan, Pasoh Forest Reserve
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>dyacorum</i>	Dayak Leaf-nosed Bat	Borneo (including Sarawak, Malaysia), Peninsular Thailand	1448	Close-up ventral view, wings extended	1982	Francis CM	Malaysia, Sabah, Madai Caves
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>galeritus</i>	Cantor's Leaf-nosed Bat	Sri Lanka and India through SE Asia (including Burma, Thailand, and Peninsular Malaysia) to Java and Borneo; Sanana Isl (Sula Group, Moluccas Isls). A record from Bali is possibly erroneous	1449	Close-up of head, Field Cat. No. 970501.13	1997	Francis CM	Laos
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>griffini</i>	Griffin's Leaf-nosed Bat	Vietnam, Cat Ba and Chu Mom Ray National Parks	1735	Front view of face	August 21, 2009	Thong, VD	Vietnam: Cat Ba National Park, Cat Ba Island, Ha Long Bay.
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>griffini</i>	Griffin's Leaf-nosed Bat	Vietnam, Cat Ba and Chu Mom Ray National Parks	1736	Side view of face. Image on cover of Journal of Mammalogy 93(1)	August 21, 2009	Thong, VD	Vietnam: Cat Ba National Park, Cat Ba Island, Ha Long Bay.
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>griffini</i>	Griffin's Leaf-nosed Bat	Vietnam, Cat Ba and Chu Mom Ray National Parks	1737	Diagonal view of face	August 21, 2009	Thong, VD	Vietnam: Cat Ba National Park, Cat Ba Island, Ha Long Bay.
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>larvatus</i>	Intermediate Leaf-nosed Bat	N and E India and Bangladesh; Yunnan, Kwangsi and Hainan (China); Burma, Thailand, Cambodia, Laos, and Vietnam; W Malaysia to Sumatra, Java, Borneo, and adjacent small islands including Kangean Isls (Indonesia)	1450	Dorsal view, hanging from branch, Field Cat. No. 970504.2	1997	Francis CM	Laos
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>pomona</i>	Pomona Leaf-nosed Bat	Bangladesh and India to Burma, Thailand, Laos, Cambodia, Vietnam, S China and W Malaysia	1451	Close-up of face	1998	Francis CM	Laos
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>ridleyi</i>	Ridley's Leaf-nosed Bat	Peninsular Malaysia, Singapore, N Borneo	1452	Hanging from branch, Field Cat. No. 860701.1	1986	Francis CM	Malaysia, Sabah, Sepilok
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Hipposideros</i>	<i>rotalis</i>	Laotian Leaf-nosed Bat	Laos	1453	Close-up of face, Field Cat. No. 980203.35	1998	Francis CM	Laos
Chiroptera	Hipposideridae	Old World leaf-nosed bats	<i>Trienops</i>	<i>persicus</i>	Persian Trident Bat	Somalia, Djibouti, Ethiopia, Kenya, Tanzania, Uganda, Angola, Zanzibar, Malawi, Mozambique, Zimbabwe, Yemen, Oman, Republic of Congo, Iran, Pakistan	388	Frontal, close-up view of head	1975	LaVal RK	Zimbabwe, Manicaland, Mutare (formerly Umtali)

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Megadermatidae	false vampire bats	<i>Cardioderma</i>	<i>cor</i>	Heart-nosed Bat	Ethiopia, Djibouti, Somalia, Kenya, Uganda, E Sudan, Tanzania, Zanzibar.	1607	Facial view of roosting adult with eyes open, tragus and noseleaf visible	April 6, 2005	Patterson BD	Kenya, Coast province, Taita-Taveta county, Tsavo Ranches
Chiroptera	Megadermatidae	false vampire bats	<i>Cardioderma</i>	<i>cor</i>	Heart-nosed Bat	Ethiopia, Djibouti, Somalia, Kenya, Uganda, E Sudan, Tanzania, Zanzibar.	1608	Six adults hanging from thatched roof	September 9, 2004	Patterson BD	Kenya, Coast province, Taita-Taveta county, Tsavo Ranches
Chiroptera	Megadermatidae	false vampire bats	<i>Lavia</i>	<i>frons</i>	Yellow-winged Bat	Senegal and Gambia to Somalia, south to Namibia, Zambia, and Malawi; Zanzibar	499	Ventral view in flight	1977	Waser P	Tanzania, Serengeti National Park
Chiroptera	Megadermatidae	false vampire bats	<i>Megaderma</i>	<i>lyra</i>	Greater False Vampire Bat	Afghanistan to S China, Burma, Thailand, Cambodia, Laos, Vietnam; south to Sri Lanka and W Malaysia; Bangladesh	1439	Close-up of face, Field Cat. No. 970520.23	1997	Francis CM	Laos
Chiroptera	Megadermatidae	false vampire bats	<i>Megaderma</i>	<i>spasma</i>	Lesser False Vampire Bat	Sri Lanka and India through SE Asia (including Vietnam) to Lesser Sundas, the Philippines and Molucca Isls, various adjacent islands	877	Front view	1983	Heideman PD	Philippines, Negros
Chiroptera	Megadermatidae	false vampire bats	<i>Megaderma</i>	<i>spasma</i>	Lesser False Vampire Bat	Sri Lanka and India through SE Asia (including Vietnam) to Lesser Sundas, the Philippines and Molucca Isls, various adjacent islands	1440	Close-up of head, Field Cat. No. 970501.14	1977	Francis CM	Laos
Chiroptera	Molossidae	free-tailed bats	<i>Chaerephon</i>	<i>plicatus</i>	Wrinkle-lipped Free-tailed Bat	India and Sri Lanka to S China, Hong Kong, Cambodia, and Vietnam, southeast through Malaysia to the Philippines, Borneo and Lesser Sunda Isls; Hainan (China); Cocos Keeling Isl (Indian Ocean)	1441	Ventral view of entire animal held by human	1981	Francis CM	Malaysia, Sabah, Gomantong Caves
Chiroptera	Molossidae	free-tailed bats	<i>Chaerephon</i>	<i>pumilus</i>	Little Free-tailed Bat	Senegal to Yemen, south to South Africa; Bioko (Equatorial Guinea); São Tomé; Pemba and Zanzibar; Comoro Isls; Aldabra and Amirante Isls (Seychelles); Madagascar	030	Close-up of head, side view	1975	Visser J	South Africa, Northern Cape, Victoria West
Chiroptera	Molossidae	free-tailed bats	<i>Eumops</i>	<i>bonariensis</i>	Dwarf Bonneted Bat	Veracruz (Mexico) to NW Peru, NW Argentina, Parguay, Uruguay, and Brazil	029	Ventral view, wings extended (hand-held)		Myers P	Paraguay, Chaco
Chiroptera	Molossidae	free-tailed bats	<i>Eumops</i>	<i>bonariensis</i>	Dwarf Bonneted Bat	Veracruz (Mexico) to NW Peru, NW Argentina, Parguay, Uruguay, and Brazil	1541	Close-up side view of head	1985	Lord RD	Venezuela, Cojedes, Finca La Fe, 60 km SE of Inaco
Chiroptera	Molossidae	free-tailed bats	<i>Eumops</i>	<i>glacius</i>	Wagner's Bonneted Bat	Jalisco (Mexico) to Peru, Bolivia, Paraguay, N Argentina and Brazil; Jamaica; Cuba; Florida (USA)	1542	Close-up side view of head	1976	Lord RD	Venezuela, Aragua, Maracay, I.I.V.
Chiroptera	Molossidae	free-tailed bats	<i>Eumops</i>	<i>glacius</i>	Wagner's Bonneted Bat	Jalisco (Mexico) to Peru, Bolivia, Paraguay, N Argentina and Brazil; Jamaica; Cuba; Florida (USA)	2318		20 April 2009	M Quiroga-Carmona	Venezuela, Guarico, Hato los Mamones
Chiroptera	Molossidae	free-tailed bats	<i>Molossops</i>	<i>temminckii</i>	Dwarf Dog-faced Bat	Guyana, Venezuela, Colombia, Ecuador, Peru, Bolivia, S Brazil, Paraguay, N Argentina, Uruguay	1543	Male, close-up view with mouth open, teeth exposed	1977	Lord RD	Venezuela, Aragua, Maracay, I.I.V.
Chiroptera	Molossidae	free-tailed bats	<i>Molossus</i>	<i>molossus</i>	Pallas's Mastiff Bat	Sinaloa and Coahuila (Mexico) to Peru, N Argentina, Paraguay, Uruguay, Brazil and Guianas; Greater and Lesser Antilles; Florida Keys (USA); Margarita Isl (Venezuela); Curaçao and Bonaire (Netherlands Antilles); Trinidad and Tobago	811	View of underside of male, showing sternal gland	1981	August PV	Puerto Rico, Finca Bassin

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Molossidae	free-tailed bats	<i>Molossus</i>	<i>molossus</i>	Pallas's Mastiff Bat	Sinaloa and Coahuila (Mexico) to Peru, N Argentina, Paraguay, Uruguay, Brazil and Guianas; Greater and Lesser Antilles; Florida Keys (USA); Margarita Isl (Venezuela); Curaçao and Bonaire (Netherlands Antilles); Trinidad and Tobago	1545	Close-up side view of face	1976	Lord RD	Venezuela, Aragua, Maracay
Chiroptera	Molossidae	free-tailed bats	<i>Molossus</i>	<i>molossus</i>	Pallas's Mastiff Bat	Sinaloa and Coahuila (Mexico) to Peru, N Argentina, Paraguay, Uruguay, Brazil and Guianas; Greater and Lesser Antilles; Florida Keys (USA); Margarita Isl (Venezuela); Curaçao and Bonaire (Netherlands Antilles); Trinidad and Tobago	1546	Full view on a rock	1989	Lord RD	Venezuela, Apure, Hato El Frio
Chiroptera	Molossidae	free-tailed bats	<i>Molossus</i>	<i>rufus</i>	Black Mastiff Bat	Tamaulipas, Michoacan, and Sinaloa (Mexico) to Peru, N Argentina, Brazil and Guianas; Trinidad	1544	Close-up view with mouth open, teeth exposed	1977	Lord RD	Venezuela, Zulia, Catatumbo
Chiroptera	Molossidae	free-tailed bats	<i>Molossus</i>	<i>sinaloae</i>	Sinaloan Mastiff Bat	Sinaloa and Michoacan (Mexico) to Colombia, Guyana, Surinam, and French Guiana; Trinidad	353	Close-up of head, oblique view	1973	LaVal RK	Costa Rica, Limon, Puerto Viejo
Chiroptera	Molossidae	free-tailed bats	<i>Molossus</i>	<i>sp.</i>	free-tailed bat	South America	214	Close-up view (hand-held)	1978	August PV	Venezuela, Guarico, Guaribe
Chiroptera	Molossidae	free-tailed bats	<i>Mops</i>	<i>condylurus</i>	Angolan Free-tailed Bat	Mauritania and Senegal to Somalia, south to Angola, Botswana, and KwaZulu-Natal (South Africa)	213	Hand-held animal	1975	LaVal RK	South Africa, KwaZulu-Natal, Nyalazi
Chiroptera	Molossidae	free-tailed bats	<i>Nyctinomops</i>	<i>laticaudatus</i>	Broad-eared Free-tailed Bat	Tamaulipas and Jalisco (Mexico) to Venezuela and the Guianas, NW Peru, Bolivia, N Argentina, Paraguay, and Brazil; Trinidad; Cuba	1547	Male, close-up side view of head	1991	Lord RD	Venezuela, Apure, 30 km SW of Mantecal, Hato Ed Cedral
Chiroptera	Molossidae	free-tailed bats	<i>Nyctinomops</i>	<i>macrotis</i>	Big Free-tailed Bat	SW British Columbia and Iowa (USA) to SW Mexico; Colombia, Venezuela, Guyana, and Surinam to Peru, N Argentina and Uruguay; Cuba; Jamaica; Hispaniola	891	Side view of female on tree trunk, mouth widely open	1985	Czaplewski NJ	USA, AZ, Coconino Co., Flagstaff
Chiroptera	Molossidae	free-tailed bats	<i>Otomops</i>	<i>martiensseni</i>	Large-eared Giant Mastiff Bat	Yemen; Djibouti and Central African Republic to Angola and KwaZulu-Natal (South Africa); Ghana	354	Close-up side view of head	1974	LaVal RK	South Africa, KwaZulu-Natal, Umdoni Park
Chiroptera	Molossidae	free-tailed bats	<i>Promops</i>	<i>nasutus</i>	Brown Mastiff Bat	Venezuela, Trinidad, Guyana, Surinam, Brazil, Ecuador, Peru, Bolivia, Paraguay, N Argentina	1548	Female, close-up of head	1975	Lord RD	Venezuela, Apure, 30 km SW of Mantecal, Hato Ed Cedral
Chiroptera	Molossidae	free-tailed bats	<i>Tadarida</i>	<i>brasilensis</i>	Brazilian Free-tailed Bat	S Brazil, Bolivia, Argentina, and Chile to Oregon, S Nebraska and Ohio (USA); Greater and Lesser Antilles	1549	Male, close-up side view of head	1981	Lord RD	Mexico, D.F., 40 km W of Toluca, La Guia
Chiroptera	Molossidae	free-tailed bats	<i>Tadarida</i>	<i>sp.</i>	free-tailed bat	Australia	729	Oblique view of captive hanging	1979	Herd R	Australia, NSW, Taree
Chiroptera	Mormoopidae	moustached bats	<i>Mormoops</i>	<i>megalophylla</i>	Peter's Ghost-faced Bat	S Texas, S Arizona (USA), and Baja California (Mexico) south to NW Peru and N Venezuela; Aruba, Curaçao, and Bonaire (Netherlands Antilles); Trinidad; Margarita Isl (Venezuela)	357	Ventral view, detail of face	1967	LaVal RK	El Salvador, Cuscatlan, Suchitoto
Chiroptera	Mormoopidae	moustached bats	<i>Mormoops</i>	<i>megalophylla</i>	Peter's Ghost-faced Bat	S Texas, S Arizona (USA), and Baja California (Mexico) south to NW Peru and N Venezuela; Aruba, Curaçao, and Bonaire (Netherlands Antilles); Trinidad; Margarita Isl (Venezuela)	1401	Close-up of head	1977	Francis CM	Venezuela, Monagas, Caripe

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Mormoopidae	moustached bats	<i>Mormoops</i>	<i>megalophylla</i>	Peter's Ghost-faced Bat	S Texas, S Arizona (USA), and Baja California (Mexico) south to NW Peru and N Venezuela; Aruba, Curaçao, and Bonaire (Netherlands Antilles); Trinidad; Margarita Isl (Venezuela)	2344		13 January 2008	H Fuentes-Moreno	Mexico, Oaxaca, Isthmus of Tehuantepec, La Venta
Chiroptera	Mormoopidae	moustached bats	<i>Pteronotus</i>	<i>davyi</i>	Davy's Naked-backed Bat	NW Peru and N Venezuela to S Baja California, S Sonora, and Nuevo León (Mexico); Trinidad; S Lesser Antilles. A Brazilian record is erroneous	356	Dorsal view, showing attachment of wings to back	1970	LaVal RK	Mexico, Pue., Puebla
Chiroptera	Mormoopidae	moustached bats	<i>Pteronotus</i>	<i>davyi</i>	Davy's Naked-backed Bat	NW Peru and N Venezuela to S Baja California, S Sonora, and Nuevo León (Mexico); Trinidad; S Lesser Antilles. A Brazilian record is erroneous	1402	Hanging on rock wall	1997	Lord RD	Venezuela, Monagas, Caripe
Chiroptera	Mormoopidae	moustached bats	<i>Pteronotus</i>	<i>parnellii</i>	Common Mustached Bat	Peru, Bolivia, Brazil, Guianas, and Venezuela to S Sonora and S Tamaulipas (Mexico); Cuba; Jamaica; Puerto Rico; Hispaniola; St. Vincent; Trinidad and Tobago; Margarita Isl (Venezuela); La Gonave Isl (Haiti)	1403	Close-up of head showing teeth	1977	Lord RD	Venezuela, Yaracuy, San Felipe
Chiroptera	Mormoopidae	moustached bats	<i>Pteronotus</i>	<i>parnellii</i>	Common Mustached Bat	Peru, Bolivia, Brazil, Guianas, and Venezuela to S Sonora and S Tamaulipas (Mexico); Cuba; Jamaica; Puerto Rico; Hispaniola; St. Vincent; Trinidad and Tobago; Margarita Isl (Venezuela); La Gonave Isl (Haiti)	2345		8 April 2008	H Fuentes-Moreno	Mexico, Oaxaca, Isthmus of Tehuantepec, La Venta
Chiroptera	Mormoopidae	moustached bats	<i>Pteronotus</i>	<i>personatus</i>	Wagner's Mustached Bat	Colombia, Peru, Brazil, Bolivia, and Surinam to S Sonora and S Tamaulipas (Mexico); Trinidad	355	Close-up of head, oblique view	1967	LaVal RK	Honduras, Comayagua
Chiroptera	Mystacinidae	New Zealand short-tailed bats	<i>Mystacina</i>	<i>tuberculata</i>	New Zealand Lesser Short-tailed Bat	New Zealand	2337	Also as <i>Mystacina velutina</i>	23 February 2013	CA Toth	New Zealand, North Island, Pureora Forest Park
Chiroptera	Mystacinidae	New Zealand short-tailed bats	<i>Mystacina</i>	<i>tuberculata</i>	New Zealand Lesser Short-tailed Bat	New Zealand	2338	Also as <i>Mystacina velutina</i>	23 February 2013	CA Toth	New Zealand, North Island, Pureora Forest Park
Chiroptera	Mystacinidae	New Zealand short-tailed bats	<i>Mystacina</i>	<i>tuberculata</i>	New Zealand Lesser Short-tailed Bat	New Zealand	2339	Also as <i>Mystacina velutina</i>	10 December 2013	CA Toth	New Zealand, North Island, Pureora Forest Park
Chiroptera	Natalidae	funnel-eared bats	<i>Natalus</i>	<i>stramineus</i>	Mexican Greater Funnel-eared Bat	S Baja California, Nuevo León, and Sonora (Mexico) to N Colombia, Venezuela, the Guianas, C and E Brazil, Bolíva; Lesser Antilles	1534	Male, close-up view of head, mouth partially open	1987	Lord RD	Venezuela, Aragua, Pao de Zarate
Chiroptera	Natalidae	funnel-eared bats	<i>Natalus</i>	<i>tumidirostris</i>	Trinidadian Greater Funnel-eared Bat	Venezuela, Colombia, Trinidad and Tobago, Curaçao and Bonaire (Netherlands Antilles), the Guianas	1535	Female, close-up view of head	1989	Lord RD	Venezuela, Aragua, Ocumare de la Costa
Chiroptera	Noctilionidae	bulldog bats	<i>Noctilio</i>	<i>albiventris</i>	Lesser Bulldog Bat	S Mexico to Guianas, E Brazil, Peru, Bolivia, and N Argentina	215	Close-up of head	1976	August PV	
Chiroptera	Noctilionidae	bulldog bats	<i>Noctilio</i>	<i>albiventris</i>	Lesser Bulldog Bat	S Mexico to Guianas, E Brazil, Peru, Bolivia, and N Argentina	1194	View of underside, wings extended and mostly visible, hind feet visible, N. a. minor	1985	Lee TE, Jr.	Honduras, Olancho
Chiroptera	Noctilionidae	bulldog bats	<i>Noctilio</i>	<i>albiventris</i>	Lesser Bulldog Bat	S Mexico to Guianas, E Brazil, Peru, Bolivia, and N Argentina	2319		20 April 2009	M Quiroga-Carmona	Venezuela, Guarico, Hato los Mamones
Chiroptera	Noctilionidae	bulldog bats	<i>Noctilio</i>	<i>leporinus</i>	Greater Bulldog Bat	Sinaloa (Mexico) to the Guianas, S Brazil, N Argentina, Paraguay, Bolivia, and Peru; Trinidad; Greater and Lesser Antilles; S Bahamas	031	Group hanging from tree branches	1973	Myers P	Paraguay, Chaco

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Noctilionidae	bulldog bats	<i>Noctilio</i>	<i>leporinus</i>	Greater Bulldog Bat	Sinaloa (Mexico) to the Guianas, S Brazil, N Argentina, Paraguay, Bolivia, and Peru; Trinidad; Greater and Lesser Antilles; S Bahamas	032	Ventral view, showing hind foot	1973	Myers P	Paraguay, Chaco
Chiroptera	Nycteridae	slit-faced bats	<i>Nycteris</i>	<i>thebaica</i>	Egyptian Slit-faced Bat	Central Arabia, Israel, Sinai, Egypt, Morocco, Senegal, Guinea, Mali, Burkina Faso, Ghana, Benin, Niger, Nigeria, Somalia, Djibouti, and Kenya, south to South Africa in open country; Zanzibar and Pemba	216	Close-up view of head and ventral surface	1975	LaVal RK	South Africa, KwaZulu-Natal, Pietermaritzburg
Chiroptera	Nycteridae	slit-faced bats	<i>Nycteris</i>	<i>tragata</i>	Malayan Slit-faced Bat	Burma, Thailand, W Malaysia, Sumatra, Borneo	1438	Close-up view of head	1984	Francis CM	Malaysia, Sabah, Panggi Caves
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Anoura</i>	<i>caudifer</i>	Tailed Tailless Bat	Colombia, Venezuela, Guianas, Brazil, Ecuador, Peru, Bolivia, NW Argentina	1512	Close-up, side view of head	1984	Lord RD	Venezuela, Araqua, Maracay, Rancho Grande
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Anoura</i>	<i>cultrata</i>	Handley's Tailless Bat	Costa Rica, Panama, Venezuela, Colombia, Ecuador, Peru, Bolivia	1513	Male, hanging, ventral view with wings folded	1984	Lord RD	Venezuela, Araqua, Rancho Grande
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Anoura</i>	<i>geoffroyi</i>	Geoffroy's Tailless Bat	Peru, Bolivia, SE Brazil, the Guianas and Ecuador to Tamaulipas and Sinaloa (Mexico); Trinidad; Grenada (Lesser Antilles)	1514	Female, hanging, ventral view	1984	Lord RD	Venezuela, Araqua, Rancho Grande
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Anoura</i>	<i>latidens</i>	Broad-toothed Tailless Bat	Venezuela, Guyana, Colombia, Peru	1515	Close-up of head, side view	1984	Lord RD	Venezuela, Monagas, 19 km NE Caripe
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Artibeus</i>	<i>aztecus</i>	Aztec Fruit-eating Bat	Michoacan and Oaxaca to Nuevo León and Sinaloa (Mexico), south to W Panama	385	Frontal, close-up view of head	1967	LaVal RK	Honduras, Intibuca, La Esperanza
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Artibeus</i>	<i>cinereus</i>	Gervai's Fruit-eating Bat	Guianas, Venezuela, N Brazil, Peru, Trinidad	1516	Dorsal view, hanging, Male	1977	Lord RD	Venezuela, Aragua, Maracay, I.I.V.
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Artibeus</i>	<i>concolor</i>	Brown Fruit-eating Bat	Guianas, Venezuela, Colombia, N Brazil, Peru	1517	Dorsal view, hanging	1977	Lord RD	Venezuela, Bolivar, El Manteco
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Artibeus</i>	<i>gnomus</i>	Dwarf Fruit-eating Bat	Ecuador, Peru, Bolivia, Amazonian Brazil, Venezuela, Guianas.	1609	Hardheld adult, showing face	August 25, 1999	Patterson BD	Peru, Madre de Dios, Aguas Calientes
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Artibeus</i>	<i>jamaicensis</i>	Jamaican Fruit-eating Bat	Michoacan, Sinaloa, and Tamaulipas (Mexico) to Ecuador, Peru, Bolivia, N Argentina, and E Brazil; Trinidad and Tobago; Greater and Lesser Antilles, S Bahamas. Perhaps Florida Keys	812	Female with single young attached to underside	1981	August PV	Puerto Rico, Aguas Buenas
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Artibeus</i>	<i>jamaicensis</i>	Jamaican Fruit-eating Bat	Michoacan, Sinaloa, and Tamaulipas (Mexico) to Ecuador, Peru, Bolivia, N Argentina, and E Brazil; Trinidad and Tobago; Greater and Lesser Antilles, S Bahamas. Perhaps Florida Keys	1195	Three-quarter view of head and shoulder region, teeth visible, adult female	1992	Gannon MR	Puerto Rico, Luquillo Experimental Forest
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Artibeus</i>	<i>jamaicensis</i>	Jamaican Fruit-eating Bat	Michoacan, Sinaloa, and Tamaulipas (Mexico) to Ecuador, Peru, Bolivia, N Argentina, and E Brazil; Trinidad and Tobago; Greater and Lesser Antilles, S Bahamas. Perhaps Florida Keys	1518	Oblique view, hanging	1976	Lord RD	Venezuela, Aragua, Maracay
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Artibeus</i>	<i>lituratus</i>	Great Fruit-eating Bat	Michoacan, Sinaloa, and Tamaulipas (Mexico) south to S Brazil, N Argentina, and Bolivia; Trinidad and Tobago; S Lesser Antilles; Trés Mariás Isls	1519	Dorsal view, face visible	1976	Lord RD	Venezuela, Aragua, Maracay
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Artibeus</i>	<i>lituratus</i>	Great Fruit-eating Bat	Michoacan, Sinaloa, and Tamaulipas (Mexico) south to S Brazil, N Argentina, and Bolivia; Trinidad and Tobago; S Lesser Antilles; Trés Mariás Isls	1704	Ventral view, wings spread	2008	Semedo TBF	Brazil, Mato Grosso, Near Primavera do Leste City

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Artibeus</i>	<i>lituratus</i>	Great Fruit-eating Bat	Michoacan, Sinaloa, and Tamaulipas (Mexico) south to S Brazil, N Argentina, and Bolivia; Trinidad and Tobago; S Lesser Antilles; Trés Mariás Isls	2346		13 March 2008	H Fuentes-Moreno	Mexico, Oaxaca, Isthmus of Tehuantepec, La Venta
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Artibeus</i>	<i>obscurus</i>	Dark Fruit-eating Bat	Colombia, Venezuela, Guianas, Ecuador, Peru, Bolivia, Brazil	1289	Side view, hand-held	1995	Lee TE, Jr.	Guyana
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Brachyphylla</i>	<i>cavernarum</i>	Antillean Fruit-eating Bat	Puerto Rico, Virgin Isls and throughout Lesser Antilles south to St. Vincent and Barbados	1196	Front view of head and shoulder region	1992	Gannon MR	Puerto Rico, Luquillo Experimental Forest
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Carollia</i>	<i>brevicauda</i>	Silky Short-tailed Bat	E Panama, Colombia, Venezuela, Guyana, Surinam, French Guiana, Ecuador, Peru, Bolivia, and N & E Brazil; Trinidad	1520	Side view, close-up of face	1977	Lord RD	Venezuela, Aragua, Maracay, Cueva del Indio, I.I.V.
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Carollia</i>	<i>castanea</i>	Chestnut Short-tailed Bat	Honduras to Peru, Bolivia, W Brazil and Venezuela	383	Close-up of head and side of body	1969	LaVal RK	Honduras, Atlantida, Lancetilla
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Carollia</i>	<i>perspicillata</i>	Seba's short-tailed Bat	Oaxaca, Veracruz and Yucatán Peninsula (Mexico) to Peru, Bolivia, Paraguay, SE Brazil and Guianas; Trinidad and Tobago; perhaps Jamaica, N Lesser Antilles. A record from Grenada (Lesser Antilles) is probably erroneous	384	Close-up ventro-lateral view of head and body	1968	LaVal RK	Costa Rica, Puntarenas, Rincon de Osa
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Centurio</i>	<i>senex</i>	Wrinkle-faced Bat	Venezuela to Tamaulipas and Sinaloa (Mexico); Trinidad and Tobago	218	Ventral view shows lattice in extended wings	1972	Wimsatt WA	Mexico, Gro, Agua del Obispo
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Centurio</i>	<i>senex</i>	Wrinkle-faced Bat	Venezuela to Tamaulipas and Sinaloa (Mexico); Trinidad and Tobago	219	Close-up view of face and skin-fold	1972	Wimsatt WA	Mexico, Gro, Agua del Obispo
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Centurio</i>	<i>senex</i>	Wrinkle-faced Bat	Venezuela to Tamaulipas and Sinaloa (Mexico); Trinidad and Tobago	360	Oblique close-up of head, chin-folds not shown	1967	LaVal RK	Nicaragua, Rio San Juan, El Castillo
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Centurio</i>	<i>senex</i>	Wrinkle-faced Bat	Venezuela to Tamaulipas and Sinaloa (Mexico); Trinidad and Tobago	2347		10 January 2009	A Trejo-Ortiz	Mexico, Oaxaca, Huatulco National Park
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Chiroderma</i>	<i>salvini</i>	Salvin's Big-eyed Bat	Peru, Bolivia, and Venezuela north to Michoacan, Hidalgo, and Chihuahua (Mexico)	217	Close-up of head	1967	LaVal RK	Honduras, Intibuca, La Esperanza
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Chiroderma</i>	<i>villosum</i>	Hairy Big-eyed Bat	Hidalgo (Mexico) south to S Brazil, Bolivia and Peru; Trinidad and Tobago	359	Close-up of side of face	1968	LaVal RK	Costa Rica, Puntarenas, Rincon de Osa
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Chiroderma</i>	<i>villosum</i>	Hairy Big-eyed Bat	Hidalgo (Mexico) south to S Brazil, Bolivia and Peru; Trinidad and Tobago.	1610	Adult female, handheld, face visible	September 4, 1999	Patterson BD	Peru, Madre de Dios, Aguas Calientes
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Choeroniscus</i>	<i>godmani</i>	Godman's Long-tongued Bat	Sinaloa (Mexico) to Colombia, Venezuela, Guyana, and Surinam	1521	Close-up side view of head, tongue extended	1984	Lord RD	Venezuela, Lara, Usera, Las Chimas
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Chrotopterus</i>	<i>auritus</i>	Woolly False Vampire Bat	Veracruz (Mexico) south to the Guianas, S Brazil, Peru, Bolivia, and N Argentina	033	Ventral view, wings extended		Myers P	Paraguay, Chaco
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Chrotopterus</i>	<i>auritus</i>	Woolly False Vampire Bat	Veracruz (Mexico) south to the Guianas, S Brazil, Peru, Bolivia, and N Argentina	358	Close-up of head, oblique view	1967	LaVal RK	Honduras
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Desmodus</i>	<i>rotundus</i>	Common Vampire Bat	Uruguay, N Argentina, Paraguay, Bolivia, and N Chile north to Sonora, Nuevo León and Tamaulipas (Mexico); Margarita Isl (Venezuela); Trinidad	208	View on flat surface, using "wrists" for support	1965	Wimsatt WA	
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Desmodus</i>	<i>rotundus</i>	Common Vampire Bat	Uruguay, N Argentina, Paraguay, Bolivia, and N Chile north to Sonora, Nuevo León and Tamaulipas (Mexico); Margarita Isl (Venezuela); Trinidad	209	Close-up of head	1965	Wimsatt WA	
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Desmodus</i>	<i>rotundus</i>	Common Vampire Bat	Uruguay, N Argentina, Paraguay, Bolivia, and N Chile north to Sonora, Nuevo León and Tamaulipas (Mexico); Margarita Isl (Venezuela); Trinidad	210	Front view of animal on flat surface	1965	Wimsatt WA	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Desmodus</i>	<i>rotundus</i>	Common Vampire Bat	Uruguay, N Argentina, Paraguay, Bolivia, and N Chile north to Sonora, Nuevo León and Tamaulipas (Mexico); Margarita Isl (Venezuela); Trinidad	1121	Anterolateral view of skull and mandible		Forbes RB	USA, NM, Bernalillo Co., Albuquerque, University of New Mexico, Museum of Southwestern Biology
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Desmodus</i>	<i>rotundus</i>	Common Vampire Bat	Uruguay, N Argentina, Paraguay, Bolivia, and N Chile north to Sonora, Nuevo León and Tamaulipas (Mexico); Margarita Isl (Venezuela); Trinidad	2004	Diagonal anterior view of mounted skeleton walking		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Desmodus</i>	<i>rotundus</i>	Common Vampire Bat	Uruguay, N Argentina, Paraguay, Bolivia, and N Chile north to Sonora, Nuevo León and Tamaulipas (Mexico); Margarita Isl (Venezuela); Trinidad	2348		11 March 2008	H Fuentes-Moreno	Mexico, Oaxaca, Isthmus of Tehuantepec, La Venta
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Diaemus</i>	<i>youngi</i>	White-winged Vampire Bat	Tamaulipas (Mexico) south to N Argentina, Bolivia, Paraguay, and E Brazil; Trinidad; Margarita Isl (Venezuela)	348	Close-up of head, oblique view	1968	LaVal RK	Costa Rica, Guanacaste, La Pacifica
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Diaemus</i>	<i>youngi</i>	White-winged Vampire Bat	Tamaulipas (Mexico) south to N Argentina, Bolivia, Paraguay, and E Brazil; Trinidad; Margarita Isl (Venezuela)	1536	Roosting on a branch	1976	Lord RD	Venezuela, Falcon, San Lorenzo
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Diphylla</i>	<i>ecaadata</i>	Hairy-legged Vampire Bat	S Tamaulipas (Mexico) to Venezuela, Peru, Bolivia, and E Brazil; a single vagrant individual has also been reported from S Texas (USA)	349	Close-up of head, oblique view	1977	LaVal RK	El Salvador, La Libertad
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Ectophylla</i>	<i>alba</i>	Honduran White Bat	Honduras to W Panama	386	Oblique close-up of head	1974	LaVal RK	Costa Rica, Heredia, La Selva
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Enchisthenes</i>	<i>hartii</i>	Velvety Fruit-eating Bat	Bolivia and Venezuela north to Michoacan, Jalisco, and Tamaulipas (Mexico); Trinidad. There is an extralimital record from Tucson, Arizona	387	Close-up of head, oblique view	1967	LaVal RK	Honduras, El Paraiso, Danli
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Erophylla</i>	<i>bombifrons</i>	Brown Flower Bat	Hispaniola and Puerto Rico	813	front view of face and underside, wings extended	1981	August PV	Puerto Rico, Aguas Buenas
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Erophylla</i>	<i>bombifrons</i>	Brown Flower Bat	Hispaniola and Puerto Rico	1197	Three-quarter view of head and shoulder region, adult female	1992	Gannon MR	Puerto Rico, Luquillo Experimental Forest
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Glossophaga</i>	<i>longirostris</i>	Miller's Long-tongued Bat	Colombia; Venezuela (including Margarita Isl); N Brazil; Guyana; Trinidad and Tobago; Grenada, St Vincent, Curaçao, Bonaire, and Aruba (Lesser Antilles). The records from Dominica and Ecuador are erroneous	1522	Roosting, dorsal view with tongue extended	1977	Lord RD	Venezuela, Lara, Finca Papelon Cavora
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Glossophaga</i>	<i>soricina</i>	Pallas's Long-tongued Bat	Tamaulipas, Sonora and Trés Marias Isls (Mexico) south to the Guianas, SE Brazil, N Argentina, Paraguay, Bolivia, and Peru; Margarita Isl (Venezuela); Trinidad; Grenada (Lesser Antilles); Jamaica; perhaps Bahama Isls	1523	Roosting, head bent backward	1967	Lord RD	Venezuela, Aragua, Ocumare de la Costa
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Glyphonycteris</i>	<i>daviesi</i>	Graybeard Bat	Honduras south to Peru, the Guianas, Brazil, and Bolivia; Trinidad	378	Close-up of head, oblique view	1967	LaVal RK	Honduras, Olancho, Catacamas
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Glyphonycteris</i>	<i>sylvestris</i>	Tricolored Bat	Peru and SE Brazil north to Nayarit and Veracruz (Mexico); Trinidad	1405	Close-up of face	1977	Lord RD	Venezuela, Monagas, 5 km N of Caripe, Cueva El Guachero
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Hylonycteris</i>	<i>underwoodi</i>	Underwood's Long-tongued Bat	W Panama to Nayarit and Veracruz (Mexico)	380	Close-up of head, oblique view	1973	LaVal RK	Costa Rica, Heredia, La Selva
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Lampronycteris</i>	<i>brachyotis</i>	Orange-throated Bat	Oaxaca (Mexico) to Guyana, French Guiana and Brazil; Peru; Trinidad	371	Oblique view, showing face	1972	LaVal RK	Panama, Barro Colorado Island

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Leptonycteris</i>	<i>curasoeae</i>	Curacaoan Long-nosed Bat	NE Colombia, N Venezuela, Margarita Isl, Curaçao, Bonaire and Aruba (Netherlands Antilles)	1524	Roosting, Dorsal view	1977	Lord RD	Venezuela, Lara, Finca Papelon Cavora
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Leptonycteris</i>	<i>yerbabuena</i>	Lesser Long-nosed Bat	C California, S Arizona, and New Mexico (USA) to Honduras and El Salvador	2349	Also as <i>Leptonycteris curasoeae</i> , Curacaoan Long-nosed Bat.	9 April 2008	H Fuentes-Moreno	Mexico, Oaxaca, Isthmus of Tehuantepec, La Venta
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Lonchophylla</i>	<i>robusta</i>	Orange Nectar Bat	Nicaragua to Venezuela, Ecuador, and Peru	377	lose-up of head, side view	1967	LaVal RK	Nicaragua, Rio San Juan, El Castillo
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Lonchorhina</i>	<i>aurita</i>	Common Sword-nosed Bat	Oaxaca (Mexico) south to SE Brazil, Bolivia, Peru, and Ecuador; Trinidad; perhaps New Providence Isl (Bahama Isls)	373	Close-up ventral view of head and body	1973	LaVal RK	Costa Rica, Guanacaste, Comelco
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Lonchorhina</i>	<i>aurita</i>	Common Sword-nosed Bat	Oaxaca (Mexico) south to SE Brazil, Bolivia, Peru, and Ecuador; Trinidad; perhaps New Providence Isl (Bahama Isls)	1611	Side view of adult suspended in air, noseleaf and ear in focus	September 16, 2001	Patterson BD	Peru, Madre de Dios, Maskoitania
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Lonchorhina</i>	<i>aurita</i>	Common Sword-nosed Bat	Oaxaca (Mexico) south to SE Brazil, Bolivia, Peru, and Ecuador; Trinidad; perhaps New Providence Isl (Bahama Isls)	1612	Front view, only noseleaf and lips in focus	September 16, 2001	Patterson BD	Peru, Madre de Dios, Maskoitania
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Lonchorhina</i>	<i>aurita</i>	Common Sword-nosed Bat	Oaxaca (Mexico) south to SE Brazil, Bolivia, Peru, and Ecuador; Trinidad; perhaps New Providence Isl (Bahama Isls)	2320		20 April 2009	M Quiroga-Carmona	Venezuela, Guarico, Hato los Mamones
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Lophostoma</i>	<i>brasiliense</i>	Pygmy Round-eared Bat	Veracruz (Mexico) south to Peru, Bolivia, NE Brazil; Trinidad	366	Close-up of head, side view	1969	LaVal RK	Nicaragua, Matagalpa, Tuma
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Lophostoma</i>	<i>brasiliense</i>	Pygmy Round-eared Bat	Veracruz (Mexico) south to Peru, Bolivia, NE Brazil; Trinidad	1531	Roosting	1977	Lord RD	Venezuela, Yaracuy, San Felipe, Rio Yurubi, Train Station
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Lophostoma</i>	<i>carrikeri</i>	Carriker's Round-eared Bat	Colombia, Venezuela, Guianas, N Brazil, Bolivia, Peru.	1613	Adult with wings spread, face visible	September 28, 2001	Patterson BD	Peru, Madre de Dios, Maskoitania
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Lophostoma</i>	<i>silvicolum</i>	White-throated Round-eared Bat	Honduras to Bolivia, NE Argentina, Guianas, and E Brazil	367	Oblique close-up, showing nose-leaf and ears	1976	LaVal RK	Honduras, Olancho, Catacamas
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Macrophyllum</i>	<i>macrophyllum</i>	Long-legged Bat	Tabasco (Mexico) south to Peru, Bolivia, SE Brazil, Paraguay, and NE Argentina	1290	Front (ventral) view, wings extended	1995	Lee TE, Jr.	Guyana, Upper Takutu-Upper Esequibo, 14 mi. W Kurupukari
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Mesophylla</i>	<i>macconnelli</i>	MacConnell's Bat	Nicaragua south to Peru, Bolivia, and Amazonian Brazil; Trinidad.	1614	Adult male, handheld, face visible	September 28, 2001	Patterson BD	Peru, Madre de Dios, Maskoitania
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Micronycteris</i>	<i>hirsuta</i>	Hairy Big-eared Bat	Honduras to French Guiana, Trinidad, Amazonian Brazil, Peru, and Ecuador	372	Close-up ventro-lateral view of head and body	1968	LaVal RK	Costa Rica, Puntarenas, Rincon de Osa
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Micronycteris</i>	<i>megalotis</i>	Little Big-eared Bat	Colombia to Peru, Bolivia, and Brazil; Venezuela and the Guianas; Trinidad and Tobago; Margarita Isl (Venezuela); Grenada; St. Vincent	1404	Roosting	1976	Lord RD	Venezuela, Carabobo, San Joaquin
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Micronycteris</i>	<i>minuta</i>	Tiny Big-eared Bat	Honduras to S Brazil, Bolivia, and Peru; Guianas; Trinidad	369	Close-up of head, oblique view	1968	LaVal RK	Costa Rica, Guanacaste, La Pacifica
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Micronycteris</i>	<i>schmidtorum</i>	Schmidt's Big-eared Bat	S Mexico to Guianas; NE Peru; Brazil	370	Close-up of head, side view	1967	LaVal RK	Honduras, Santa Barbara
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Mimon</i>	<i>cozumelae</i>	Cozumelan Golden Bat	S Mexico to Colombia	375	Close-up of head, oblique view	1967	LaVal RK	Honduras, Olancho, Catacamas
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Mimon</i>	<i>crenulatum</i>	Striped Hairy-nosed Bat	Chiapas and Campeche (Mexico) to Guianas, E Brazil, Bolivia, Ecuador and E Peru; Trinidad	376	Dorsal view of hand-held bat, wings extended	1974	LaVal RK	Costa Rica, Heredia, La Selva

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Mimon</i>	<i>crenulatum</i>	Striped Hairy-nosed Bat	Chiapas and Campeche (Mexico) to Guianas, E Brazil, Bolivia, Ecuador and E Peru; Trinidad	1406	Female, close-up of face	1977	Lord RD	Venezuela, Bolivar, Fince La Erika, 20 km SE of Cividad Piar
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Monophyllus</i>	<i>redmani</i>	Leach's Single-leaf Bat	Cuba, Hispaniola, Puerto Rico, Jamaica, S Bahama Isls	1198	View of underside, including most of wings (extended), adult male	1992	Gannon MR	Puerto Rico, Luquillo Experimental Forest
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Phylloderma</i>	<i>stenops</i>	Pale-faced Bat	S Mexico to SE Brazil, Bolivia, and Peru	379	Ventral view, one wing extended	1974	LaVal RK	Costa Rica, Heredia, La Selva
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Phyllostomus</i>	<i>discolor</i>	Pale Spear-nosed Bat	Oaxaca and Veracruz (Mexico) to Guianas, SE Brazil, Bolivia, Paraguay, N Argentina and Peru; Trinidad; Margarita Isl (Venezuela)	368	Close-up ventral view of head and body	1968	LaVal RK	Costa Rica, Guanacaste, La Pacifica
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Phyllostomus</i>	<i>elongatus</i>	Lesser Spear-nosed Bat	Bolivia, E Peru, Ecuador, and Colombia to Guianas and E Brazil	1525	Roosting, dorsal view	1977	Lord RD	Venezuela, Guarico, 5 km N of Guayabal
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Phyllostomus</i>	<i>hastatus</i>	Greater Spear-nosed Bat	Guatemala and Belize to the Guianas, Brazil, Paraguay, N Argentina, Bolivia, and Peru; Trinidad and Tobago; Margarita Isl (Venezuela)	1526	Roosting, dorsal view	1976	Lord RD	Venezuela, Aragua, Maracay
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Platyrrhinus</i>	<i>brachycephalus</i>	Short-headed Broad-nosed Bat	N Brazil; Colombia to Guianas; Ecuador; Peru; Bolivia	1527	Close-up side view of head, female	1976	Lord RD	Venezuela, Bolivar, El Manteco
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Platyrrhinus</i>	<i>brachycephalus</i>	Short-headed Broad-nosed Bat	N Brazil; Colombia to Guianas; Ecuador; Peru; Bolivia	1615	Adult male, handheld, face in focus	September 15, 2001	Patterson BD	Peru, Madre de Dios, Maskoitania
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Platyrrhinus</i>	<i>helleri</i>	Heller's Broad-nosed Bat	Oaxaca and Veracruz (Mexico) to Peru, Bolivia, and Amazonian Brazil; Trinidad. A Paraguay record is erroneous	361	Dorsal view, wings folded	1967	LaVal RK	Honduras, Comayagua
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Platyrrhinus</i>	<i>helleri</i>	Heller's Broad-nosed Bat	Oaxaca and Veracruz (Mexico) to Peru, Bolivia, and Amazonian Brazil; Trinidad. A Paraguay record is erroneous	1528	Male, roosting, dorsal view	1976	Lord RD	Venezuela, Aragua, Maracay, Castano
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Platyrrhinus</i>	<i>masu</i>	Quechua Broad-nosed Bat	Eastern Andean slopes of Peru and Ecuador.	1616	Adult, handheld, face in focus	November 4, 2001	Patterson BD	Peru, Cuzco, La Esperanza
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Sphaeronycteris</i>	<i>toxophyllum</i>	Visored Bat	Colombia to Venezuela, Peru, and Bolivia; Amazonian Brazil	1529	Close-up of face	1977	Lord RD	Venezuela, Guarico, Guayabal
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Stenoderma</i>	<i>rufum</i>	Red Fruit Bat	Puerto Rico and Virgin Isls (St. John and St. Thomas)	1199	Hanging from branch, wings folded, thumbs (digit 1) visible, juvenile male	1992	Gannon MR	Puerto Rico, Luquillo Experimental Forest
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Stenoderma</i>	<i>rufum</i>	Red Fruit Bat	Puerto Rico and Virgin Isls (St. John and St. Thomas)	1200	Three-quarter view of head and shoulder region, adult male	1992	Gannon MR	Puerto Rico, Luquillo Experimental Forest
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Sturnira</i>	<i>ludovici</i>	Highland Yellow-shouldered Bat	Ecuador and Guyana north to Sonora and Tamaulipas (Mexico)	1530	Roosting, Dorsal view	1977	Lord RD	Venezuela, Aragua, 16 km N of Maracay
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Sturnira</i>	<i>ludovici</i>	Highland Yellow-shouldered Bat	Ecuador and Guyana north to Sonora and Tamaulipas (Mexico)	2321		10 November 2010	M Quiroga-Carmona	Venezuela, Aragua, Tovar municipality, sector Cerro Geremba of the Pico Codazzi Natural Monument
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Sturnira</i>	<i>mordax</i>	Talamancan Yellow-shouldered Bat	Costa Rica, Panama	374	Close-up side view of head of male	1974	LaVal RK	Costa Rica, Puntarenas, Monteverde
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Sturnira</i>	<i>tilda</i>	Tilda's Yellow-shouldered Bat	Brazil, Guianas, Venezuela, Trinidad, Colombia, Ecuador, Peru, Bolivia.	1617	Adult, handheld, mouth open	September 13, 2001	Patterson BD	Peru, Madre de Dios, Maskoitania
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Tonatia</i>	<i>saurophila</i>	Stripe-headed Round-eared Bat	Chiapas (Mexico) and Belize to Peru, Bolivia, Venezuela, the Guianas, and NE Brazil; Trinidad	365	Close-up of head, oblique view	1969	LaVal RK	Honduras, Atlantida, Lancetilla

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Tonatia</i>	<i>saurophila</i>	Stripe-headed Round-eared Bat	Chiapas (Mexico) and Belize to Peru, Bolivia, Venezuela, the Guianas, and NE Brazil; Trinidad	1705	Dorsal view, wings spread	2010	Semedo TBF	Brazil, Mato Grosso, Município do Poconé, Sesc Pantanal, next to Rio Cuiabá
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Trachops</i>	<i>cirrhosus</i>	Fringe-lipped Bat	Oaxaca (Mexico) to Guianas, SE Brazil, Bolivia and Ecuador; Trinidad	382	Close-up of face, oblique view	1967	LaVal RK	Honduras, Olancho, Catacamas
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Trachops</i>	<i>cirrhosus</i>	Fringe-lipped Bat	Oaxaca (Mexico) to Guianas, SE Brazil, Bolivia and Ecuador; Trinidad	1618	Closeup of face, protuberances on lips clearly visible	September 11, 1999	Patterson BD	Peru, Madre de Dios, Aguas Calientes
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Uroderma</i>	<i>bilobatum</i>	Common Tent-making Bat	Veracruz and Oaxaca (Mexico) south to Peru, Bolivia, the Guianas, and Brazil; Trinidad	1532	Female, close-up of face	1977	Lord RD	Venezuela, Aragua, Maracay
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Uroderma</i>	<i>magnirostrum</i>	Brown Tent-making Bat	Michoacan (Mexico) to south Venezuela, Peru, Bolivia, and Brazil	1533	Close-up of head and shoulders, side view	1985	Lord RD	Venezuela, Cojedes, Finca La Fe, 60 km SE of Inaco
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Vampyressa</i>	<i>nymphaea</i>	Striped Yellow-eared Bat	W Ecuador to Nicaragua. A record from SE Peru is suspect	364	Close-up of head, oblique view	1967	LaVal RK	Nicaragua, Rio San Juan, El Castillo
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Vampyressa</i>	<i>thyone</i>	Northern Little Yellow-eared Bat	Oaxaca and Veracruz (Mexico) to Bolivia, Peru, Venezuela, Guyana, and French Guiana	363	Close-up of head showing nose-leaf, oblique view	1967	LaVal RK	Honduras, Olancho, Catacamas
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Vampyroides</i>	<i>caraccioli</i>	Great Stripe-faced Bat	Oaxaca (Mexico) to Peru, Bolivia, the Guianas, and N Brazil; Trinidad and Tobago	362	Close-up of head showing nose-leaf, side view	1969	LaVal RK	Honduras, Atlantida, Lancetilla
Chiroptera	Phyllostomidae	New World leaf-nosed bats	<i>Vampyrum</i>	<i>spectrum</i>	Spectral Bat	Veracruz (Mexico) to Ecuador and Peru, Bolivia, N and SW Brazil, and Guianas; Trinidad; perhaps Jamaica	892	Close-up of head	1977	Fontaine RP	Panama, Barro Colorado Island
Chiroptera	Pteropodidae	Old World fruit bats	<i>Balionycteris</i>	<i>maculata</i>	Spotted-winged Fruit Bat	Thailand; W Malaysia; Borne; Sumatra; Durian and Galand Isls (Riau Arch., Indonesia)	1415	Front view, hanging	1990	Francis CM	Malaysia, Negri Sembilan, Pasoh Forest Reserve
Chiroptera	Pteropodidae	Old World fruit bats	<i>Balionycteris</i>	<i>maculata</i>	Spotted-winged Fruit Bat	Thailand; W Malaysia; Borne; Sumatra; Durian and Galand Isls (Riau Arch., Indonesia)	1416	Close-up	1982	Francis CM	Malaysia, Sabah, Madai Caves
Chiroptera	Pteropodidae	Old World fruit bats	<i>Balionycteris</i>	<i>maculata</i>	Spotted-winged Fruit Bat	Thailand; W Malaysia; Borne; Sumatra; Durian and Galand Isls (Riau Arch., Indonesia)	1417	Wild - Roosting in old termite mound	1987	Francis CM	Malaysia, Negri Sembilan, Pasoh Forest Reserve
Chiroptera	Pteropodidae	Old World fruit bats	<i>Chironax</i>	<i>melanocephalus</i>	Black-capped Fruit Bat	Thailand, W Malaysia, Borneo, Sumatra, Java, Nias Isl, and Sulawesi	1418	Close-up, Field Cat No. 830105.1	1983	Francis CM	Malaysia, Sabah, Sepilok
Chiroptera	Pteropodidae	Old World fruit bats	<i>Cynopterus</i>	<i>brachyotis</i>	Lesser Short-nosed Fruit Bat	Sri Lanka, India, Nepal, Burma, Thailand, Cambodia, Vietnam, S China, Malaysia, Nicobar and Andaman Isls, Borneo, Sumatra, Sulawesi, Magnole, Sanana, Sangihe Isls, Talaud Isls and adjacent small islands. Perhaps present in the Palawan region of the Philippines	1419	Close-up	1998	Francis CM	Laos
Chiroptera	Pteropodidae	Old World fruit bats	<i>Cynopterus</i>	<i>brachyotis</i>	Lesser Short-nosed Fruit Bat	Sri Lanka, India, Nepal, Burma, Thailand, Cambodia, Vietnam, S China, Malaysia, Nicobar and Andaman Isls, Borneo, Sumatra, Sulawesi, Magnole, Sanana, Sangihe Isls, Talaud Isls and adjacent small islands. Perhaps present in the Palawan region of the Philippines	1420	Hanging	1998	Francis CM	Malaysia, Pahang, Kuala Lompat, Krau Wildlife Reserve
Chiroptera	Pteropodidae	Old World fruit bats	<i>Cynopterus</i>	<i>sphinx</i>	Greater Short-nosed Fruit Bat	Sri Lanka, Pakistan, Bangladesh, India, S China, SE Asia including Burma, Vietnam, and Cambodia, W Malaysia, Sumatra, adjacent small islands; perhaps Borneo	1421	Hanging	1997	Francis CM	Laos

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Pteropodidae	Old World fruit bats	<i>Dyacopterus</i>	<i>spadiceus</i>	Dyak Fruit Bat	NW Borneo including Bunei, Luzon and Mindanao (Philippines), Malaya, possibly S Thailand	1422	Female, Field Cat. No. 920825.5	1992	Francis CM	Malaysia, Pahang, Kuala Lompat, Krau Wildlife Reserve
Chiroptera	Pteropodidae	Old World fruit bats	<i>Dyacopterus</i>	<i>spadiceus</i>	Dyak Fruit Bat	NW Borneo including Bunei, Luzon and Mindanao (Philippines), Malaya, possibly S Thailand	1423	Lactating male	1992	Francis CM	Malaysia, Pahang, Kuala Lompat, Krau Wildlife Reserve
Chiroptera	Pteropodidae	Old World fruit bats	<i>Eonycteris</i>	<i>spelaea</i>	Lesser Dawn Bat	India, Burma, Nepal, S China, Thailand, Laos, Cambodia, Vietnam, W Malaysia, Borneo; Sula Isls, N Moluccas, Sumatra, Java, Sumba, Timor and Sulawesi (Indonesia); Philippines; Andaman Isls (India)	1424	Close-up of face	1984	Francis CM	Malaysia, Sabah, Madai Caves
Chiroptera	Pteropodidae	Old World fruit bats	<i>Eonycteris</i>	<i>spelaea</i>	Lesser Dawn Bat	India, Burma, Nepal, S China, Thailand, Laos, Cambodia, Vietnam, W Malaysia, Borneo; Sula Isls, N Moluccas, Sumatra, Java, Sumba, Timor and Sulawesi (Indonesia); Philippines; Andaman Isls (India)	1425	Eyeshine from a cluster in a cave	1984	Francis CM	Malaysia, Sabah, Batu Timbang
Chiroptera	Pteropodidae	Old World fruit bats	<i>Epomophorus</i>	<i>sp.</i>	epauletted fruit bat	Africa	893	Close-up of head, showing teeth	1983	McLellan LJ	South Sudan, Bahr el Ghazal, Wau
Chiroptera	Pteropodidae	Old World fruit bats	<i>Epomophorus</i>	<i>wahlbergi</i>	Wahlberg's Epauletted Fruit Bat	Cameroon to Sudan and Somalia, south to Malawi, Angola, and South Africa; Pemba and Zanzibar Isls. A Liberian record is probably erroneous, and Cameroon and Equatorial Guinea records are of uncertain validity	036	Ventral view of bat roosting in tree	1974	Anderson Jeremy	South Africa, Kwazulu-Natal, Ndumu Game Reserve
Chiroptera	Pteropodidae	Old World fruit bats	<i>Hypsignathus</i>	<i>monstrosus</i>	Hammer-headed Fruit Bat	Sierra Leone to W Kenya, south to Zambia and Angola; Bioko (Equatorial Guinea). Records from Gambia and Ethiopia are doubtful.	2005	Diagonal anterior view of mounted skeleton with wings spread		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Chiroptera	Pteropodidae	Old World fruit bats	<i>Macroglossus</i>	<i>minimus</i>	Dagger-toothed Long-nosed Fruit Bat	Thailand to Philippines, Indonesia, Papua New Guinea, Solomon Isls, and N Australia. This species has also been reported from Cambodia but there are no vouchered records	1426	Close-up, wings open	1982	Francis CM	Malaysia, Sabah, Sepilok
Chiroptera	Pteropodidae	Old World fruit bats	<i>Megaerops</i>	<i>ecaudatus</i>	Temminck's Tailless Fruit Bat	Borneo, Sumatra, W Malaysia, Thailand, perhaps Vietnam	1427	Close-up, hanging	1986	Francis CM	Malaysia, Sabah, Sepilok
Chiroptera	Pteropodidae	Old World fruit bats	<i>Megaerops</i>	<i>niphanae</i>	Ratanaworabhan's Fruit Bat	NE India, Thailand, Laos, Cambodia, Vietnam	1428	Female with young	1996	Francis CM	Laos
Chiroptera	Pteropodidae	Old World fruit bats	<i>Megaerops</i>	<i>wetmorei</i>	White-collared Fruit Bat	Mindanao Isl (Philippines), Borneo, W Malaysia, Sumatra	1429	Adult male	1992	Francis CM	Malaysia, Pahang, Kuala Lompat, Krau Wildlife Reserve
Chiroptera	Pteropodidae	Old World fruit bats	<i>Nyctimene</i>	<i>abori</i>	Philippine Tube-nosed Fruit Bat	Negros, Cebu, and Sibuyan Isls (Philippines); Karakelang Isl (Talaud Isls, Indonesia)	875	Hanging, with wings wrapped around body	1984	Heideman PD	Philippines, Negros
Chiroptera	Pteropodidae	Old World fruit bats	<i>Pteropus</i>	<i>scapulatus</i>	Little Red Flying Fox	Australia, S New Guinea, accidental on New Zealand	958	Ventral view of bat about to land at roost	1988	Finch-Packham V	Australia, NSW, Clarence River, near Grafton
Chiroptera	Pteropodidae	Old World fruit bats	<i>Pteropus</i>	<i>scapulatus</i>	Little Red Flying Fox	Australia, S New Guinea, accidental on New Zealand	959	Group, roosting in tree	1988	Finch-Packham V	Australia, NSW, Clarence River, near Grafton
Chiroptera	Pteropodidae	Old World fruit bats	<i>Pteropus</i>	<i>sp.</i>	flying fox	Asia	034	Group resting on branches		de la Cruz AA	Indonesia, West Java, Bogor

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Pteropodidae	Old World fruit bats	<i>Pteropus</i>	<i>vampyrus</i>	Large Flying Fox	Vietnam, Burma, Malay Peninsula, Borneo, Philippines, Sumatra, Java, and Lesser Sunda Isls, adjacent small islands including Anak Krakatau. Reports of this species from Cambodia cannot be verified	1430	Hanging front view	1997	Francis CM	Indonesia, West Java, Bogor Botanical Gardens
Chiroptera	Pteropodidae	Old World fruit bats	<i>Rousettus</i>	<i>aegyptiacus</i>	Egyptian Rousette	Senegal and Egypt south to South Africa; Cyprus, Turkey, Jordan, Lebanon, Israel, S Syria, Yemen, Saudi Arabia, S Iraq, S. Iran, Pakistan, NW India; islands in the Gulf of Guinea (São Tomé and Príncipe); adjacent small islands	035	Close-up, partial front view of bat eating fruit	1975	Visser J	South Africa, Western Cape, Stellenbosch
Chiroptera	Pteropodidae	Old World fruit bats	<i>Rousettus</i>	<i>aegyptiacus</i>	Egyptian Rousette	Senegal and Egypt south to South Africa; Cyprus, Turkey, Jordan, Lebanon, Israel, S Syria, Yemen, Saudi Arabia, S Iraq, S. Iran, Pakistan, NW India; islands in the Gulf of Guinea (São Tomé and Príncipe); adjacent small islands	1029	Ventral view, hanging, shows wings and face		Visser J	
Chiroptera	Pteropodidae	Old World fruit bats	<i>Rousettus</i>	<i>amplexicaudatus</i>	Geoffroy's Rousette	Cambodia, Thailand, Burma, and Laos; Peninsular Malaysia through Indonesia, Java, and Bali; Philippines; New Guinea; Bismarck Archipelago, Solomon Isls	1431	Close-up of head, Field Cat No. 970501.29	1997	Francis CM	Laos
Chiroptera	Pteropodidae	Old World fruit bats	<i>Rousettus</i>	<i>leschenaultii</i>	Leschenault's Rousette	Sri Lanka; Pakistan to Vietnam and S China; Peninsular Malaysia; Sumatra, Java, Bali, and Mentawai Isls (Indonesia)	1432	Close-up of head, Field Cat No. 980225.10	1998	Francis CM	Laos
Chiroptera	Pteropodidae	Old World fruit bats	<i>Rousettus</i>	<i>spinalatus</i>	Bare-backed Rousette	Sumatra, Borneo	1433	<i>Close-up of head</i>	1984	Francis CM	Malaysia, Sabah, Batu Timbang
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>acuminatus</i>	Accuminate Horseshoe Bat	Thailand; Laos; Cambodia; Peninsular Malaysia and Sabah; Borneo; Sumatra (including Nias and Engano Isls); Java, Krakatau, Lombok, and Bali (Indonesia); Palawan, Balabac, Busuanga (Philippines)	1455	Close-up of face	1998	Francis CM	Laos
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>affinis</i>	Intermediate Horseshoe Bat	India and Nepal to S China and Vietnam, through Malaysia to Borneo and Lesser Sunda Isls; Andaman Isls (India); perhaps Sri Lanka. Reports of this species from Cambodia cannot be confirmed	1456	Ventral view, wings extended	1996	Francis CM	Malaysia, Negri Sembilan, Pasoh Forest Reserve
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>borneensis</i>	Bornean Horseshoe Bat	Borneo; Labuan and Banguay Isls (Malaysia); Java, Karimata Isls, and South Natuna Isls (Indonesia); Cambodia, Laos, and Vietnam	1459	Close-up, wings extended, Field Cat. No. CMF126	1982	Francis CM	Malaysia, Sabah, Madai Caves
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>borneensis</i>	Bornean Horseshoe Bat	Borneo; Labuan and Banguay Isls (Malaysia); Java, Karimata Isls, and South Natuna Isls (Indonesia); Cambodia, Laos, and Vietnam	1460	Close-up of face, Field Cat. No. 970426.18	1997	Francis CM	Laos
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>clivusus</i>	Geoffroy's Horseshoe Bat	Israel, Jordan, Saudi Arabia, Oman, Yemen, Egypt, Libya, Algeria, Sudan, Ethiopia, Eritrea, Djibouti, Somalia, Kenya, Uganda, Dem. Rep. Congo, Rwanda, Burundi, Tanzania, Malawi, Angola, Zambia, Mozambique, Zimbabwe, South Africa, Swaziland, Namibia	220	Close-up of head	1977	Laycock P	South Africa, KwaZulu-Natal, Pietermaritzburg, Ottos Bluff
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>coelophyllus</i>	Croslet Horseshoe Bat	W Malaysia, Thailand, Burma, Laos	1461	Close-up of nose	1987	Francis CM	Malaysia, Perlis
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>creaghi</i>	Creagh's Horseshoe Bat	Borneo; Madura Isl, Kalimantan, (Indonesia); Sabah, Sarawak (Malaysia)	1462	Close-up, wings extended	1982	Francis CM	Malaysia, Sabah, Madai Caves

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>ferrumequinum</i>	Greater Horseshoe Bat	Algeria, Morocco, and Tunisia; S Europe from Portugal to Greece and north to S England, the Netherlands, S Germany, Austria, Czech Republic, Slovakia, and Bulgaria; Turkey, Cyprus, Georgia, and Azerbaijan; Urkrain, Crimea, and Caucasus regions; the Mediterranean coast from Turkey to Israel and Jordan; NE Iraq, Iran, Turkmenistan, Uzbekistan, S Kazakhstan, Afganistan, Pakistan, N India, Nepal, Sikkim, China, Korea, and Japan; adjacent small islands. Records at some localities in northern Europe (e.g., the Netherlands) apparently reflect temporary northern range extensions	960	Close-up ventral view of head and body, hand-held	1974	Andera M	Slovak Republic, southern
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>hipposideros</i>	Lesser Horseshoe Bat	Ireland, N Europe to Iberia and Morocco, through S Europe and N Africa to Kyrgystan and Kashmir; Bulgaria; Israel and Jordan; Arabia; Sudan; Ethiopia; Djibouti. Records at some localities in N Europe (e.g., the Netherlands) apparently reflect temporary northern range extensions	500	Side view, animal hanging in cave	1977	Andera M	Czech Republic, Central Bohemia
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>hipposideros</i>	Lesser Horseshoe Bat	Ireland, N Europe to Iberia and Morocco, through S Europe and N Africa to Kyrgystan and Kashmir; Bulgaria; Israel and Jordan; Arabia; Sudan; Ethiopia; Djibouti. Records at some localities in N Europe (e.g., the Netherlands) apparently reflect temporary northern range extensions	501	Ventral view with detail of face	1977	Andera M	Czech Republic, Central Bohemia
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>lepidus</i>	Blyth's Horseshoe Bat	Afghanistan, Pakistan, N India, Nepal, Burma, Thailand, Szechwan and Yunnan (China), Peninsular Malaysia, Sumatra (Indonesia)	1463	Close-up of head, R. l. refulgens	1987	Francis CM	Malaysia, Negri Sembilan, Pasoh Forest Reserve
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>luctus</i>	Woolly Horseshoe Bat	India, Nepal, Burma, Sri Lanka, S China, Vietnam, Cambodia, Laos, Thailand, Peninsular Malaysia; Borneo, Sumatra, Java, and Bali (Indonesia)	1464	Close-up of head, Field Cat. No. 960409.15	1996	Francis CM	Laos
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>malayanus</i>	Malayan Horseshoe Bat	Thailand, Burma, Cambodia, Laos, Vietnam, Peninsular Malaysia	1465	Close-up, Field Cat. No. 980119.4	1996	Francis CM	Laos
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>megaphyllus</i>	Smaller Horseshoe Bat	E New Guinea; Misima Isl (Louisiade Arch.), Goodenough Isl (D'Entrecasteaux Isls), and Bismarck Arch. (Papua New Guinea); Moluccas, Lesser Sundas; E Queensland, E New South Wales, and E Victoria (Australia)	652	Close-up of head of month-old bat	1979	Herd R	Australia, NSW, Sydney
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>megaphyllus</i>	Smaller Horseshoe Bat	E New Guinea; Misima Isl (Louisiade Arch.), Goodenough Isl (D'Entrecasteaux Isls), and Bismarck Arch. (Papua New Guinea); Moluccas, Lesser Sundas; E Queensland, E New South Wales, and E Victoria (Australia)	653	View of cluster on cave roof	1978	Herd R	Australia, NSW, Sydney
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>paradoxolophus</i>	Bourret's Horseshoe Bat	Vietnam, Thailand, Laos, and China	1466	Nose close-up, Field Cat. No. 980119.2	1998	Francis CM	Laos

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>paradoxolophus</i>	Bourret's Horseshoe Bat	Vietnam, Thailand, Laos, and China	1467	Close-up of face, Field Cat. No. 960416.6 or .15	1996	Francis CM	Laos
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>pearsonii</i>	Pearson's Horseshoe Bat	N India; Nepal; Bhutan; Burma; Tibet, Szechwan, Anhwei, and Fukien (China) to Vietnam; Laos; Thailand; Peninsular Malaysia	1468	Close-up of face, Field Cat. No. 970524.41	1997	Francis CM	Laos
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>philippinensis</i>	Large-eared Horseshoe Bat	Philippines; Kai Isls, Sabah, Sarawak, and Sulawesi (Indonesia); Borneo; New Guinea; NE Queensland (Australia)	1469	Wild; juvenile	1986	Francis CM	Malaysia, Sabah, Gomantong Caves
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>pusillus</i>	Least Horseshoe Bat	India; Nepal; Thailand; Burma; Laos; S China; Peninsular Malaysia; Mentawai Isls, Java and Lesser Sunda Isls (Indonesia), small adjacent islands. Reports of this species from Cambodia cannot be confirmed	1470	Close-up of head, wings extended, Field Cat. No. 980221.21	1998	Francis CM	Laos
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>sedulus</i>	Lesser Woolly Horseshoe Bat	Peninsular Malaysia, Sarawak and Sabah (Malaysia), Borneo (Indonesia)	1471	Close-up	1986	Francis CM	Malaysia, Sabah, Sepilok
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>shameli</i>	Shamel's Horseshoe Bat	Burma, Thailand, Laos, Cambodia, Peninsular Malaysia	1472	Close-up, Field Cat. No. 970426.5	1997	Francis CM	Laos
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>sp.</i>	horseshoe bat	Africa	037	Close-up of head, showing nose-leaf	1975	Visser J	South Africa, Western Cape, Cape Town, Durbanville
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>stheno</i>	Lesser Brown Horseshoe Bat	Vietnam, Thailand, Laos, Peninsular Malaysia, Sumatra and Java (Indonesia)	1473	Close-up of face, Field Cat. No. 980119.1, R. s. microglobosus	1998	Francis CM	Laos
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>thomasi</i>	Thomas's Horseshoe Bat	Burma, Vietnam, Thailand, Laos	1474	Close-up, Field Cat. No. 970524.9	1997	Francis CM	Laos
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>trifoliatus</i>	Trefoil Horseshoe Bat	NE India, SW Thailand, and Burma; Peninsular Malaysia, Sarawak, and Sabah (Malaysia); Singapore; Borneo, Sumatra, Riau Archipelago, Banguet Isl, Java, Banka Isl and Nias Isl (Indonesia)	1475	Close-up of face	1987	Francis CM	Malaysia, Negri Sembilan, Pasoh Forest Reserve
Chiroptera	Rhinolophidae	horseshoe bats	<i>Rhinolophus</i>	<i>virgo</i>	Yellow-faced Horseshoe Bat	Philippines	878	Side view of head	1984	Heideman PD	Philippines, Negros
Chiroptera	Thyropteridae	disc-winged bats	<i>Thyroptera</i>	<i>lavali</i>	LaVal's Disk-winged Bat	Peru, Ecuador, Venezuela, Brazil.	1619	Male, wings spread, discs clearly visible	September 19, 2001	Patterson BD	Peru, Madre de Dios, Maskoitania
Chiroptera	Thyropteridae	disc-winged bats	<i>Thyroptera</i>	<i>lavali</i>	LaVal's Disk-winged Bat	Peru, Ecuador, Venezuela, Brazil.	1620	Closeup of discs and underside of head	September 19, 2001	Patterson BD	Peru, Madre de Dios, Maskoitania
Chiroptera	Thyropteridae	disc-winged bats	<i>Thyroptera</i>	<i>lavali</i>	LaVal's Disk-winged Bat	Peru, Ecuador, Venezuela, Brazil.	1621	Side view, head and right disc in focus	September 19, 2001	Patterson BD	Peru, Madre de Dios, Maskoitania
Chiroptera	Thyropteridae	disc-winged bats	<i>Thyroptera</i>	<i>tricolor</i>	Spix's Disk-winged Bat	Veracruz (Mexico) to Guianas, E Brazil, Bolivia, and Peru; Trinidad	389	Oblique view, showing face and discs	1968	LaVal RK	Costa Rica, Puntarenas, Rincon de Osa
Chiroptera	Vespertilionidae	vesper bats	<i>Antrozous</i>	<i>pallidus</i>	Pallid Bat	Queretaro and Baja California (Mexico) to Kansas (USA) and British Columbia (Canada); Cuba	230	Close-up of head	1968	Glass BP	
Chiroptera	Vespertilionidae	vesper bats	<i>Arielulus</i>	<i>cuprosus</i>	Coppery Sprite	Malaysia, Borneo, Sabah, Sepilok (05°52'N, 117°56'E)	1506	Close-up of head, Cat. No. 830417.1 or .2	1983	Francis CM	Malaysia, Sabah, Field Sepilok
Chiroptera	Vespertilionidae	vesper bats	<i>Barbastella</i>	<i>barbastellus</i>	Western Barbastelle	England and W Europe to Caucasus; Bulgaria; Turkey; Crimea (Ukraine); Morocco; larger Mediterranean islands; Canary Isls; perhaps Senegal	517	Close-up of head, oblique view	1976	Andera M	Czech Republic, Central Bohemia

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Vespertilionidae	vesper bats	<i>Barbastella</i>	<i>barbastellus</i>	Western Barbastelle	England and W Europe to Caucasus; Bulgaria; Turkey; Crimea (Ukraine); Morocco; larger Mediterranean islands; Canary IsIs; perhaps Senegal	733	Oblique view of head and shoulders		Bogdanowicz W	Poland, Lubuskie Lake District, Gorzow
Chiroptera	Vespertilionidae	vesper bats	<i>Barbastella</i>	<i>barbastellus</i>	Western Barbastelle	England and W Europe to Caucasus; Bulgaria; Turkey; Crimea (Ukraine); Morocco; larger Mediterranean islands; Canary IsIs; perhaps Senegal	1384	Front view of resting animal	February 10, 1996	Andera M	Czech Republic, South Bohemia, Chynov
Chiroptera	Vespertilionidae	vesper bats	<i>Chalinolobus</i>	<i>tuberculatus</i>	Long-tailed Wattled Bat	New Zealand and adjacent small islands.	2340	Also as New Zealand Long-tailed Bat	11 January 2013	CA Toth	New Zealand, North Island, Pureora Forest Park
Chiroptera	Vespertilionidae	vesper bats	<i>Chalinolobus</i>	<i>tuberculatus</i>	Long-tailed Wattled Bat	New Zealand and adjacent small islands.	2341	Also as New Zealand Long-tailed Bat	19 January 2013	CA Toth	New Zealand, North Island, Pureora Forest Park
Chiroptera	Vespertilionidae	vesper bats	<i>Chalinolobus</i>	<i>tuberculatus</i>	Long-tailed Wattled Bat	New Zealand and adjacent small islands.	2342	Also as New Zealand Long-tailed Bat	19 January 2013	CA Toth	New Zealand, Little Barrier Island
Chiroptera	Vespertilionidae	vesper bats	<i>Corynorhinus</i>	<i>rafinesquii</i>	Rafinesque's Big-eared Bat	SE USA from Virginia to Missouri, south to E Texas and Florida	394	Close-up of head, oblique view	1970	LaVal RK	USA, SC, Charleston Co., McClellanville
Chiroptera	Vespertilionidae	vesper bats	<i>Corynorhinus</i>	<i>townsendii</i>	Townsend's Big-eared Bat	S British Columbia (Canada) through W USA to Oaxaca (Mexico), east to Virginia	229	Close-up of head, subsp. pallescens	1968	Glass BP	
Chiroptera	Vespertilionidae	vesper bats	<i>Eptesicus</i>	<i>bottae</i>	Botta's Serotine	Rhodes (Greece), Turkey, Egypt, Yemen, Israel, Jordan, Iran, Iraq, Kazakhstan, Turkmenistan, Uzbekistan, Kyrgyzstan, Tajikistan, Afghanistan, east to Mongolia, NW China, and Pakistan	506	Side view, E. b. ognevi	1979	Andera M	Azerbaijan, Baku
Chiroptera	Vespertilionidae	vesper bats	<i>Eptesicus</i>	<i>brasiliensis</i>	Brazilian Brown Bat	Veracruz (Mexico) south to N Argentina, Paraguay, and Uruguay; Trinidad and Tobago	1476	Hanging on rock face	1977	Lord RD	Venezuela, Monagas, Caripe
Chiroptera	Vespertilionidae	vesper bats	<i>Eptesicus</i>	<i>diminutus</i>	Diminutive Serotine	Venezuela, E Brazil, Paraguay, Uruguay, N Argentina	1477	Adult male on rock face	1989	Lord RD	Venezuela, Guarico, Dto. Sarasa, Finca El Retumbo, 80 km SE of Valle de la Pascua
Chiroptera	Vespertilionidae	vesper bats	<i>Eptesicus</i>	<i>furinalis</i>	Argentinian Brown Bat	N Argentina, Paraguay, Bolivia, Brazil, and the Guianas east to Peru and north to Jalisco and Tamaulipas (Mexico)	1478	Hanging on rock face	1977	Lord RD	Venezuela, Aragua, Maracay, I.I.V.
Chiroptera	Vespertilionidae	vesper bats	<i>Eptesicus</i>	<i>fuscus</i>	Big Brown Bat	S Canada to Colombia and N Brazil; Greater Antilles; Bahamas; Dominica and Barbados (Lesser Antilles); Alaska	039	Close-up of head	1970	Twiest GL	USA, PA, Clarion Co., Clarion
Chiroptera	Vespertilionidae	vesper bats	<i>Eptesicus</i>	<i>fuscus</i>	Big Brown Bat	S Canada to Colombia and N Brazil; Greater Antilles; Bahamas; Dominica and Barbados (Lesser Antilles); Alaska	223	Dorsal view, also showing Myotis lucifugus	1942	Wimsatt WA	USA, PA, Mifflin Co., Aitkin Cave
Chiroptera	Vespertilionidae	vesper bats	<i>Eptesicus</i>	<i>innoxius</i>	Harmless Serotine	NW Peru, W Ecuador, Puna Isl (Ecuador)	1479	Female, on rock face	1978	Lord RD	Peru, Tumbes, 14 km S of PanAm Highway on road to Casitas
Chiroptera	Vespertilionidae	vesper bats	<i>Eptesicus</i>	<i>nilssonii</i>	Northern Bat	W and E Europe to E Siberia and NW China; north beyond Arctic Circle in Scandinavia, south to Bulgaria, Iraq, the Elburz Mtns (N Iran), The Pamirs and W China (not Tibet); Korea; Hokkaido (Japan); Sakhalin Isl (Russia)	961	Side view, close-up	1982	Andera M	Czech Republic, Plzen or South Bohemia, Sumava Mountains
Chiroptera	Vespertilionidae	vesper bats	<i>Eptesicus</i>	<i>serotinus</i>	Common Serotine	W Europe through Turkey and S Asiatic Russia to Himalayas, Thailand and China, north to Korea; Taiwan; S England; N Africa; most islands in Mediterranean	507	Close-up of head, oblique view	1979	Andera M	Slovak Republic

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Vespertilionidae	vesper bats	<i>Eptesicus</i>	<i>serotinus</i>	Common Serotine	W Europe through Turkey and S Asiatic Russia to Himalayas, Thailand and China, north to Korea; Taiwan; S England; N Africa; most islands in Mediterranean	894	Oblique view of animal on tree trunk, mouth widely open	1986	Andera M	Czech Republic, Plzen or South Bohemia, Sumava Mountains
Chiroptera	Vespertilionidae	vesper bats	<i>Euderma</i>	<i>maculatum</i>	Spotted Bat	SW Canada and Montana (USA) to Queretaro (Mexico)	734	Dorsal view of animal hanging	1982	Herd R	Canada, BC, Oliver
Chiroptera	Vespertilionidae	vesper bats	<i>Glauconycteris</i>	<i>variegata</i>	Variiegated Butterfly Bat	Senegal to Somalia, south to South Africa	398	Close-up of head, oblique view	1974	LaVal RK	South Africa, KwaZulu-Natal, Port Durnford
Chiroptera	Vespertilionidae	vesper bats	<i>Glischropus</i>	<i>bucephalus</i>	Indochinese Thick-thumbed Bat	Cambodia, Laos, Thailand, and Vietnam	1932	Close-up of side of head; paratype; HNHM 2006.34.37	January 1, 2006	Csorba G	Cambodia, Mondolkiri, Seima Biodiversity Conservation Area (type loc.)
Chiroptera	Vespertilionidae	vesper bats	<i>Harpiocephalus</i>	<i>harpia</i>	Lesser Hairy-winged Bat	S and NE India, S China, Taiwan, Laos and Vietnam, Sumatra, Java, Borneo, S Moluccas, and the Philippines	1480	On a tree, mouth open, teeth visible, Field Cat. No. 980128.7	1998	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Harpiocephalus</i>	<i>harpia</i>	Lesser Hairy-winged Bat	S and NE India, S China, Taiwan, Laos and Vietnam, Sumatra, Java, Borneo, S Moluccas, and the Philippines	1481	Close-up of head, mouth open, teeth visible, Field Cat. No. 980128.7	1998	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Hesperoptenus</i>	<i>blanfordi</i>	Blanford's Bat	Burma, Thailand, Cambodia, Laos, Malay Peninsula, Borneo	1482	On the side of a tree, Field Cat. No. 980123.39	1998	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Hesperoptenus</i>	<i>tickelli</i>	Tickell's Bat	India (including Andaman Isls), Sri Lanka, Nepal, Bhutan, Burma, Cambodia, Laos, Thailand, perhaps SW China	1483	Close-up on a tree	1998	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Hypsugo</i>	<i>savii</i>	Savi's Pipistrelle	France, Portugal, Spain, Italy, S Switzerland, Austria, E. Hungary, Balkan Countries, Morocco, N Algeria, and the Canary Isls. (Spain) and Cape Verde Isls through the Crimea and Caucasus, Turkey, Lebanon, Syria, Israel Iran, Kazakhstan, Turkmenistan, Uzbekistan, Kyrgyzstan, Tajikistan, Afghanistan to N India and Burma	505	Side view	1977	Andera M	Bulgaria, Rhodope
Chiroptera	Vespertilionidae	vesper bats	<i>Kerivoula</i>	<i>hardwickii</i>	Hardwicke's Woolly Bat	India and Sri Lanka, Burma, Laos, Cambodia, Vietnam, Thailand, China, W Malaysia, Borneo, Java, Sumatra, Nusa Penida, Mentawai Isls, Sulawesi, Bali, Lesser Sundas, Kangean Isl and Talaud Isl (Indonesia), Philippines	1485	Front view, wings extended	1982	Francis CM	Malaysia, Sabah, Madai Caves
Chiroptera	Vespertilionidae	vesper bats	<i>Kerivoula</i>	<i>intermedia</i>	Small Woolly Bat	Borneo, W Malaysia	1486	Hand-held, wings folded	1986	Francis CM	Malaysia, Sabah, Sepilok
Chiroptera	Vespertilionidae	vesper bats	<i>Kerivoula</i>	<i>minuta</i>	Least Woolly Bat	W Malaysia, S Thailand, Borneo	1488	Front view, wings extended	1982	Francis CM	Malaysia, Sabah, Madai Caves
Chiroptera	Vespertilionidae	vesper bats	<i>Kerivoula</i>	<i>papillosa</i>	Papillose Woolly Bat	Thailand, Cambodia, Vietnam, W Malaysia, Sumatra, Java, Sulawesi, Borneo	1489	Baby clinging to mother (captured in flight together)	1984	Francis CM	Malaysia, Sabah, Sepilok
Chiroptera	Vespertilionidae	vesper bats	<i>Kerivoula</i>	<i>pellucida</i>	Clear-winged Woolly Bat	Borneo, Philippines, Java and Sumatra, W Malaysia	1490	Close-up, wings extended	1982	Francis CM	Malaysia, Sabah, Madai Caves
Chiroptera	Vespertilionidae	vesper bats	<i>Kerivoula</i>	<i>picta</i>	Painted Woolly Bat	Sri Lanka; India and Nepal to Vietnam, W Malaysia, and S China; Borneo; Sumatra, Java, Bali, Lombok, and Molucca Isls	1491	Full ventral view, wings extended, Field Cat. No. 960331.2	1996	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Kerivoula</i>	<i>titania</i>	Titania's Woolly Bat	Cambodia, China (Hainan), Laos, Myanmar, Taiwan, Thailand, Vietnam	1936	Close-up of head (HNHM.2007.27.8)	May 2, 2007	Furey, NM	Vietnam, Bac Kan, Ba Be National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Vespertilionidae	vesper bats	<i>Lasionycteris</i>	<i>noctivagans</i>	Silver-haired Bat	S Canada, USA (including SE Alaska, and except extreme southern parts), NE Mexico, Bermuda	658	Side view of bat on log	1978	Van Devender RW	USA, NC, Watauga Co.
Chiroptera	Vespertilionidae	vesper bats	<i>Lasiurus</i>	<i>blossevillii</i>	Western Red Bat	Bolivia, N Argentina, Uruguay, and Brazil to W North America (but not E North America); Trinidad and Tobago; Galapagos (Ecuador).	1723	Dorsal view of head	May 16, 2010	Wyatt DT	USA, CA, Sutter Co., Sutter Buttes, south of North Butte
Chiroptera	Vespertilionidae	vesper bats	<i>Lasiurus</i>	<i>borealis</i>	Eastern Red Bat	E North America, Bermuda	040	Dorsal view of bat roosting on tree trunk	1970	Altig R	USA, MS, Oktibbeha Co.
Chiroptera	Vespertilionidae	vesper bats	<i>Lasiurus</i>	<i>borealis</i>	Eastern Red Bat	E North America, Bermuda	655	Close-up view of adult male	1981	Clauson BL	USA, IL, Cook Co., Chicago
Chiroptera	Vespertilionidae	vesper bats	<i>Lasiurus</i>	<i>borealis</i>	Eastern Red Bat	E North America, Bermuda	815	Hanging from branch of tree	1982	August PV	USA, RI, Washington Co., Richmond
Chiroptera	Vespertilionidae	vesper bats	<i>Lasiurus</i>	<i>cinereus</i>	Hoary Bat	Colombia and Venezuela to C Chile, Bolivia, Uruguay, and C Argentina; Hawaii (USA); Guatemala and Mexico throughout the USA to S British Columbia, SE Mackenzie, Hudson Bay and S Quebec (Canada); Galapagos Isls (Ecuador); Bermuda; accidental on Cuba, Hispaniola, Iceland, and the Orkney Isls (Scotland)	041	Ventral view, hand-held, L. c. villosissimus		Myers P	Paraguay, Chaco
Chiroptera	Vespertilionidae	vesper bats	<i>Lasiurus</i>	<i>cinereus</i>	Hoary Bat	Colombia and Venezuela to C Chile, Bolivia, Uruguay, and C Argentina; Hawaii (USA); Guatemala and Mexico throughout the USA to S British Columbia, SE Mackenzie, Hudson Bay and S Quebec (Canada); Galapagos Isls (Ecuador); Bermuda; accidental on Cuba, Hispaniola, Iceland, and the Orkney Isls (Scotland)	042	Dorsal view, hand-held, L. c. villosissimus		Myers P	Paraguay, Chaco
Chiroptera	Vespertilionidae	vesper bats	<i>Lasiurus</i>	<i>cinereus</i>	Hoary Bat	Colombia and Venezuela to C Chile, Bolivia, Uruguay, and C Argentina; Hawaii (USA); Guatemala and Mexico throughout the USA to S British Columbia, SE Mackenzie, Hudson Bay and S Quebec (Canada); Galapagos Isls (Ecuador); Bermuda; accidental on Cuba, Hispaniola, Iceland, and the Orkney Isls (Scotland)	656	Bat hanging from branch	1980	Riepe D (contrib. by A. O'Connell)	USA, NY, Kings Co., Brooklyn, Jamaica Bay Wildlife Refuge
Chiroptera	Vespertilionidae	vesper bats	<i>Lasiurus</i>	<i>cinereus</i>	Hoary Bat	Colombia and Venezuela to C Chile, Bolivia, Uruguay, and C Argentina; Hawaii (USA); Guatemala and Mexico throughout the USA to S British Columbia, SE Mackenzie, Hudson Bay and S Quebec (Canada); Galapagos Isls (Ecuador); Bermuda; accidental on Cuba, Hispaniola, Iceland, and the Orkney Isls (Scotland)	1724	Entire animal hanging on branch of a blue oak (<i>Quercus douglasii</i>)	March 22, 2011	Wyatt DT	USA, CA, Sutter Co., Sutter Buttes, south of North Butte
Chiroptera	Vespertilionidae	vesper bats	<i>Lasiurus</i>	<i>ega</i>	Southern Yellow Bat	S Texas, E and S Mexico south to Bolivia, Argentina, Parguay, Uruguay, and Brazil; Trinidad	1537	Close-up sideview of head, teeth visible	1985	Lord RD	Venezuela, Cojedes, Finca La Fe, 60 km SE of Inaco
Chiroptera	Vespertilionidae	vesper bats	<i>Lasiurus</i>	<i>intermedius</i>	Southern Yellow Bat	Honduras to Sinaloa (Mexico) and through Texas to Florida and New Jersey (USA); Cuba.	2350		8 June 2008	H Fuentes-Moreno	Mexico, Oaxaca, Isthmus of Tehuantepec, La Venta
Chiroptera	Vespertilionidae	vesper bats	<i>Miniopterus</i>	<i>australis</i>	Little Long-fingered Bat	Philippines, Borneo, Java, Timor, Moluccas, southeast to Vanuatu and E Australia	1492	Front view, wings extended	1982	Francis CM	Malaysia, Sabah, Madai Caves
Chiroptera	Vespertilionidae	vesper bats	<i>Miniopterus</i>	<i>fraterculus</i>	Lesser Long-fingered Bat	South Africa, Malawi, Zambia, Angola, Mozambique, Madagascar	396	Close-up of head, oblique view	1975	LaVal RK	South Africa, KwaZulu-Natal, Port Durnford

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Vespertilionidae	vesper bats	<i>Miniopterus</i>	<i>inflatus</i>	Greater Long-fingered Bat	Kenya, Uganda, Burundi, E and S Dem. Rep. Congo, Cameroon, Gabon, Mozambique, Liberia, perhaps Nigeria. W African distribution uncertain because of confusion with <i>schreibersii</i>	397	Close-up of head, oblique view	1975	LaVal RK	Zimbabwe, Manicaland, Mutare (formerly Umtali)
Chiroptera	Vespertilionidae	vesper bats	<i>Miniopterus</i>	<i>magnater</i>	Western Long-fingered Bat	NE India, SE China, Burma, Thailand, Laos, and Vietnam to Malaysia, Sumatra, Java, Timor (Indonesia), Borneo, Moluccas, and New Guinea including the Bismarck Arch	1493	Full side view on a branch, Field Cat. No. 980127.8	1998	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Miniopterus</i>	<i>schreibersii</i>	Schreiber's Long-fingered Bat	S Europe and Morocco through the Caucasus, Iran, and Bulgaria to most of China and Japan; most of Indo-Malayan region; Philippines; New Guinea; Solomon IsIs (including Bougainville IsI); Australia; subsaharan Africa; Bismarck Arch	514	Close-up of head, oblique view	1977	Andera M	Slovak Republic
Chiroptera	Vespertilionidae	vesper bats	<i>Miniopterus</i>	<i>schreibersii</i>	Schreiber's Long-fingered Bat	S Europe and Morocco through the Caucasus, Iran, and Bulgaria to most of China and Japan; most of Indo-Malayan region; Philippines; New Guinea; Solomon IsIs (including Bougainville IsI); Australia; subsaharan Africa; Bismarck Arch	657	Dorsal view, M. s. blepotis	1980	Andera M	Australia, NSW, Sydney
Chiroptera	Vespertilionidae	vesper bats	<i>Murina</i>	<i>aenea</i>	Bronze Tube-nosed Bat	W Malaysia, Borneo	1494	Ventral view, wings extended, Field Cat. No. 821210.1	1982	Francis CM	Malaysia, Sabah, Sepilok
Chiroptera	Vespertilionidae	vesper bats	<i>Murina</i>	<i>aurata</i>	Little Tube-nosed Bat	NE India, Nepal to SW China (including E Tibet) and Burma, Thailand	1495	Close-up, Field Cat. No. 960413.5	1996	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Murina</i>	<i>beelzebub</i>	Diabolic Tube-nosed Bat	Vietnam, Gia Lai and Quang Tri provinces	1933	Head, body, and most of wings; paratype; HNHM 2007.50.7.	November 8, 2007	Csorba G	Vietnam, Quang Tri, Bac Huong Hoa Nature Reserve (type loc.)
Chiroptera	Vespertilionidae	vesper bats	<i>Murina</i>	<i>beelzebub</i>	Diabolic Tube-nosed Bat	Vietnam, Gia Lai and Quang Tri provinces	1934	Head, body, and most of wings; paratype; HNHM 2007.50.7.	November 8, 2007	Csorba G	Vietnam, Quang Tri, Bac Huong Hoa Nature Reserve (type loc.)
Chiroptera	Vespertilionidae	vesper bats	<i>Murina</i>	<i>cineracea</i>	Ashy-gray Tube-nosed Bat	Pakistan, N India, Burma, Thailand, Laos, Vietnam	1497	Side view on a tree, Field Cat. No. 970516.12	1997	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Murina</i>	<i>cineracea</i>	Ashy-gray Tube-nosed Bat	India, Laos, Myanmar, Thailand, Vietnam	1937	Ventral view of head and abdomen	April 25, 2007	Furey, NM	Vietnam, Bac Kan, Kim Hy Nature Reserve
Chiroptera	Vespertilionidae	vesper bats	<i>Murina</i>	<i>cyclotis</i>	Round-eared Tube-nosed Bat	Sri Lanka and India to Kwangtung and Hainan (China); Myanmar, Laos, and Vietnam, south to W Malaysia, Borneo, Sumatra, Philippines, and Lesser Sunda IsIs. Records from Cambodia are erroneous	1496	Side view on a tree, Field Cat. No. 980123.15	1998	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Murina</i>	<i>tiensa</i>	Fairy Tube-nosed Bat	Vietnam, Laos	1940	Close-up of head (NF.301006.1, housed in the collection of Vu Dinh Thong, Institute of Ecology and Biological Resources, Hanoi, Vietnam)	October 30, 2006	Furey, NM	Vietnam, Bac Kan, Kim Hy Nature Reserve
Chiroptera	Vespertilionidae	vesper bats	<i>Murina</i>	<i>walstoni</i>	Walston's Tube-nosed Bat	Cambodia, Koh Kong and Ratanikiri provinces, and Vietnam, Dak Lak province	1935	Close-up of side of head of holotype; HNHM 2010.20.1.	March 1, 2010	Csorba G	Cambodia, Ratanakiri, Veun Sai Protected Forest

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Vespertilionidae	vesper bats	<i>Murina</i>	<i>eleryi</i>	Elery's Tube-nosed Bat	Vietnam, Laos	1939	Ventral view of head and abdomen (HNHM.2007.51.1., holotype)	October 11, 2007	Furey, NM	Vietnam, Bac Kan, Kim Hy Nature Reserve
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>albescens</i>	Silver-tipped Myotis	S Veracruz (Mexico), Guatemala, Honduras, Nicaragua, Panama, Colombia, Venezuela, Guyana, Surinam, Ecuador, Peru, Brazil, Uruguay, N Argentina, Paraguay, and Bolivia	1538	Female, Side view of head, mouth open, teeth visible	1985	Lord RD	Venezuela, Apure, Hato El Frio
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>annectans</i>	Hairy-faced Myotis	NE India to Burma, Thailand, Laos, Cambodia, and Vietnam	1498	Close-up of head, side view, mouth open, teeth visible	1996	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>bechsteinii</i>	Bechstein's Myotis	Europe to Caucasus and Iran; Bulgaria; England; S Sweden	730	Close-up of head, showing open mouth and teeth	1982	Bogdanowicz W	Poland, Lubuskie Lake District, Gorzow
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>brandtii</i>	Brandt's Myotis	Britain south to Italy, Greece, and Bulgaria; east to Kazakhstan and Mongolia, E Siberia including Sakhalin Isls, Kamchatka Peninsula and Kurile Isls; Ussuri region (Russia); Korea	731	Side view, bat hanging with open mouth	1982	Bogdanowicz W	Poland, Lubuskie Lake District, Gorzow
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>dasycneme</i>	Pond Myotis	France and Sweden east to Yenisei River (Russia), south to Ukraine, NW Kazakhstan; a single record from Manchuria (China)	962	Oblique view, close-up of head and body	1978	Andera M	Czech Republic, NE Bohemia, Krkonose Mountains
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>daubentonii</i>	Daubenton's Myotis	Europe (including Britain and Ireland; Scandinavia) east to Kamtschatka, Vladivostok, Sakhalin and Kurile Isls (Russia), Japan, Korea, Manchuria, N and E China (including Tibet), Vietnam	508	Close-up of head, oblique view	1978	Andera M	Czech Republic, South Bohemia
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>emarginatus</i>	Geoffroy's Myotis	S Europe, north to Netherlands and S Poland, Crimea, Caucasus and Kopet Dag Mtns, east and south to Israel, Jordan, Syria, Lebanon, Saudi Arabia, Oman, E Iran, Kyrgyzstan, Tajikistan, Uzbekistan, and Afghanistan; Morocco, Algeria, and Tunisia	509	Close-up oblique view	1979	Andera M	Slovak Republic, Košice, Jasov, South Slovakia cave
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>evotis</i>	Long-eared Myotis	S British Columbia, S Alberta, S Saskatchewan (Canada) to New Mexico (USA) and Baja California (Mexico)	732	Hand-held front view with wings spread	1961	Hall JG	USA, AZ, Grand Canyon National Park
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>formosus</i>	Hodgson's Myotis	Afghanistan to N India, Nepal, Tibet, Kweichow, Kwangsi, Kiangsu and Fukien (China); Taiwan, Korea, Tsushima Isl (Japan), Malaysia, Philippines, Sumatra, Java, Sulawesi, and Bali	1499	Side view, on a tree, wing partially extended, Field Cat. No. 970510.6	1997	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>griseescens</i>	Gray Myotis	Florida Panhandle to Kentucky, Indiana, Illinois, E Kansas and NE Oklahoma (USA)	228	Dorsal view	1965	LaVal RK	USA, KY, Short Cave
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>horsfieldii</i>	Horsfield's Myotis	India (including Andaman Isls, SE China, Thailand, Burma, Laos, Vietnam, W Malaysia, Java, Bali, Sulawesi, Borneo, Philippines	1500	Full view, Field Cat. No. 970430.13	1997	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>keaysi</i>	Hairy-legged Myotis	Tamaulipas (Mexico) to Bolivia, N Argentina, Peru, Ecuador, Venezuela, and Trinidad	393	Close-up, oblique view of head and body	1969	LaVal RK	Honduras, Francisco Morazan, Talanga

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>lucifugus</i>	Little Brown Myotis	Alaska (USA) to Labrador and Newfoundland (Canada), south to S California, N Arizona, N New Mexico (USA)	224	View of bat hanging from cave roof	1977	LaVal RK	USA, KY, Boone Co., Hunter's Cave
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>lucifugus</i>	Little Brown Myotis	Alaska (USA) to Labrador and Newfoundland (Canada), south to S California, N Arizona, N New Mexico (USA)	225	Large cluster roosting on cave wall	1942	Wimsatt WA	USA, PA, Mifflin Co., Aitkin Cave
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>lucifugus</i>	Little Brown Myotis	Alaska (USA) to Labrador and Newfoundland (Canada), south to S California, N Arizona, N New Mexico (USA)	814	Side view of three individuals hanging from cave roof	1983	Simmons T	USA, NY, Schoharie Co., Gage's Cave, near Schoharie
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>muricola</i>	Nepalese Whiskered Myotis	Afghanistan through N India and Nepal to Taiwan, Vietnam, Malaysia, Indonesia, and New Guinea; possibly the Philippines	1501	Full view, Field Cat. No. 980127.57	1998	Francis CM	Laos, Khammouane Province
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>myotis</i>	Mouse-eared Myotis	C and S Europe, east to Ukraine; S England; most Mediterranean islands; Azores (Portugal); Asia Minor; Lebanon, Syria, and Israel	510	Side view, hanging in cave, covered with dew	1977	Andera M	Czech Republic, Central Bohemia
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>myotis</i>	Mouse-eared Myotis	C and S Europe, east to Ukraine; S England; most Mediterranean islands; Azores (Portugal); Asia Minor; Lebanon, Syria, and Israel	783	Close-up of albino with insect in mouth	1982	Andera M	Czech Republic, Bohemia
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>myotis</i>	Mouse-eared Myotis	C and S Europe, east to Ukraine; S England; most Mediterranean islands; Azores (Portugal); Asia Minor; Lebanon, Syria, and Israel	1385	Group in cave	December 31, 1995	Andera M	Czech Republic, Loreta
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>mystacinus</i>	Whiskered Myotis	Ireland and Scandinavia to C Russia and the Ural Moutains, Kazakhstan, south to Syria, Israel, and Morocco	511	Close-up of head, oblique view	1976	Andera M	Czech Republic, Central Bohemia
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>nattereri</i>	Natterer's Myotis	Ireland, Great Britain, Europe (except N Scandinavia), Morocco, N Algeria, Turkey, Israel, Jordan, Lebanon, Iraq, Iran, Bulgaria, Crimea and Caucasus to Turkmenistan	512	Lateral view of resting bat, showing hind foot	1978	Andera M	Czech Republic, South Bohemia, Cave Chynov
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>nigricans</i>	Black Myotis	Nayarit and Tamaulipas (Mexico) to Peru, Bolivia, N Argentina, Paraguay, and S Brazil; Trinidad and Tobago; St. Martin, Montserrat, Grenada (Lesser Antilles).	1622	Side view, suspended by wings, mouth open	2001	Patterson BD	Peru, San Martin, Consuelo
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>oxyotus</i>	Montane Myotis	Venezuela to Bolivia; Panama; Costa Rica.	1623	Side view, suspended by wings	November 2, 2001	Patterson BD	Peru, Cuzco, La Esperanza
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>oxyotus</i>	Montane Myotis	Venezuela to Bolivia; Panama; Costa Rica.	1624	Ventral view with wings spread	November 2, 2001	Patterson BD	Peru, Cuzco, La Esperanza
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>ricketti</i>	Rickett's Big-footed Myotis	Fukien, Anhwei, Kiangsu, Shantung, Yunnan (China); Hong Kong; Vietnam and Laos	1502	Side view, on a tree	1998	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>ridleyi</i>	Ridley's Myotis	W Malaysia, Sumatra, Borneo	1503	Close-up of face	1987	Francis CM	Malaysia, Negri Sembilan, Pasoh Forest Reserve
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>riparius</i>	Riparian Myotis	Honduras south to Uruguay, E Brazil, Argentina, Paraguay, and Bolivia; Trinidad	1539	Close-up side view of head, mouth open, teeth visible	1977	Lord RD	Ecuador, Guayas, Salitre
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>septentrionalis</i>	Northern Myotis	E United States and Canada west to British Columbia, E Montana, E Wyoming; south to Alabama, Georgia, and Florida Panhandle	226	Side view, hanging from cave wall	1965	LaVal RK	USA, KY, Short Cave

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>septentrionalis</i>	Northern Myotis	E United States and Canada west to British Columbia, E Montana, E Wyoming; south to Alabama, Georgia, and Florida Panhandle	227	Side view, resting upright	1978	LaVal RK	USA, MO, Franklin Co.
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>siligorensis</i>	Himalayan Whiskered Myotis	N India to S China, Burma, Vietnam, and Laos; south to W Malaysia; Borneo	1504	Hanging from branch, Field Cat. No. 920727.1	1992	Francis CM	Malaysia, Pahang, Kuala Lompat, Krau Wildlife Reserve
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>simus</i>	Velvety Myotis	Colombia, Ecuador, Peru, N Brazil, Bolivia, NE Argentina, and Paraguay	1938	Side view of head. Image in Mammalian Species 892.	August, 2000	Tschapka M	Bolivia, Santa Cruz, El Refugio Huanchaca, near Parque Nacional Noel Kempff Mercado
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>sodalis</i>	Indiana Myotis	New Hampshire to Florida Panhandle, west to Wisconsin and Oklahoma (USA)	391	Front view of partial albino	1978	LaVal RK	USA, MO, Iron Co
Chiroptera	Vespertilionidae	vesper bats	<i>Myotis</i>	<i>tricolor</i>	Temminck's Myotis	Liberia, Ethiopia and Dem. Rep. Congo, south to South Africa	392	Close-up front view	1974	LaVal RK	South Africa, KwaZulu-Natal, Pietermaritzburg
Chiroptera	Vespertilionidae	vesper bats	<i>Neoromicia</i>	<i>capensis</i>	Cape Serotine	Guinea-Bissau to Ethiopia, south to South Africa	390	Close-up of head and body	1974	LaVal RK	South Africa, KwaZulu-Natal, Pietermaritzburg
Chiroptera	Vespertilionidae	vesper bats	<i>Niumbaha</i>	<i>superba</i>	Badger Bat	Côte d'Ivoire, Ghana, NE Dem. Rep. Congo, South Sudan.	2045	Ventral view of pinned specimen. Formerly <i>Glauconycteris superba</i> , Pied Butterfly Bat.	July 26, 2012	Vodzak ME	South Sudan, Western Equatoria, Bangangai Game Reserve
Chiroptera	Vespertilionidae	vesper bats	<i>Niumbaha</i>	<i>superba</i>	Badger Bat	Côte d'Ivoire, Ghana, NE Dem. Rep. Congo, South Sudan.	2046	Dorsal view of pinned specimen. Formerly <i>Glauconycteris superba</i> , Pied Butterfly Bat.	July 26, 2012	Vodzak ME	South Sudan, Western Equatoria, Bangangai Game Reserve
Chiroptera	Vespertilionidae	vesper bats	<i>Niumbaha</i>	<i>superba</i>	Badger Bat	Côte d'Ivoire, Ghana, NE Dem. Rep. Congo, South Sudan.	2047	Front view of held animal. Formerly <i>Glauconycteris superba</i> , Pied Butterfly Bat.	July 26, 2012	Vodzak ME	South Sudan, Western Equatoria, Bangangai Game Reserve
Chiroptera	Vespertilionidae	vesper bats	<i>Niumbaha</i>	<i>superba</i>	Badger Bat	Côte d'Ivoire, Ghana, NE Dem. Rep. Congo, South Sudan.	2048	Side view of held animal. Formerly <i>Glauconycteris superba</i> , Pied Butterfly Bat.	July 26, 2012	Vodzak ME	South Sudan, Western Equatoria, Bangangai Game Reserve
Chiroptera	Vespertilionidae	vesper bats	<i>Nyctalus</i>	<i>noctula</i>	Noctule	Europe and S Scandinavia to Urals and Caucasus; Turkey to Israel and Oman; W Turkmenistan, W Kazakhstan, Uzbekistan, Kyrgyzstan, and Tajikistan to SW Siberia, Himalayas, south to Burma, Vietnam, and W Malaysia; possibly Algeria. A record from Mozambique is dubious (Koopman, 1993, 1994)	515	Close-up view of bat in tree cavity	1977	Andera M	Czech Republic, South Bohemia
Chiroptera	Vespertilionidae	vesper bats	<i>Nycticeius</i>	<i>humeralis</i>	Evening Bat	N Veracruz (Mexico) to Nebraska, the Great Lakes, and Pennsylvania, south to Florida and the Gulf coast (USA)	232	Dorsal view	1965	LaVal RK	USA, LA, East Baton Rouge Par.
Chiroptera	Vespertilionidae	vesper bats	<i>Phoniscus</i>	<i>atrox</i>	Groove-tooth Trumpet-eared Bat	S Thailand, W Malaysia, Sumatra, Borneo	1484	Close-up of head	1987	Francis CM	Malaysia, Negri Sembilan, Pasoh Forest Reserve
Chiroptera	Vespertilionidae	vesper bats	<i>Phoniscus</i>	<i>jagorii</i>	Peters's Trumpet-eared Bat	Laos; Peninsular Malaysia, Borneo, Java, Bali, Sulawesi, and Lesser Sunda Isls, Samar Isl (Philippines).	1485	Close-up, wings extended, Field Cat. No. 980124.10	1998	Francis CM	Laos

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Chiroptera	Vespertilionidae	vesper bats	<i>Pipistrellus</i>	<i>coromandra</i>	Indian Pipistrelle	Afghanistan, Bangladesh, India (including Nicobar Isls), Sri Lanka, Pakistan, Nepal, Bhutan, Burma, Cambodia, Thailand, S China	1505	Close-up, side view of head, Field Cat. No. 980123.43	1998	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Pipistrellus</i>	<i>kuhlii</i>	Kuhl's Pipistrelle	C Europe, Near East through the Caucasus to Kazakhstan and Pakistan; SW Asia	504	Side view	1979	Andera M	Libya
Chiroptera	Vespertilionidae	vesper bats	<i>Pipistrellus</i>	<i>paterculus</i>	Mount Popa Pipistrelle	N India, Burma, Thailand, Vietnam, SW China	1507	Full view on the side of a tree, Field Cat. No. 980227.6	1998	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Pipistrellus</i>	<i>paterculus</i>	Mount Popa Pipistrelle	N India, Burma, Thailand, Vietnam, SW China	1508	Close-up side view, Field Cat. No. 970426.8	1997	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Pipistrellus</i>	<i>subflavus</i>	Eastern Pipistrelle	Nova Scotia, S Quebec (Canada), and Minnesota (USA), south to Florida (USA) and Honduras	038	Bat hanging from cave roof, covered with dew	1968	Snyder DH	USA, TN, Stewart Co., Tobacco Port Cave
Chiroptera	Vespertilionidae	vesper bats	<i>Pipistrellus</i>	<i>subflavus</i>	Eastern Pipistrelle	Nova Scotia, S Quebec (Canada), and Minnesota (USA), south to Florida (USA) and Honduras	654	Close-up view on tree trunk	1980	Van Devender RW	USA, NC, Avery Co.
Chiroptera	Vespertilionidae	vesper bats	<i>Plecotus</i>	<i>auritus</i>	Brown Long-eared Bat	Norway, Ireland, and Spain to Sakhalin Isl (Russia), Korea, Japan, N China, Nepal, India	513	Close-up of head, oblique view, showing ears	1978	Andera M	Czech Republic, South Bohemia
Chiroptera	Vespertilionidae	vesper bats	<i>Rhogeessa</i>	<i>minutilla</i>	Tiny Yellow Bat	NE Colombia, coastal Venezuela (including Margarita Isl)	1540	Dorsal view on a tree	1984	Lord RD	Venezuela, Lara, Matatere
Chiroptera	Vespertilionidae	vesper bats	<i>Scotomanes</i>	<i>ornatus</i>	Harlequin Bat	NE India (including Sikkim), Burma, S China, Thailand, Vietnam	1509	On tree with head back, Field Cat. No. 980210.12	1998	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Scotophilus</i>	<i>nigrita</i>	Giant House Bat	Senegal to Sudan, E Dem. Rep. Congo, Kenya, Zimbabwe, Malawi, and Mozambique	231	Close-up of head	1976	Laycock P	South Africa, KwaZulu-Natal, Pietermaritzburg
Chiroptera	Vespertilionidae	vesper bats	<i>Scotophilus</i>	<i>viridis</i>	Green House Bat	Senegal to Ethiopia south to Namibia and South Africa	395	Close-up of head, oblique view	1974	LaVal RK	South Africa, KwaZulu-Natal, Port Durnford
Chiroptera	Vespertilionidae	vesper bats	<i>Tylonycteris</i>	<i>pachypus</i>	Lesser Bamboo Bat	Bangladesh, India, Burma, S China, Thailand, Burma, Laos, Cambodia, Vietnam to Peninsular Malaysia, Philippines, Sumatra, Java, Borneo, Bali (Indonesia); Andaman Isls (India)	1510	Lying on bamboo, Field Cat. No. 980127.28	1998	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Tylonycteris</i>	<i>robustula</i>	Greater Bamboo Bat	NE India, Burma, Cambodia, Laos, Vietnam, S China to the Philippines, Sulawesi, Sumatra, Java, Bali, Borneo, and Ambon Isl (Moluccas)	1511	Lying on bamboo, Field Cat. No. 980127.80+D21	1998	Francis CM	Laos
Chiroptera	Vespertilionidae	vesper bats	<i>Vespertilio</i>	<i>murinus</i>	Particolored Bat	E France, Britain, and Norway across C Russia, Caucasus, S Ural, S Siberia, Ussuri region (Russia), Mongolia, NE China, and Korea; Bulgaria, Turkey, Iran, Kazakhstan, Turkmenistan, Uzbekistan, Kyrgyzstan, Tajikistan, E Afghanistan and N Pakistan	516	Close-up of head, oblique view	1978	Andera M	Czech Republic, Vysocina, Moravia, Trebic
Cingulata	Dasypodidae	armadillos	<i>Cabassous</i>	<i>tatouay</i>	Greater Naked-tailed Armadillo	Uruguay, S Brazil, SE Paraguay, and NE Argentina.	542	Young adult male	1980	Carter TS	Brazil, Minas Gerais, Serra da Canastra National Park
Cingulata	Dasypodidae	armadillos	<i>Cabassous</i>	<i>unicinctus</i>	Southern Naked-tailed Armadillo	South America east of the Andes from Colombia to Bolivia and Mato Grosso do Sul, Brazil.	543	Close-up of anterior end of adult female, C. u. squamicaudis	1980	Carter TS	Brazil, Minas Gerais, Serra da Canastra National Park
Cingulata	Dasypodidae	armadillos	<i>Chlamyphorus</i>	<i>truncatus</i>	Pink Fairy Armadillo	Argentina	956	Side view, hand-held		Rood J	Argentina

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Cingulata	Dasypodidae	armadillos	<i>Dasypus</i>	<i>novemcinctus</i>	Nine-banded Armadillo	S USA, México, Central and South America to N Argentina, the Lesser Antilles (Grenada), and Trinidad and Tobago.	053	Side view	1963	Master LL	USA, FL, Glades Co.
Cingulata	Dasypodidae	armadillos	<i>Dasypus</i>	<i>novemcinctus</i>	Nine-banded Armadillo	S USA, México, Central and South America to N Argentina, the Lesser Antilles (Grenada), and Trinidad and Tobago.	242	Side view	1978	Thorington CM	Panama, Barro Colorado Island
Cingulata	Dasypodidae	armadillos	<i>Dasypus</i>	<i>sabanicola</i>	Llanos Long-nosed Armadillo	Llanos of Venezuela and Colombia.	1397	Two-thirds side view	2000	Lord RD	Venezuela, Apure, 30 km SW of Mantecal, Hato Ed Cedral
Cingulata	Dasypodidae	armadillos	<i>Dasypus</i>	<i>septemcinctus</i>	Seven-banded Armadillo	Lower Amazon Basin of Brazil to the Gran Chaco of Bolivia, Paraguay, and N Argentina.	541	Adult female	1980	Carter TS	Brazil, Minas Gerais, Serra da Canastra National Park
Cingulata	Dasypodidae	armadillos	<i>Dasypus</i>	<i>septemcinctus</i>	Seven-banded Armadillo	Lower Amazon Basin of Brazil to the Gran Chaco of Bolivia, Paraguay, and N Argentina.	2079	Adult (presumably female) and six juveniles (presumably her offspring)	41538	HR Delpietro	Argentina, Corrientes, Ituzaingo department
Cingulata	Dasypodidae	armadillos	<i>Euphractus</i>	<i>sexcinctus</i>	Six-banded Armadillo	S Surinam and adjacent Brazil as a northern isolated segment; E Brazil to Bolivia, Paraguay, Uruguay, and N Argentina as the main population.	055	Side view		Myers P	Paraguay, Chaco
Cingulata	Dasypodidae	armadillos	<i>Euphractus</i>	<i>sexcinctus</i>	Six-banded Armadillo	S Surinam and adjacent Brazil as a northern isolated segment; E Brazil to Bolivia, Paraguay, Uruguay, and N Argentina as the main population.	741	Oblique view of head and claws of forefoot	1980	Carter TS	Brazil, Minas Gerais, Serra da Canastra National Park
Cingulata	Dasypodidae	armadillos	<i>Priodontes</i>	<i>maximus</i>	Giant Armadillo	South America east of the Andes from N Venezuela and the Guianas south to Bolivia, Paraguay, and N Argentina.	831	Ventral view of individual held by person	1980	Carter TS	Brazil, Minas Gerais, Serra da Canastra National Park, Parna
Cingulata	Dasypodidae	armadillos	<i>Tolypeutes</i>	<i>matacus</i>	Southern Three-banded Armadillo	E Bolivia and SW Brazil south through the Gran Chaco of Paraguay to Argentina (Buenos Aires).	054	Ball-shaped defensive posture		Myers P	Paraguay, Chaco
Cingulata	Dasypodidae	armadillos	<i>Tolypeutes</i>	<i>matacus</i>	Southern Three-banded Armadillo	E Bolivia and SW Brazil south through the Gran Chaco of Paraguay to Argentina (Buenos Aires).	1354	Side view, feet and tail visible	1994	Huckaby DG	USA, DC, Washington, National Zoological Park
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Antechinomys</i>	<i>laniger</i>	Kultarr	Western Australia, S Northern Territory, N Victoria, W New South Wales, SW Queensland, N South Australia.	002	Side view of captive		Eisenberg JF	USA, DC, Washington, National Zoological Park
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Antechinus</i>	<i>flavipes</i>	Yellow-footed Antechinus	Cape York Peninsula (Queensland); Victoria and SE South Australia; SW Western Australia.	001	Side view		Eisenberg JF	USA, DC, Washington, National Zoological Park
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Antechinus</i>	<i>stuartii</i>	Brown Antechinus	SE Queensland, E New South Wales south to Kioloa (35°32'S, 150°23'E).	330	Side view	1973	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Dasyuroides</i>	<i>byrnei</i>	Kowari	Arid Australia from NW Western Australia to SW Queensland, N South Australia.	331	One-day-old litter attached to female	1972	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Dasyuroides</i>	<i>byrnei</i>	Kowari	Arid Australia from NW Western Australia to SW Queensland, N South Australia.	332	35-day-old litter attached to female	1972	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Dasyuroides</i>	<i>byrnei</i>	Kowari	Arid Australia from NW Western Australia to SW Queensland, N South Australia.	333	Female with 11-week-old young	1972	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Dasyuroides</i>	<i>byrnei</i>	Kowari	Arid Australia from NW Western Australia to SW Queensland, N South Australia.	628	Oblique view of captive	1979	Herd R	Australia, NSW, Sydney
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Dasyurus</i>	<i>maculatus</i>	Tiger Quoll	Australia: E Queensland, E New South Wales, E and S Victoria, SE South Australia, Tasmania.	1190	Side view, on branch, tip of tail not in view	1990	Huckaby DG	USA, DC, Washington, National Zoological Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Dasyurus</i>	<i>viverrinus</i>	Eastern Quoll	Probably survives only in Tasmania; formerly South Australia, New South Wales, and Victoria.	1282	Side view	1993	Forbes RB	USA, WA, Pierce Co., Tacoma, Point Defiance Zoo
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Planigale</i>	<i>maculata</i>	Pygmy Planigale	E Queensland, NE New South Wales, and N Northern Territory (Australia).	328	Oblique view of captive	1975	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Planigale</i>	<i>maculata</i>	Pygmy Planigale	E Queensland, NE New South Wales, and N Northern Territory (Australia).	329	14-day pouch young attached to female	1979	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Planigale</i>	<i>tenuirostris</i>	Narrow-nosed Planigale	NW New South Wales, and SC Queensland (Australia).	629	Side view of captive adult male	1977	Tyndale-Biscoe CH	
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Sarcophilus</i>	<i>harrisii</i>	Tasmanian Devil	Tasmania	724	Side view		Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Sarcophilus</i>	<i>harrisii</i>	Tasmanian Devil	Tasmania	1283	Dorsal view of skull	1994	Forbes RB	Australia, TAS
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Sarcophilus</i>	<i>harrisii</i>	Tasmanian Devil	Tasmania	1284	Ventral view of skull	1994	Forbes RB	Australia, TAS
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Sarcophilus</i>	<i>harrisii</i>	Tasmanian Devil	Tasmania	1285	Lateral view of skull and lower jaw	1994	Forbes RB	Australia, TAS
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Sarcophilus</i>	<i>harrisii</i>	Tasmanian Devil	Tasmania	1373	Side view, mouth opened widely	1999	Lackey JA	Australia, TAS, Mole Creek Wildlife Sanctuary
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Sarcophilus</i>	<i>harrisii</i>	Tasmanian Devil	Tasmania	1374	Side view, standing	1999	Lackey JA	Australia, TAS, Mole Creek Wildlife Sanctuary
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Sarcophilus</i>	<i>harrisii</i>	Tasmanian Devil	Tasmania	2006	Lateral view of mounted skeleton with mouth open		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Sminthopsis</i>	<i>crassicaudata</i>	Fat-tailed Dunnart	South Australia, SW Queensland, SE Northern Territory, S Western Australia, W New South Wales, W Victoria.	334	Front view of captive, tail visible	1973	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Dasyuromorphia	Dasyuridae	dasyures & relatives	<i>Sminthopsis</i>	<i>crassicaudata</i>	Fat-tailed Dunnart	South Australia, SW Queensland, SE Northern Territory, S Western Australia, W New South Wales, W Victoria.	1900	Side view of adult. On cover of Journal of Mammalogy 91(6)	December, 2007	Geiser, F	Australia, NSW, Armidale, University of New England (captive)
Dasyuromorphia	Myrmecobiidae	numbats	<i>Myrmecobius</i>	<i>fasciatus</i>	Numbat	SW Australia	1191	Hand-held, side view, white lines on rump visible		Groves CP	Australia, WA, Boyajin State Forest
Dermoptera	Cynocephalidae	flying lemurs	<i>Galeopterus</i>	<i>variegatus</i>	Sunda Flying Lemur	Indochina to Java, Borneo, and most associated islands.	853	Oblique, close-up view of anterior part of animal being held	1983	Phillips CJ	Thailand
Dermoptera	Cynocephalidae	flying lemurs	<i>Galeopterus</i>	<i>variegatus</i>	Sunda Flying Lemur	Indochina to Java, Borneo, and most associated islands.	854	Close-up of palmer surface of manus	1983	Phillips CJ	Thailand
Dermoptera	Cynocephalidae	flying lemurs	<i>Galeopterus</i>	<i>variegatus</i>	Sunda Flying Lemur	Indochina to Java, Borneo, and most associated islands.	885	Oblique view of head	1983	Phillips CJ	Thailand
Didelphimorphia	Didelphidae	opossums	<i>Caluromys</i>	<i>derbianus</i>	Derby's Woolly Opossum	Mexico, Central America, W Colombia, and W Ecuador.	008	Oblique view of captive		Eisenberg JF	USA, DC, Washington, National Zoological Park
Didelphimorphia	Didelphidae	opossums	<i>Caluromys</i>	<i>philander</i>	Bare-tailed Woolly Opossum	Venezuela (including Margarita Isl), Trinidad, Guyana, Surinam, French Guiana, Brazil, and E Bolivia.	1395	Female	1984	Lord RD	Venezuela, Araqua, Limon, Rancho Grande, Parque Nacional Henry Pittier
Didelphimorphia	Didelphidae	opossums	<i>Caluromys</i>	<i>philander</i>	Bare-tailed Woolly Opossum	Venezuela (including Margarita Isl), Trinidad, Guyana, Surinam, French Guiana, Brazil, and E Bolivia.	1695	Close-up of side of head, caught in trap in vines near watercourse	2011	Semedo TBF	Brazil, Mato Grosso, Município de Cotriguaçu, Fazenda São Nicolau
Didelphimorphia	Didelphidae	opossums	<i>Chironectes</i>	<i>minimus</i>	Water Opossum	Oaxaca and Tabasco, México, south through Central America to Colombia, Ecuador, Brazil, Perú, Venezuela, the Guianas, Paraguay, and NE Argentina.	484	Side view	1979	Myers P	Paraguay, Paraguari, Ybycui

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Didelphimorphia	Didelphidae	opossums	<i>Chironectes</i>	<i>minimus</i>	Water Opossum	Oaxaca and Tabasco, México, south through Central America to Colombia, Ecuador, Brazil, Perú, Venezuela, the Guianas, Paraguay, and NE Argentina.	485	Close-up of webbed hind feet	1971	Myers P	Costa Rica
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>albiventris</i>	White-eared Opossum	Colombia, Ecuador, Perú, Brazil, Bolivia, Paraguay, Uruguay, and the northern half of Argentina.	005	Dorsal view		Myers P	Paraguay
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>albiventris</i>	White-eared Opossum	Colombia, Ecuador, Perú, Brazil, Bolivia, Paraguay, Uruguay, and the northern half of Argentina.	631	Side view of adult male in tree	1971	Tyndale-Biscoe CH	Columbia, Cauca, Pilimbala
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>marsupialis</i>	Common Opossum	Tamaulipas, México, south throughout Central and South America to Perú, Bolivia, and Brazil.	479	Side view	1979	Myers P	Paraguay, Canindeyú, Curuguaty
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>marsupialis</i>	Common Opossum	Tamaulipas, México, south throughout Central and South America to Perú, Bolivia, and Brazil.	632	Side view of female in tree	1971	Tyndale-Biscoe CH	Colombia, Valle del Cauca, Cali
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>marsupialis</i>	Common Opossum	Tamaulipas, México, south throughout Central and South America to Perú, Bolivia, and Brazil.	633	Seven-day old young attached to nipple	1971	Tyndale-Biscoe CH	Colombia, Valle del Cauca, Cali
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>marsupialis</i>	Common Opossum	Tamaulipas, México, south throughout Central and South America to Perú, Bolivia, and Brazil.	634	Four 20-day-old pouch young attached to nipples	1971	Tyndale-Biscoe CH	Colombia, Valle del Cauca, Cali
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>marsupialis</i>	Common Opossum	Tamaulipas, México, south throughout Central and South America to Perú, Bolivia, and Brazil.	635	Ventral view of 0.15 g neonate, showing deciduous claws	1971	Tyndale-Biscoe CH	Colombia, Valle del Cauca, Cali
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>marsupialis</i>	Common Opossum	Tamaulipas, México, south throughout Central and South America to Perú, Bolivia, and Brazil.	1697	Young in pouch	2011	Semedo TBF	Brazil, Mato Grosso, Município de Cotriguaçu, Fazenda São Nicolau
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>virginiana</i>	Virginia Opossum	Canada; E and C United States (with introduced populations in Pacific states); México; and in Central America south into N Costa Rica.	003	Side view	1969	Twiest GL	USA, PA, Clarion Co., Clarion
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>virginiana</i>	Virginia Opossum	Canada; E and C United States (with introduced populations in Pacific states); México; and in Central America south into N Costa Rica.	004	Oblique view of female carrying half-grown young	1968	Snyder DH	USA, TE, Montgomery Co.
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>virginiana</i>	Virginia Opossum	Canada; E and C United States (with introduced populations in Pacific states); México; and in Central America south into N Costa Rica.	630	Side view of adult	1979	Van Devender RW	USA, NC, Watauga Co., Boone
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>virginiana</i>	Virginia Opossum	Canada; E and C United States (with introduced populations in Pacific states); México; and in Central America south into N Costa Rica.	828	View of individual "playing possum" in response to presence of dog	1983	Weber PG	USA, NY, Oswego Co., Oswego
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>virginiana</i>	Virginia Opossum	Canada; E and C United States (with introduced populations in Pacific states); México; and in Central America south into N Costa Rica.	829	Close-up of individual "playing possum" in response to presence of dog	1983	Weber PG	USA, NY, Oswego Co., Oswego
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>virginiana</i>	Virginia Opossum	Canada; E and C United States (with introduced populations in Pacific states); México; and in Central America south into N Costa Rica.	830	Opossum arousing from "playing possum"	1983	Weber PG	USA, NY, Oswego Co., Oswego
Didelphimorphia	Didelphidae	opossums	<i>Didelphis</i>	<i>virginiana</i>	Virginia Opossum	Canada; E and C United States (with introduced populations in Pacific states); México; and in Central America south into N Costa Rica.	2007	Lateral view of mounted skeleton posed on vertical branch		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Didelphimorphia	Didelphidae	opossums	<i>Gracilinanus</i>	<i>agilis</i>	Agile Gracile Opossum	Brazil, E Perú, E Bolivia, Paraguay, Uruguay, and adjacent Argentina.	480	Side view, hand-held	1978	Myers P	Paraguay, Cordillera, Tobati
Didelphimorphia	Didelphidae	opossums	<i>Gracilinanus</i>	<i>agilis</i>	Agile Gracile Opossum	Northern Argentina and Paraguay as well as in Brazil in Mato Grosso and Mato Grosso do Sul	1696	Adult on limb, caught by hand, also as <i>Cryptonanus chacoensis</i> , Chacoan Gracile Opossum	2009	Semedo TBF	Brazil, Amazonas, Lindóia, near Manaus
Didelphimorphia	Didelphidae	opossums	<i>Lutreolina</i>	<i>crassicaudata</i>	Lutrine Opossum	Brazil, E Perú, E Bolivia, Paraguay, Uruguay, and adjacent Argentina.	483	Side view	1979	Myers P	Paraguay, Canindeyú, Curuguaty
Didelphimorphia	Didelphidae	opossums	<i>Marmosa</i>	<i>mexicana</i>	Mexican Mouse Opossum	Tamaulipas, México to W Panamá.	2055	Frontal view on log; tail visible	January 2, 2007	Ordonez-Garza N	Guatemala, Alta Verapaz, Yalijux Mountains, Chelemha Reserve
Didelphimorphia	Didelphidae	opossums	<i>Marmosa</i>	<i>robinsoni</i>	Robinson's Mouse Opossum	Belize, Honduras (Isla Ruatán), Panamá, Colombia, W Ecuador, NW Perú, N Venezuela, and Grenada (Lesser Antilles).	007	Side view of captive		Eisenberg JF	USA, DC, Washington, National Zoological Park
Didelphimorphia	Didelphidae	opossums	<i>Marmosops</i>	<i>fuscatus</i>	Dusky Slender Opossum	E Andes of Colombia, N Venezuela, and Isl of Trinidad.	006	Side view	1977	August PV	Venezuela, Miranda, Parque Nacional Guatopo
Didelphimorphia	Didelphidae	opossums	<i>Marmosops</i>	<i>impavidus</i>	Tschudi's Slender Opossum	Darién of Panamá to Venezuela, Colombia, Ecuador, Perú, W Brazil, and E Bolivia.	636	Close-up of captive female	1971	Tyndale-Biscoe CH	Colombia, Valle del Cauca, Cali
Didelphimorphia	Didelphidae	opossums	<i>Marmosops</i>	<i>impavidus</i>	Tschudi's Slender Opossum	Darién of Panamá to Venezuela, Colombia, Ecuador, Perú, W Brazil, and E Bolivia.	637	Female with eight young attached	1971	Tyndale-Biscoe CH	Colombia, Valle del Cauca, Pichinde
Didelphimorphia	Didelphidae	opossums	<i>Marmosops</i>	<i>noctivagus</i>	White-bellied Slender Opossum	Amazonian Ecuador, Perú, Bolivia, and adjacent Brazil.	1625	Side view, head and right hind foot visible	September 27, 1999	Patterson BD	Peru, Cuzco, Suecia
Didelphimorphia	Didelphidae	opossums	<i>Marmosops</i>	<i>noctivagus</i>	White-bellied Slender Opossum	Amazonian Ecuador, Perú, Bolivia, and adjacent Brazil.	1626	Closeup of face	September 28, 2001	Patterson BD	Peru, Madre de Dios, Maskoitania
Didelphimorphia	Didelphidae	opossums	<i>Marmosops</i>	<i>parvidens</i>	Delicate Slender Opossum	E Colombia, N Venezuela, Guyana, French Guiana and N Brazil.	1698	Adult on limb	2011	Semedo TBF	Brazil, Mato Grosso, Município de Cotriguaçu, Fazenda São Nicolau
Didelphimorphia	Didelphidae	opossums	<i>Micoureus</i>	<i>constantiae</i>	White-bellied Woolly Mouse Opossum	E Bolivia and adjacent Brazil south into N Argentina.	1957	Lateral view of adult caught in live trap set in vines. Also as <i>Marmosa constantiae</i> .	2012	Semedo T	Brazil, Mato Grosso, near Cuiabá
Didelphimorphia	Didelphidae	opossums	<i>Micoureus</i>	<i>constantiae</i>	White-bellied Woolly Mouse Opossum	E Bolivia and adjacent Brazil south into N Argentina.	1958	Lateral view of adult caught in live trap set in vines. Also as <i>Marmosa constantiae</i> .	2012	Semedo T	Brazil, Mato Grosso, near Cuiabá
Didelphimorphia	Didelphidae	opossums	<i>Micoureus</i>	<i>demerarae</i>	Woolly Mouse Opossum	Colombia, Venezuela, French Guiana, Guyana, Surinam, Brazil, E Perú, and E Bolivia.	481	Side view, also as <i>Marmosa demerarae</i>	1980	Reis SF and M V Dellape	Brazil, near Rio de Janeiro
Didelphimorphia	Didelphidae	opossums	<i>Micoureus</i>	<i>demerarae</i>	Woolly Mouse Opossum	Colombia, Venezuela, French Guiana, Guyana, Surinam, Brazil, E Perú, and E Bolivia.	1699	Adult baring teeth, also as <i>Marmosa demerarae</i>	2010	Semedo TBF	Brazil, Mato Grosso, near Comodoro City
Didelphimorphia	Didelphidae	opossums	<i>Monodelphis</i>	<i>brevicaudata</i>	Northern Red-sided Opossum	Venezuela, the Guianas, and adjacent Brasil.	1396	Male	1984	Lord RD	Venezuela, Bolivar, Gran Sabana
Didelphimorphia	Didelphidae	opossums	<i>Monodelphis</i>	<i>emiliae</i>	Emilia's Short-tailed Opossum	Amazon Basin of Perú, Brazil, and N Bolivia.	1700	Side view of adult	2010	Semedo TBF	Brazil, Mato Grosso, near Comodoro City
Didelphimorphia	Didelphidae	opossums	<i>Monodelphis</i>	<i>glirina</i>	Amazonian Red-sided Opossum	Central Brazil to N Bolivia.	1701	Side view of adult	2010	Semedo TBF	Brazil, Mato Grosso, near Comodoro City
Didelphimorphia	Didelphidae	opossums	<i>Monodelphis</i>	<i>glirina</i>	Amazonian Red-sided Opossum	Central Brazil to N Bolivia.	1702	Adult hiding face in paws	2008	Semedo TBF	Brazil, Mato Grosso, Município de Apiacás, Rio Apiacás

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Didelphimorphia	Didelphidae	opossums	<i>Monodelphis</i>	<i>glirina</i>	Amazonian Red-sided Opossum	Central Brazil to N Bolivia.	1703	Side view of juvenile	2008	Semedo TBF	Brazil, Mato Grosso, Município de Apiacás, Apiacás River
Didelphimorphia	Didelphidae	opossums	<i>Philander</i>	<i>opossum</i>	Gray Four-eyed Opossum	Tamaulipas, México, through Central and South America to Bolivia and SC Brazil.	482	Group in captivity	1973	Rosenthal MA	USA, IL, Cook Co., Chicago, Lincoln Park Zoo
Didelphimorphia	Didelphidae	opossums	<i>Philander</i>	<i>opossum</i>	Gray Four-eyed Opossum	Tamaulipas, México, through Central and South America to Bolivia and SC Brazil.	638	Side view of female using prehensile tail in tree	1971	Tyndale-Biscoe CH	Colombia, Valle del Cauca
Didelphimorphia	Didelphidae	opossums	<i>Thylamys</i>	<i>elegans</i>	Elegant Fat-tailed Mouse Opossum	Chile, on Pacific side of Andes between 32° and 38° S.	335	Front view, also showing back and tail	1973	Meserve PL	Chile, Metropolitan Santiago, Santiago
Diprotodontia	Acrobatidae	feathertails	<i>Acrobates</i>	<i>pygmaeus</i>	Feather-tail Glider	Australia: E Queensland to SE South Australia, inland to Deniliquin (New South Wales).	327	Side view, perched on person's finger	1974	Aslin HJ	Australia, SA, Adelaide
Diprotodontia	Burramyidae	pygmy possums	<i>Cercartetus</i>	<i>lepidus</i>	Tasmanian Pygmy Possum	Australia: Tasmania, NW Victoria/South Australia border, and Kangaroo Isl (South Australia).	326	Front view, climbing on branch	1976	Aslin HJ	Australia, SA, Adelaide
Diprotodontia	Burramyidae	pygmy possums	<i>Cercartetus</i>	<i>nanus</i>	Eastern Pygmy Possum	Australia: SE South Australia, E New South Wales to SE Queensland, Victoria, and Tasmania.	623	Side view of captive	1979	Herd R	Australia, NSW, Sydney
Diprotodontia	Hypsiprymnodontidae	musky rat-kangaroos	<i>Hypsiprymnodon</i>	<i>moschatus</i>	Musky Rat-kangaroo	NE Queensland (Australia).	2313		1987	Wirth R	Australia, QLD, Pallarenda, Northern Regional Centre, National Parks and Wildlife Service
Diprotodontia	Macropodidae	kangaroos	<i>Dendrolagus</i>	<i>matschiei</i>	Huon Tree-kangaroo	Extreme NE interior New Guinea (Huon Peninsula), 1000 to 3300 m; Umboi Isl and Mt. Agulupella in W New Britain (introduced).	343	Oblique view of two captives (could be M. goodfellowi)	1979	Oaks R (contributed by EC Oaks)	Australia, SA, Adelaide Zoo
Diprotodontia	Macropodidae	kangaroos	<i>Lagostrophus</i>	<i>fasciatus</i>	Banded Hare-wallaby	Survives only on Bernier and Dorre Isls (Western Australia); formerly in SW Western Australia and South Australia.	487	Dorsal, oblique view	1978	Anderson PK	Australia, WA, Dirk Hartog Island, Shark Bay
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>agilis</i>	Agile Wallaby	NE Western Australia, Northern Territory, Queensland; S New Guinea; Kiriwina and D'Entrecasteaux Isls.	337	Small group	1979	Aslin HJ	Australia, VIC, Healesville Fauna Sanctuary
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>agilis</i>	Agile Wallaby	NE Western Australia, Northern Territory, Queensland; S New Guinea; Kiriwina and D'Entrecasteaux Isls.	1760	Side view showing entire tail, M. a. jardinii		Fink, KW - contributed by DG Huckaby	
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>eugenii</i>	Tammar Wallaby	SW Western Australia, South Australia, Kangaroo Isl, Wallaby Isl and other islands.	203	Side view	1976	Oaks EC	Australia, VIC, Melbourne Zoo
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>fuliginosus</i>	Western Gray Kangaroo	SW New South Wales, NW Victoria, South Australia, SW Western Australia, Tasmania, King Isl, and Kangaroo Isl (Australia).	639	Oblique view of adult male	1974	Tyndale-Biscoe CH	Australia, SA, Flinders Chase, Kangaroo Island
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>fuliginosus</i>	Western Grey Kangaroo	SW New South Wales, NW Victoria, South Australia, SW Western Australia, Tasmania, King Isl, and Kangaroo Isl (Australia).	1627	Side view of reclining adult, feet and head visible	April 6, 2004	Patterson BD	USA, TX, Tarrant Co., Fort Worth Zoo
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>giganteus</i>	Eastern Gray Kangaroo	E and C Queensland, Victoria, New South Wales, SE South Australia, and Tasmania (Australia).	202	View of group feeding	1972	Barrett RH	Australia, ACT, Tidbinilla Reserve
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>giganteus</i>	Eastern Gray Kangaroo	E and C Queensland, Victoria, New South Wales, SE South Australia, and Tasmania (Australia).	888	Adult female with pendulous pouch	1983	Mead E	Australia, QLD, Carnarvon Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>giganteus</i>	Eastern Gray Kangaroo	E and C Queensland, Victoria, New South Wales, SE South Australia, and Tasmania (Australia).	1381	Close-up of front foot planted on ground, showing all digits clearly	1999	Lackey JA	Australia, TAS, Mole Creek Wildlife Sanctuary
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>giganteus</i>	Eastern Gray Kangaroo	E and C Queensland, Victoria, New South Wales, SE South Australia, and Tasmania (Australia).	1382	Close-up of hind foot planted on ground, showing all digits clearly	1999	Lackey JA	Australia, TAS, Mole Creek Wildlife Sanctuary
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>parryi</i>	Pretty-faced Wallaby	Australia: E Queensland, NE New South Wales.	726	Front view of two captives	1979	Herd R	Australia, NSW, Sydney, Cowan Field station
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>parryi</i>	Pretty-faced Wallaby	Australia: E Queensland, NE New South Wales.	1854	Two adults facing off from one another	May, 1985	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>robustus</i>	Wallaroo	Australia: Western Australia, South Australia, S Northern Territory, Queensland, New South Wales, Barrow Isl.	338	Female with large juvenile (not in pouch)	1975	Aslin HJ	Australia, SA, Cleland Fauna Park
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>robustus</i>	Wallaroo	Australia: Western Australia, South Australia, S Northern Territory, Queensland, New South Wales, Barrow Isl.	1023	Oblique view of male feeding on the ground		Kutunidisz K	Germany, Lower Saxony, Hannover Adventure Zoo
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>rufogriseus</i>	Red-necked Wallaby	SE South Australia, Victoria, SE Queensland, E New South Wales, Tasmania, King Isl and adjacent islands (Australia); introduced in England.	336	Animal lying on side	1975	Aslin HJ	Australia, SA, Cleland Fauna Park
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>rufogriseus</i>	Red-necked Wallaby	SE South Australia, Victoria, SE Queensland, E New South Wales, Tasmania, King Isl and adjacent islands (Australia); introduced in England.	486	Side view	1973	Rosenthal MA	USA, OH, Hamilton Co., Cincinnati Zoo & Botanical Garden
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>rufogriseus</i>	Red-necked Wallaby	SE South Australia, Victoria, SE Queensland, E New South Wales, Tasmania, King Isl and adjacent islands (Australia); introduced in England.	2311	Female with joey	19 April 2009	Harding LE	Canada, BC, Aldergrove, Greater Vancouver Zoo
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>rufus</i>	Red Kangaroo	Mainland, mid-latitude Australia.	339	Side view, standing on hind feet and tail	1975	Aslin HJ	Australia, SA, Cleland Fauna Park
Diprotodontia	Macropodidae	kangaroos	<i>Macropus</i>	<i>rufus</i>	Red Kangaroo	Mainland, mid-latitude Australia.	1192	Side view, facing camera, one of group	1992	Huckaby DG	USA, UT, Salt Lake City, Hogle Zoo
Diprotodontia	Macropodidae	kangaroos	<i>Petrogale</i>	<i>penicillata</i>	Brush-tailed Rock-wallaby	SE Australia, from East Gippsland (Victoria) to 100 km NW of Brisbane (Queensland).	342	Oblique view	1979	Oaks EC	Australia, NT, Simpson's Gap, near Alice Springs
Diprotodontia	Macropodidae	kangaroos	<i>Petrogale</i>	<i>xanthopus</i>	Yellow-footed Rock-wallaby	SE Australia, from East Gippsland (Victoria) to 100 km NW of Brisbane (Queensland).	341	Side view		Aslin HJ	
Diprotodontia	Macropodidae	kangaroos	<i>Petrogale</i>	<i>xanthopus</i>	Yellow-footed Rock Wallaby	SE Australia, from East Gippsland (Victoria) to 100 km NW of Brisbane (Queensland).	1761	Side view showing entire tail	1991	Fink, KW - contributed by DG Huckaby	
Diprotodontia	Macropodidae	kangaroos	<i>Setonix</i>	<i>brachyurus</i>	Quokka	SW Western Australia	851	Side view of animal on grass	1981	Groves CP	Australia, VIC, Melbourne Zoo
Diprotodontia	Macropodidae	kangaroos	<i>Setonix</i>	<i>brachyurus</i>	Quokka	SW Western Australia	955	Side view, close up		Groves CP	Australia, WA, Rottnest Island
Diprotodontia	Macropodidae	kangaroos	<i>Thylogale</i>	<i>billardieri</i>	Tasmanian Pademelon	Australia: SE South Australia, Victoria, Tasmania, islands in Bass Strait; probably survives only in Tasmania.	1112	Oblique view of mother with large joey in pouch	1989	Mastrota FN	Australia, TAS, Cradle Mountain, Lake St. Clair Nat Park
Diprotodontia	Macropodidae	kangaroos	<i>Thylogale</i>	<i>billardieri</i>	Tasmanian Pademelon	Australia: SE South Australia, Victoria, Tasmania, islands in Bass Strait; probably survives only in Tasmania.	1380	Prints of hind feet, in mud, prints 7-8 cm in length	1999	Lackey JA	Australia, TAS, Asbestos Range National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Diprotodontia	Macropodidae	kangaroos	<i>Thylogale</i>	<i>brunii</i>	Dusky Pademelon	Southern New Guinea (Trans-Fly Plains and Port Moresby district); Aru Isls; Palau (= Isl) Kei Besar.	1353	Side view, from above	1996	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)
Diprotodontia	Macropodidae	kangaroos	<i>Thylogale</i>	<i>thetis</i>	Red-necked Pademelon	E Queensland, E New South Wales (Australia).	640	Bounding animal	1980	Herd R	Australia, NSW, Sydney, Cowan Field station
Diprotodontia	Macropodidae	kangaroos	<i>Wallabia</i>	<i>bicolor</i>	Swamp Wallaby	Australia: E Queensland, E New South Wales, Victoria, SE South Australia, Stradbroke Isl, Fraser Isl.	340	Front view, animal standing on hind feet and tail	1979	Aslin HJ	Australia, VIC, Healesville Fauna Sanctuary
Diprotodontia	Petauridae	gliders, striped possums	<i>Dactylopsila</i>	<i>trivirgata</i>	Striped Possum	New Guinea, Yapen and Waigeo; Aru Isls; NE Queensland (Australia).	2307		11 April 2013	Wirth R	Czech Republic, West Bohemia, Zoological and Botanical Park Pilsen (Plzen)
Diprotodontia	Petauridae	gliders, striped possums	<i>Dactylopsila</i>	<i>trivirgatus</i>	Striped Possum	New Guinea, Yapen and Waigeo; Aru Isls; NE Queensland (Australia).	2286		7 May 2009	Huffman, B	USA, OH, Hamilton co., Cincinnati Zoo & Botanical Gardens
Diprotodontia	Petauridae	gliders, striped possums	<i>Dactylopsila</i>	<i>trivirgatus</i>	Striped Possum	New Guinea, Yapen and Waigeo; Aru Isls; NE Queensland (Australia).	2287		10 May 2009	Huffman, B	USA, IN, Allen co., Fort Wayne Children's Zoo
Diprotodontia	Petauridae	gliders, striped possums	<i>Gymnobelideus</i>	<i>leadbeateri</i>	Leadbeater's Possum	NE Victoria (Australia).	2288		17 September 2005	Huffman, B	Canada, ONT, Toronto Zoo
Diprotodontia	Petauridae	gliders, striped possums	<i>Gymnobelideus</i>	<i>leadbeateri</i>	Leadbeater's Possum	NE Victoria (Australia).	2289		17 September 2005	Huffman, B	Canada, ONT, Toronto Zoo
Diprotodontia	Petauridae	gliders, striped possums	<i>Gymnobelideus</i>	<i>leadbeateri</i>	Leadbeater's Possum	NE Victoria (Australia).	2290		17 September 2005	Huffman, B	Canada, ONT, Toronto Zoo
Diprotodontia	Petauridae	gliders, striped possums	<i>Petaurus</i>	<i>breviceps</i>	Sugar Glider	SE South Australia to Cape York Peninsula (Queensland), Tasmania (introduction), N Northern Territory, NE Western Australia; New Guinea and adjacent small islands, including Bismarck Arch.; Aru Isls and N Moluccas (Indonesia).	1855	Adult on limb, partially showing membrane	July 11, 1997	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)
Diprotodontia	Phalangeridae	uscuses, phalangers	<i>Ailurops</i>	<i>ursinus</i>	Sulawesi Bear Cuscus	Sulawesi, Peleng Isl, Muna and Butung Isls, Togian Isls.	850	Side view of captive individual hanging by tail	1975	Groves CP	Indonesia, South Sulawesi, Makassar (Ujung Padang)
Diprotodontia	Phalangeridae	uscuses, phalangers	<i>Phalanger</i>	<i>gymnotis</i>	Ground Cuscus	New Guinea; Aru Isls and other small Indonesian islands.	488	Oblique view	1971	Degabriele R	Australia, NSW, Gosford, Aust. Reptile Park
Diprotodontia	Phalangeridae	uscuses, phalangers	<i>Spiloguscus</i>	<i>maculatus</i>	Common Spotted Cuscus	New Guinea and adjacent small islands; Aru and Kei Isls, Seram, Ambon and Selayar Isls (Indonesia); Cape York Peninsula (Queensland, Australia).	881	Three-year-old captive born at Baier River Sanctuary, Papua, New Guinea	1980	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Diprotodontia	Phalangeridae	uscuses, phalangers	<i>Trichosurus</i>	<i>vulpecula</i>	Common Brushtail	Australia: E Queensland, E New South Wales, Victoria, Tasmania, SE and N South Australia, SW Western Australia; introduced to New Zealand.	1024	Oblique view		Kutunidisz K	Czech Republic, Prague Zoological Park
Diprotodontia	Phascolarctidae	koalas	<i>Phascolarctos</i>	<i>cinereus</i>	Koala	Australia: SE Queensland, E New South Wales, SE South Australia, and Victoria. Introduced on Kangaroo Isl, South Australia and at Yanchep, Western Australia.	204	Front view, sitting, with young	1976	Oaks EC	Australia, VIC, Melbourne Zoo
Diprotodontia	Phascolarctidae	koalas	<i>Phascolarctos</i>	<i>cinereus</i>	Koala	Australia: SE Queensland, E New South Wales, SE South Australia, and Victoria. Introduced on Kangaroo Isl, South Australia and at Yanchep, Western Australia.	641	Front view of adult male showing hand	1979	Herd R	Australia, NSW, Sydney, Cowan Field station

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Diprotodontia	Phascolarctidae	koalas	<i>Phascolarctos</i>	<i>cinereus</i>	Koala	Australia: SE Queensland, E New South Wales, SE South Australia, and Victoria. Introduced on Kangaroo Isl, South Australia and at Yanchep, Western Australia.	1383	Left front foot shown holding on tree trunk, all digits clearly visible	1999	Lackey JA	Australia, TAS, Mole Creek Wildlife Sanctuary
Diprotodontia	Phascolarctidae	koalas	<i>Phascolarctos</i>	<i>cinereus</i>	Koala	Australia: SE Queensland, E New South Wales, SE South Australia, and Victoria. Introduced on Kangaroo Isl, South Australia and at Yanchep, Western Australia.	2008	Lateral view of mounted skeleton on diagonal branch		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Diprotodontia	Potoroidae	rat kangaroos, bettongs, potoroos	<i>Bettongia</i>	<i>penicillata</i>	Woylie	SW Western Australia, S South Australia including St. Francis Isl, NW Victoria, C New South Wales.	2291		21 January 2013	Huffman, B	Canada, ONT, Toronto Zoo
Diprotodontia	Potoroidae	rat kangaroos, bettongs, potoroos	<i>Bettongia</i>	<i>penicillata</i>	Woylie	SW Western Australia, S South Australia including St. Francis Isl, NW Victoria, C New South Wales.	2292		21 January 2013	Huffman, B	Canada, ONT, Toronto Zoo
Diprotodontia	Potoroidae	rat kangaroos, bettongs, potoroos	<i>Potorous</i>	<i>tridactylus</i>	Long-nosed Potoroo	SE Queensland, coastal New South Wales, NE Victoria, SE South Australia, SW Western Australia, Tasmania, and King Isl (Australia).	1856	Frontal view of adult	June 20, 1994	Huckaby, DG	USA, DC, Washington, National Zoological Park
Diprotodontia	Tarsipedidae	honey possums	<i>Tarsipes</i>	<i>rostratus</i>	Honey Possum	SW Western Australia	642	Side view, next to large flower	1979	Tyndale-Biscoe CH	Australia, WA, near Albany
Diprotodontia	Vombatidae	wombats	<i>Lasiorhinus</i>	<i>latifrons</i>	Southern Hairy-nosed Wombat	S South Australia, SE Western Australia.	2293		13 December 2011	Huffman, B	Canada, ONT, Toronto Zoo
Diprotodontia	Vombatidae	wombats	<i>Lasiorhinus</i>	<i>latifrons</i>	Southern Hairy-nosed Wombat	S South Australia, SE Western Australia.	2294		9 January 2012	Huffman, B	Canada, ONT, Toronto Zoo
Diprotodontia	Vombatidae	wombats	<i>Lasiorhinus</i>	<i>latifrons</i>	Southern Hairy-nosed Wombat	S South Australia, SE Western Australia.	2295		21 January 2013	Huffman, B	Canada, ONT, Toronto Zoo
Diprotodontia	Vombatidae	wombats	<i>Vombatus</i>	<i>ursinus</i>	Common Wombat	E New South Wales, S Victoria, SE South Australia, Tasmania, islands in the Bass Strait, and extreme SE Queensland (Australia).	1375	Lateral view; scratching with forelimb	January, 1999	Lackey, JA	Australia, TAS, Asbestos Range National Park
Diprotodontia	Vombatidae	wombats	<i>Vombatus</i>	<i>ursinus</i>	Common Wombat	E New South Wales, S Victoria, SE South Australia, Tasmania, islands in the Bass Strait, and extreme SE Queensland (Australia).	1376	Lateral view of standing animal	January, 1999	Lackey, JA	Australia, TAS, Asbestos Range National Park
Diprotodontia	Vombatidae	wombats	<i>Vombatus</i>	<i>ursinus</i>	Common Wombat	E New South Wales, S Victoria, SE South Australia, Tasmania, islands in the Bass Strait, and extreme SE Queensland (Australia).	1377	Burrow entrance with fecal pellets, which are roughly cubical	January, 1999	Lackey, JA	Australia, TAS, Asbestos Range National Park
Diprotodontia	Vombatidae	wombats	<i>Vombatus</i>	<i>ursinus</i>	Common Wombat	E New South Wales, S Victoria, SE South Australia, Tasmania, islands in the Bass Strait, and extreme SE Queensland (Australia).	1378	Fecal pellets, which are roughly cubical	January, 1999	Lackey, JA	Australia, TAS, Asbestos Range National Park
Diprotodontia	Vombatidae	wombats	<i>Vombatus</i>	<i>ursinus</i>	Common Wombat	E New South Wales, S Victoria, SE South Australia, Tasmania, islands in the Bass Strait, and extreme SE Queensland (Australia).	1379	Close-up of fecal pellets, which are roughly cubical	January, 1999	Lackey, JA	Australia, TAS, Asbestos Range National Park
Erinaceomorpha	Erinaceidae	hedgehogs	<i>Atelerix</i>	<i>albiventris</i>	Four-toed Hedgehog	Savanna and steppe zones from Senegal to Eritrea and Somalia and south to the Zambezi River.	1120	Side view, in captivity	1991	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Erinaceomorpha	Erinaceidae	hedgehogs	<i>Atelerix</i>	<i>frontalis</i>	Southern African Hedgehog	S South Africa to E Botswana and W Zimbabwe; and Namibia to SW Angola.	011	Female nursing young	1974	Visser J	South Africa, Northern Cape, Victoria West
Erinaceomorpha	Erinaceidae	hedgehogs	<i>Atelerix</i>	<i>frontalis</i>	Southern African Hedgehog	S South Africa to E Botswana and W Zimbabwe; and Namibia to SW Angola.	012	Ventral view of newborn	1974	Visser J	South Africa, Northern Cape, Victoria West

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Erinaceomorpha	Erinaceidae	hedgehogs	<i>Atelerix</i>	<i>frontalis</i>	Southern African Hedgehog	S South Africa to E Botswana and W Zimbabwe; and Namibia to SW Angola.	205	Captive in rolled-up defensive posture	1974	Visser J	South Africa, Northern Cape, Victoria West
Erinaceomorpha	Erinaceidae	hedgehogs	<i>Atelerix</i>	<i>frontalis</i>	Southern African Hedgehog	S South Africa to E Botswana and W Zimbabwe; and Namibia to SW Angola.	1026	Oblique view of adult	1988	Visser J	
Erinaceomorpha	Erinaceidae	hedgehogs	<i>Hemiechinus</i>	<i>auritus</i>	Long-eared Hedgehog	Steppe zone from E Ukraine to Mongolia in the north and from Libya to W Pakistan in the south.	489	Side view	1978	Andera M	Azerbaijan, Baku
Hyracoidea	Procaviidae	hyraxes	<i>Dendrohyrax</i>	<i>arboreus</i>	Southern Tree Hyrax	Western Cape Prov., Eastern Cape Prov., and KwaZulu-Natal (South Africa); Mozambique; Zambia; Malawi; Dem. Rep. Congo; Tanzania to Kenya and Sudan.	2296	Also as <i>D. validus neumanni</i> , Zanzibar Tree Hyrax.	15 October 2013	Huffman, B	Tanzania, Zanzibar, Unguja, Kitogani
Hyracoidea	Procaviidae	hyraxes	<i>Dendrohyrax</i>	<i>dorsalis</i>	Western Tree Hyrax	West and Central Africa from Senegal, Gambia to N Angola; Bioko (Equatorial Guinea); C and NE Dem. Rep. Congo; N Uganda.	2009	Lateral view of mounted skeleton		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Hyracoidea	Procaviidae	hyraxes	<i>Heterohyrax</i>	<i>brucei</i>	Yellow-spotted Rock Hyrax	Egypt to Somalia to southern Africa to WC Angola, with 'pockets' in C Sahara.	289	Side view	1978	Gordon DC	Kenya, Coast province, Taita-Taveta county, Tsavo West, Kilaguni
Hyracoidea	Procaviidae	hyraxes	<i>Heterohyrax</i>	<i>brucei</i>	Yellow-spotted Rock Hyrax	Egypt to Somalia to southern Africa to WC Angola, with 'pockets' in C Sahara.	462	Group, including one Rock Hyrax, <i>Procavia capensis</i> , (brown coat) in close association, <i>H. b. dieseneri</i>		Hoeck HN	Tanzania, Serengeti National Park
Hyracoidea	Procaviidae	hyraxes	<i>Heterohyrax</i>	<i>brucei</i>	Yellow-spotted Rock Hyrax	Egypt to Somalia to southern Africa to WC Angola, with 'pockets' in C Sahara.	463	Shows interspecific behavior with Rock Hyrax, <i>Procavia capensis</i> , (brown coat), <i>H. b. dieseneri</i>		Hoeck HN	Tanzania, Serengeti National Park
Hyracoidea	Procaviidae	hyraxes	<i>Heterohyrax</i>	<i>brucei</i>	Yellow-spotted Rock Hyrax	Egypt to Somalia to southern Africa to WC Angola, with 'pockets' in C Sahara.	464	Front view, with Rock Hyrax, <i>Procavia capensis</i> , (brown coat); front feet in view, <i>H. b. dieseneri</i>		Hoeck HN	Tanzania, Serengeti National Park
Hyracoidea	Procaviidae	hyraxes	<i>Heterohyrax</i>	<i>brucei</i>	Yellow-spotted Rock Hyrax	Egypt to Somalia to southern Africa to WC Angola, with 'pockets' in C Sahara.	1740	Front quartering view of adult	1978	Collins, CT - contributed by DG Huckaby	Kenya, Rift Valley province, Nakuru county, Hell's Gate National Park, Naivasha
Hyracoidea	Procaviidae	hyraxes	<i>Procavia</i>	<i>capensis</i>	Rock Hyrax	Sub-Saharan and NE Africa (a line from Senegal through S Algeria and Libya, Egypt to southern most tip of Africa), portion of the Levant (Syria, Lebanon, Turkey, Israel), and the Arabian peninsula (Saudi Arabia, Yemen); isolated mountains in Algeria and Libya.	458	Adult with young, <i>P. c. habessinica</i>		Hoeck HN	Kenya, Rift Valley province, Nakuru county, Hell's Gate National Park, Naivasha
Hyracoidea	Procaviidae	hyraxes	<i>Procavia</i>	<i>capensis</i>	Rock Hyrax	Sub-Saharan and NE Africa (a line from Senegal through S Algeria and Libya, Egypt to southern most tip of Africa), portion of the Levant (Syria, Lebanon, Turkey, Israel), and the Arabian peninsula (Saudi Arabia, Yemen); isolated mountains in Algeria and Libya.	459	Oblique view	1973	Hall JG	Kenya, Eastern province, Meru county, Mount Kenya

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Hyracoidea	Procaviidae	hyraxes	<i>Procavia</i>	<i>capensis</i>	Rock Hyrax	Sub-Saharan and NE Africa (a line from Senegal through S Algeria and Libya, Egypt to southern most tip of Africa), portion of the Levant (Syria, Lebanon, Turkey, Israel), and the Arabian peninsula (Saudi Arabia, Yemen); isolated mountains in Algeria and Libya.	460	Side view, showing light-colored hairs at gland in middle of back		Hoeck HN	Tanzania, Serengeti National Park
Hyracoidea	Procaviidae	hyraxes	<i>Procavia</i>	<i>capensis</i>	Rock Hyrax	Sub-Saharan and NE Africa (a line from Senegal through S Algeria and Libya, Egypt to southern most tip of Africa), portion of the Levant (Syria, Lebanon, Turkey, Israel), and the Arabian peninsula (Saudi Arabia, Yemen); isolated mountains in Algeria and Libya.	461	Side view of female nursing two young		Hoeck HN	Tanzania, Serengeti National Park
Hyracoidea	Procaviidae	hyraxes	<i>Procavia</i>	<i>capensis</i>	Rock Hyrax	Sub-Saharan and NE Africa (a line from Senegal through S Algeria and Libya, Egypt to southern most tip of Africa), portion of the Levant (Syria, Lebanon, Turkey, Israel), and the Arabian peninsula (Saudi Arabia, Yemen); isolated mountains in Algeria and Libya.	711	Side view of skull	1980	Van Devender RW	USA, DC, Washington, National Museum of Natural History
Hyracoidea	Procaviidae	hyraxes	<i>Procavia</i>	<i>capensis</i>	Rock Hyrax	Sub-Saharan and NE Africa (a line from Senegal through S Algeria and Libya, Egypt to southern most tip of Africa), portion of the Levant (Syria, Lebanon, Turkey, Israel), and the Arabian peninsula (Saudi Arabia, Yemen); isolated mountains in Algeria and Libya.	1738	Side view of captive adult	1982	Hays, L - contributed by DG Huckaby	USA, CA
Lagomorpha	Leporidae	rabbits	<i>Bunolagus</i>	<i>monticularis</i>	Riverine Rabbit	C Karoo (31E22'S, 22EE), Western Cape Prov. (South Africa).	057	Side view of captive individual		Visser J	South Africa, Northern Cape, Victoria West
Lagomorpha	Leporidae	rabbits	<i>Lepus</i>	<i>alleni</i>	Antelope Jackrabbit	SC Arizona to N Nayarit and Tiburon Island [Mexico]	1346	Individual running away from observer; ears, limbs, tail visible	1994	Best TL	USA, AZ, Pinal Co., Picacho
Lagomorpha	Leporidae	rabbits	<i>Lepus</i>	<i>americanus</i>	Snowshoe Hare	S and C Alaska (USA) to S and C coasts of Hudson Bay to Newfoundland and Anacosti Isl (introduced) (Canada), south to S Appalachians, S Michigan, North Dakota, NC New Mexico, SC Utah, and EC California (USA).	246	Side view, in brown summer coat	1977	Kirkley JS	USA, WY, Yellowstone National Park
Lagomorpha	Leporidae	rabbits	<i>Lepus</i>	<i>americanus</i>	Snowshoe Hare	S and C Alaska (USA) to S and C coasts of Hudson Bay to Newfoundland and Anacosti Isl (introduced) (Canada), south to S Appalachians, S Michigan, North Dakota, NC New Mexico, SC Utah, and EC California (USA).	544	Side view, in white winter coat	1977	Wolff JO	USA, AK
Lagomorpha	Leporidae	rabbits	<i>Lepus</i>	<i>arcticus</i>	Arctic Hare	Greenland and Canadian arctic islands southward in open tundra to WC shore of Hudson Bay, thence northwest to the west of Fort Anderson on coast of Arctic Ocean.	062	Side view, L. a. monstabilis	1973	Riewe R	Canada, NU, Ellesmere Island, Bjerne Peninsula
Lagomorpha	Leporidae	rabbits	<i>Lepus</i>	<i>californicus</i>	Black-tailed Jackrabbit	Hidalgo and S Queretaro to N Sonora and Baja California (Mexico), north to SW Oregon and C Washington, S Idaho, E Colorado, S South Dakota, W Missouri, and NW Arkansas (USA).	060	Side view	1969	Myers P	USA, CA, Joshua Tree National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Lagomorpha	Leporidae	rabbits	<i>Lepus</i>	<i>californicus</i>	Black-tailed Jackrabbit	Hidalgo and S Queretaro to N Sonora and Baja California (Mexico), north to SW Oregon and C Washington, S Idaho, E Colorado, S South Dakota, W Missouri, and NW Arkansas (USA).	245	Front view of young animal	1968	Barrett RH	USA, CA, Tehama Co., Red Bluff
Lagomorpha	Leporidae	rabbits	<i>Lepus</i>	<i>californicus</i>	Black-tailed Jackrabbit	Hidalgo and S Queretaro to N Sonora and Baja California (Mexico), north to SW Oregon and C Washington, S Idaho, E Colorado, S South Dakota, W Missouri, and NW Arkansas (USA).	1347	Side view	1992	Best TL	USA, NM, Roosevelt Co.
Lagomorpha	Leporidae	rabbits	<i>Lepus</i>	<i>capensis</i>	Cape Hare	As construed in the past, a single species (<i>capensis</i> sensu lato) inhabits Africa and the Near East in two separate, non-forested areas: South Africa, Namibia, Botswana, Zimbabwe, S Angola, S Zambia (?), Mozambique; and to the north, Tanzania, Kenya, Somalia, Ethiopia, countries of the Sahel and Sahara, and N Africa; thence eastward through the Sinai to the Arabian Peninsula, Jordan, S Syria, S Israel and W and S Iraq, west of the Euphrates River. However, there is no evidence of gene flow between the South African populations, and those " <i>capensis</i> " in East, West and North Africa, and the intervening areas are inhabited by other species of <i>Lepus</i> , particularly <i>L. microtis</i>). Herein, the name <i>capensis</i> will be restricted to the South African hare, and other names applied to East and North African, and Arabian-Near Eastern hares. This informal subdivision of <i>capensis</i> sensu lato creates four groups that might be considered as distinct species. However, pending sufficient data at this point to support a formal revision, this arrangement best reflects the poorly known relationships of the taxa.	1628	Rear view of sitting adult with tail and side of head visible	November 21, 2003	Patterson BD	Kenya, Coast province, Taita-Taveta county, Tsavo Ranches
Lagomorpha	Leporidae	rabbits	<i>Lepus</i>	<i>flavigularis</i>	Tehuantepec Jackrabbit	Coastal plains and bordering foothills on south end of Isthmus of Tehuantepec (Oaxaca, Mexico), along Pacific coast to Chiapas (Mexico); now restricted to small area between Salina Cruz, Oaxaca, and extreme W Chiapas.	1394	Adult male in field	1996	Cervantes-Reza FA	Mexico, Oax., Municipio Juchitan, 2 km W Santa Maria del Mar
Lagomorpha	Leporidae	rabbits	<i>Lepus</i>	<i>saxatilis</i>	Scrub Hare	South Africa (former Cape Province [and Zululand north to C KwaZulu-Natal?]) and S Namibia.	2216		18 September 2005	Perry P	South Africa, Northern Cape, Vaalbos National Park
Lagomorpha	Leporidae	rabbits	<i>Lepus</i>	<i>sinensis</i>	Chinese Hare	SE China from Yangtse River southward; Taiwan; disjunct in NE Vietnam.	406	Side view of captive animal	1968	Jones GS	Taiwan

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Lagomorpha	Leporidae	rabbits	<i>Lepus</i>	<i>townsendii</i>	White-tailed Jackrabbit	C Alberta and Saskatchewan east to extreme SW Ontario (Canada), south to SW Wisconsin, Iowa, NW Missouri, west through C Kansas to NC New Mexico, west to C Nevada, EC California (USA) and north to SC British Columbia (Canada).	1189	Posterolateral view of individual running, showing prominent white tail, fore and hind limbs crossed	1988	Forbes RB	USA, IA, Dickinson Co.
Lagomorpha	Leporidae	rabbits	<i>Lepus</i>	<i>townsendii</i>	White-tailed Jackrabbit	C Alberta and Saskatchewan east to extreme SW Ontario (Canada), south to SW Wisconsin, Iowa, NW Missouri, west through C Kansas to NC New Mexico, west to C Nevada, EC California (USA) and north to SC British Columbia (Canada).	1349	Side view, feet and tail visible		Grondahl CD	
Lagomorpha	Leporidae	rabbits	<i>Romerolagus</i>	<i>diazi</i>	Volcano Rabbit	Distrito Federal, Mexico, and W Puebla (Mexico), in three discontinuous areas on the slopes of Volcán Pelado, Tlaloc, Popocatepetl, and Ixtaccihuatl.	667	Side view of adult male		Cervantes-Reza FA	Mexico, D.F., Parres
Lagomorpha	Leporidae	rabbits	<i>Romerolagus</i>	<i>diazi</i>	Volcano Rabbit	Distrito Federal, Mexico, and W Puebla (Mexico), in three discontinuous areas on the slopes of Volcán Pelado, Tlaloc, Popocatepetl, and Ixtaccihuatl.	668	Close-up of adult male		Cervantes-Reza FA	Mexico, D.F., Parres
Lagomorpha	Leporidae	rabbits	<i>Sylvilagus</i>	<i>aquaticus</i>	Swamp Rabbit	S Illinois and SW Indiana, SW Missouri to SE Kansas southward through extreme W Kentucky and W Tennessee to E Oklahoma, E Texas, Louisiana, Alabama, Mississippi and NW South Carolina (USA).	1857	Quartering rear view of adult	September 19, 2003	Huckaby, DG	USA, LA, Orleans Par., New Orleans, Audubon Zoo
Lagomorpha	Leporidae	rabbits	<i>Sylvilagus</i>	<i>audubonii</i>	Desert Cottontail	NE Puebla and W Veracruz (Mexico) to NC Montana and SW North Dakota, NC Utah, C Nevada, and NC California (USA), south to Baja California and C Sinaloa (Mexico).	059	Side view	1969	Myers P	USA, CA, Monterey Co., Carmel, Hastings Natural History Reservation
Lagomorpha	Leporidae	rabbits	<i>Sylvilagus</i>	<i>audubonii</i>	Desert Cottontail	NE Puebla and W Veracruz (Mexico) to NC Montana and SW North Dakota, NC Utah, C Nevada, and NC California (USA), south to Baja California and C Sinaloa (Mexico).	1188	Lateral view of individual reclining on ground in shade of shrub, S. a. cedrophilus	1991	Forbes RB	USA, NM, Bernalillo Co., Albuquerque
Lagomorpha	Leporidae	rabbits	<i>Sylvilagus</i>	<i>audubonii</i>	Desert Cottontail	NE Puebla and W Veracruz (Mexico) to NC Montana and SW North Dakota, NC Utah, C Nevada, and NC California (USA), south to Baja California and C Sinaloa (Mexico).	1858	Side view of adult	July 3, 2005	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)
Lagomorpha	Leporidae	rabbits	<i>Sylvilagus</i>	<i>brasiliensis</i>	Tapeti	S Tamaulipas (Mexico) southward through Central and South America as far as Peru, Bolivia, N Argentina and S Brazil.	666	Captive adult female	1971	Tyndale-Biscoe CH	Colombia, Valle del Cauca, Pichinde
Lagomorpha	Leporidae	rabbits	<i>Sylvilagus</i>	<i>floridanus</i>	Eastern Cottontail	N, C, and W Venezuela (including adjacent islands) and adjacent Colombia through Central America (disjunct in part); to NW Mexico, Arizona, north and east to North Dakota, Minnesota, N Michigan, New York and Massachusetts, Atlantic Coast south and Florida Gulf Coast (USA) west to Mexico; also S Saskatchewan, S Ontario and SC Quebec (C Canada).	058	Side view	1975	Twiest GL	USA, PA, Clarion Co., Clarion

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Lagomorpha	Leporidae	rabbits	<i>Sylvilagus</i>	<i>floridanus</i>	Eastern Cottontail	N, C, and W Venezuela (including adjacent islands) and adjacent Colombia through Central America (disjunct in part); to NW Mexico, Arizona, north and east to North Dakota, Minnesota, N Michigan, New York and Massachusetts, Atlantic Coast south and Florida Gulf Coast (USA) west to Mexico; also S Saskatchewan, S Ontario and SC Quebec (C Canada).	953	Dorsal and lateral views of two young in nest	1985	Fontaine RP	USA, RI, Washington Co., Wakefield
Lagomorpha	Leporidae	rabbits	<i>Sylvilagus</i>	<i>transitionalis</i>	New England Cottontail	Boreal habitats from S Maine to S New York, mostly east of the Hudson River.	1408	Winter pelage		Smith DL	
Lagomorpha	Ochotonidae	pikas	<i>Ochotona</i>	<i>collaris</i>	Collared Pika	WC Mackenzie, S Yukon, NW British Columbia (Canada); SE Alaska (USA).	1281	Side view	1993	Haweeli JD	USA, AK, Denali National Park
Lagomorpha	Ochotonidae	pikas	<i>Ochotona</i>	<i>pallasii</i>	Pallas' Pika	Discontinuous in arid areas (mntns and high steppes) in Kazakhstan; Altai Mtns, Tuva (Russia), and Mongolia, to Xinjiang, Inner Mongolia and Ningxia (China).	1257	Side view, resting on ledge, entirely in view		Rogovin K	Mongolia, Gobian Altai
Lagomorpha	Ochotonidae	pikas	<i>Ochotona</i>	<i>princeps</i>	Rocky Mountain Pika	Mountains of W North America from C British Columbia (Canada) to N New Mexico, Utah, C Nevada, and EC California (USA).	063	Side view	1977	des Lauriers J	USA, WY, Sublette Co., Middle Piney Lake
Lagomorpha	Ochotonidae	pikas	<i>Ochotona</i>	<i>princeps</i>	Rocky Mountain Pika	Mountains of W North America from C British Columbia (Canada) to N New Mexico, Utah, C Nevada, and EC California (USA).	064	Side view, carrying vegetation	1977	des Lauriers J	USA, WY, Sublette Co., Middle Piney Lake
Macroscelidea	Macroscelididae	elephant shrews	<i>Elephantulus</i>	<i>brachyrhynchus</i>	Short-snouted Elephant Shrew	N South Africa; NE Namibia; E and N Botswana; Angola; Zimbabwe; Malawi; Zambia; S Dem. Rep. Congo; Mozambique; Tanzania; Kenya and Uganda.	643	Side view	1978	Van Devender RW	USA, DC, Washington, National Zoological Park
Macroscelidea	Macroscelididae	elephant shrews	<i>Elephantulus</i>	<i>edwardii</i>	Cape Elephant Shrew	W and SC South Africa.	207	Close-up of captive's head		Visser J	South Africa, Northern Cape, Anenous Pass, Steinkopf,
Macroscelidea	Macroscelididae	elephant shrews	<i>Elephantulus</i>	<i>intufi</i>	Bushveld Elephant Shrew	SW Angola; Namibia; Botswana; N South Africa.	2217		16 April 2010	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park
Macroscelidea	Macroscelididae	elephant shrews	<i>Elephantulus</i>	<i>myurus</i>	Rock elephant shrew	Zimbabwe; E Botswana; N, C and E South Africa; Lesotho; W Mozambique.	490	Side view		Willan K	Zimbabwe, Masvingo, Kyle Dam (Lake Mutirikwe) National (Recreational) Park
Macroscelidea	Macroscelididae	elephant shrews	<i>Elephantulus</i>	<i>rufescens</i>	Rufous Elephant Shrew	S and E Ethiopia; Kenya; E Uganda; S Sudan; N, C and W Tanzania; N and S Somalia.	016	Side view, female with young on resting spot in trail cleared by shrews	1974	Rathbun GB	Kenya, Eastern province, Makueni county, Kibwezi, Bushwhackers Safari Camp
Macroscelidea	Macroscelididae	elephant shrews	<i>Elephantulus</i>	<i>rufescens</i>	Rufous Elephant Shrew	S and E Ethiopia; Kenya; E Uganda; S Sudan; N, C and W Tanzania; N and S Somalia.	017	Side view	1975	Rathbun GB	Kenya, Eastern province, Makueni county, Kibwezi, Bushwhackers Safari Camp
Macroscelidea	Macroscelididae	elephant shrews	<i>Elephantulus</i>	<i>rufescens</i>	Rufous Elephant Shrew	S and E Ethiopia; Kenya; E Uganda; S Sudan; N, C and W Tanzania; N and S Somalia.	018	Territorial encounter between females	1975	Rathbun GB	Kenya, Eastern province, Makueni county, Kibwezi, Bushwhackers Safari Camp
Macroscelidea	Macroscelididae	elephant shrews	<i>Elephantulus</i>	<i>rufescens</i>	Rufous Elephant Shrew	S and E Ethiopia; Kenya; E Uganda; S Sudan; N, C and W Tanzania; N and S Somalia.	206	Close-up of head	1974	Rathbun GB	Kenya, Eastern province, Makueni county, Kibwezi, Bushwhackers Safari Camp

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Macroscelidea	Macroscelididae	elephant shrews	<i>Elephantulus</i>	<i>rufescens</i>	Rufous Elephant Shrew	S and E Ethiopia; Kenya; E Uganda; S Sudan; N, C and W Tanzania; N and S Somalia.	1731	Quartering view, head and feet visible	2010	Kinyua SN (contributed by Goheen, JR)	Kenya, Rift Valley province, Laikipia county
Macroscelidea	Macroscelididae	elephant shrews	<i>Macroscelides</i>	<i>proboscideus</i>	Short-eared Elephant Shrew	W, NW and SC South Africa; S Namibia.	013	Side view		Visser J	South Africa, Northern Cape, Victoria West
Macroscelidea	Macroscelididae	elephant shrews	<i>Macroscelides</i>	<i>proboscideus</i>	Short-eared Elephant Shrew	W, NW and SC South Africa; S Namibia.	1111	Oblique view, standing		Visser J	
Macroscelidea	Macroscelididae	elephant shrews	<i>Petrodromus</i>	<i>tetradactylus</i>	Four-toed elephant shrew	Mozambique; Tanzania (including Mafia and Zanzibar); SE Kenya; S Uganda; Zambia; Malawi; SE Zimbabwe; Dem. Rep. Congo; E Republic of Congo; NE Angola; E South Africa.	019	Side view, P. t. sultan	1975	Rathbun GB	Kenya, Coast province, Kilifi county, Malindi, Gedi Ruins
Macroscelidea	Macroscelididae	elephant shrews	<i>Rhynchocyon</i>	<i>chrysopygus</i>	Golden-rumped Elephant Shrew	E Kenya.	014	Side view of captive	1972	Rathbun GB	Kenya, Coast province, Kilifi county, Malindi, Gedi Ruins
Macroscelidea	Macroscelididae	elephant shrews	<i>Rhynchocyon</i>	<i>chrysopygus</i>	Golden-rumped Elephant Shrew	E Kenya.	015	Close-up of head	1972	Rathbun GB	Kenya, Coast province, Kilifi county, Malindi, Gedi Ruins
Microbiotheria	Microbiotheriidae	monitos del monte	<i>Dromiciops</i>	<i>gliroides</i>	Monito del Monte	Chile and adjacent Argentina from about 36°S to near 43°S.	725	Side view of captive	1982	Meserve PL	Chile, Araucania, Osorno Province, La Picada Forest Preserve
Microbiotheria	Microbiotheriidae	monitos del monte	<i>Dromiciops</i>	<i>gliroides</i>	Monito del Monte	Chile and adjacent Argentina from about 36°S to near 43°S.	1629	Ventral view, handheld, showing mammae in rudimentary pouch	February, 1984	Patterson BD	Chile, Los Lagos Region, Osorno
Monotremata	Ornithorhynchidae	platypuses	<i>Ornithorhynchus</i>	<i>anatinus</i>	Platypus	Queensland, New South Wales, SE South Australia, Victoria, and Tasmania (Australia).	1115	Dorsolateral view of head, showing grooves on inside of lower jaw (preserved specimen, black and white photograph)	1991	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, University of New Mexico, Museum of Southwestern Biology
Monotremata	Ornithorhynchidae	platypuses	<i>Ornithorhynchus</i>	<i>anatinus</i>	Platypus	Queensland, New South Wales, SE South Australia, Victoria, and Tasmania (Australia).	1116	Close-up view of manus, showing webbing and claws (preserved specimen; black and white photograph)	1991	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, University of New Mexico, Museum of Southwestern Biology
Monotremata	Ornithorhynchidae	platypuses	<i>Ornithorhynchus</i>	<i>anatinus</i>	Platypus	Queensland, New South Wales, SE South Australia, Victoria, and Tasmania (Australia).	1371	View of burrow in bank by lake shore	1999	Lackey JA	Australia, TAS, Lake Pedder
Monotremata	Tachyglossidae	echidnas	<i>Tachyglossus</i>	<i>aculeatus</i>	Short-beaked Echidna	S and E New Guinea; Australia, including Kangaroo Isl (off South Australia) and Tasmania.	201	Side view	1976	Oaks EC	Australia, NSW, Sydney, Taronga Zoo
Monotremata	Tachyglossidae	echidnas	<i>Tachyglossus</i>	<i>aculeatus</i>	Short-beaked Echidna	S and E New Guinea; Australia, including Kangaroo Isl (off South Australia) and Tasmania.	622	Side view of skull	1980	Van Devender RW	USA, DC, Washington, National Museum of Natural History
Monotremata	Tachyglossidae	echidnas	<i>Tachyglossus</i>	<i>aculeatus</i>	Short-beaked Echidna	S and E New Guinea; Australia, including Kangaroo Isl (off South Australia) and Tasmania.	1372	Individual in defensive posture, with head pushed under log	1999	Lackey JA	Australia, TAS, Mole Creek Wildlife Sanctuary
Monotremata	Tachyglossidae	echidnas	<i>Tachyglossus</i>	<i>aculeatus</i>	Short-beaked Echidna	S and E New Guinea; Australia, including Kangaroo Isl (off South Australia) and Tasmania.	2010	Lateral view of mounted skeleton		Villemarette Josh	
Paucituberculata	Caenolestidae	rat opossums	<i>Caenolestes</i>	<i>fuliginosus</i>	Dusky Shrew-opossum	Colombia, Ecuador, and NW Venezuela.	624	Side view of adult male	1971	Tyndale-Biscoe CH	Colombia, Cauca, Paramos de Purace

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Paucituberculata	Caenolestidae	shrew-opossums	<i>Caenolestes</i>	<i>sangay</i>	Sangay Shrew-opossum	Ecuador, Morona Santiago, Sanjay National Park and vicinity	2074	Lateral view. Image on cover of Journal of Mammalogy, 94(5)	October 19, 2011	J Brito-M.	Ecuador, Morona Santiago, Sanjay National Park
Paucituberculata	Caenolestidae	shrew-opossums	<i>Caenolestes</i>	<i>sangay</i>	Sangay Shrew-opossum	Ecuador, Morona Santiago, Sanjay National Park and vicinity	2075	Close-up of side of head	October 11, 2011	R Ojala-Barbour	Ecuador, Morona Santiago, Sanjay National Park
Paucituberculata	Caenolestidae	shrew-opossums	<i>Caenolestes</i>	<i>sangay</i>	Sangay Shrew-opossum	Ecuador, Morona Santiago, Sanjay National Park and vicinity	2076	Lateral views of skulls of recognized species of <i>Caenolestes</i> . B is considered conspecific with F.	September 7, 2012	R Ojala-Barbour	
Paucituberculata	Caenolestidae	shrew-opossums	<i>Caenolestes</i>	<i>sangay</i>	Sangay Shrew-opossum	Ecuador, Morona Santiago, Sanjay National Park and vicinity	2077	Dorsal views of skulls of recognized species of <i>Caenolestes</i> . B is considered conspecific with F.	September 7, 2012	R Ojala-Barbour	
Paucituberculata	Caenolestidae	shrew-opossums	<i>Caenolestes</i>	<i>sangay</i>	Sangay Shrew-opossum	Ecuador, Morona Santiago, Sanjay National Park and vicinity	2078	Ventral views of skulls of recognized species of <i>Caenolestes</i> . B is considered conspecific with F.	September 7, 2012	R Ojala-Barbour	
Paucituberculata	Caenolestidae	rat opossums	<i>Lestoros</i>	<i>inca</i>	Incan Shrew-opossum	S Andean Perú and adjacent Bolivia.	1630	Side view of standing adult, head in focus	November 2, 2001	Patterson BD	Peru, Cuzco, La Esperanza
Paucituberculata	Caenolestidae	rat opossums	<i>Lestoros</i>	<i>inca</i>	Incan Shrew-opossum	S Andean Perú and adjacent Bolivia.	1631	Right quartering view of adult sitting on tail, right front foot and part of tail in focus	November 2, 2001	Patterson BD	Peru, Cuzco, La Esperanza
Paucituberculata	Caenolestidae	rat opossums	<i>Lestoros</i>	<i>inca</i>	Incan Shrew-opossum	S Andean Perú and adjacent Bolivia.	1632	Ventral view of adult female, mammae visible	November 2, 2001	Patterson BD	Peru, Cuzco, La Esperanza
Paucituberculata	Caenolestidae	rat opossums	<i>Rhyncholestes</i>	<i>raphanurus</i>	Long-nosed Shrew-opossum	SC Chile including Chiloé Isl and adjacent Argentina.	625	Side view, hand-held	1981	Meserve PL	Chile, Araucania, Osorno Province, La Picada Forest Preserve
Paucituberculata	Caenolestidae	rat opossums	<i>Rhyncholestes</i>	<i>raphanurus</i>	Long-nosed Shrew-opossum	SC Chile including Chiloé Isl and adjacent Argentina.	626	Frontal upright view in hand, showing labial flap	1981	Meserve PL	Chile, Araucania, Osorno Province, La Picada Forest Preserve
Peramelemorphia	Peramelidae	short-nosed bandicoots	<i>Isoodon</i>	<i>obesulus</i>	Southern Brown Bandicoot	SE New South Wales, S Victoria, SE South Australia, N Queensland, SW Western Australia, Nuyts Arch. (Great Australian Bight, S Australian coast), and Tasmania.	345	Oblique view of captive from Nuyts Archipelago, South Australia	1978	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Peramelemorphia	Thylacomyidae	bilbys	<i>Macrotis</i>	<i>lagotis</i>	Greater Bilby	Survives only in SW Queensland, Northern Territory/Western Australia border region and Kimberleys.	344	Oblique view of captive from Warburton Range, W Australia	1972	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>asinus</i>	Ass (Burro)	NE Sudan (now extinct), NE Ethiopia, and N Somalia; domesticated worldwide; feral or possibly wild in Oman, Hoggar (S Algeria), and Tibesti (N Chad); feral in Sudan, Saudi Arabia, Socotra Isl (Yemen), Sri Lanka, Australia, USA (including Hawaiian Isls), Galapagos Isls, Chagos Isls, and probably other oceanic islands.	152	Herd	1977	des Lauriers J	USA, CA, Inyo Co., Death Valley

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>asinus</i>	Ass	NE Sudan (now extinct), NE Ethiopia, and N Somalia; domesticated worldwide; feral or possibly wild in Oman, Hoggar (S Algeria), and Tibesti (N Chad); feral in Sudan, Saudi Arabia, Socotra Isl (Yemen), Sri Lanka, Australia, USA (including Hawaiian Isls), Galapagos Isls, Chagos Isls, and probably other oceanic islands.	771	Side view, E. a. somalicus (= somaliensis); also as E. africanus	1981	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>asinus</i>	Ass	NE Sudan (now extinct), NE Ethiopia, and N Somalia; domesticated worldwide; feral or possibly wild in Oman, Hoggar (S Algeria), and Tibesti (N Chad); feral in Sudan, Saudi Arabia, Socotra Isl (Yemen), Sri Lanka, Australia, USA (including Hawaiian Isls), Galapagos Isls, Chagos Isls, and probably other oceanic islands.	1633	Adult, walking toward camera, head and feet visible, E. a. somalicus (= somaliensis); also as E. africanus	April 7, 2004	Patterson BD	USA, OK, Oklahoma Co., Oklahoma City Zoo
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>burchellii</i>	Burchell's Zebra	S and E Angola, N and E Botswana, SE Dem. Rep. Congo, Kenya, N Namibia, SE Sudan, SW Ethiopia, Malawi, Mozambique, S Somalia, South Africa (N KwaZulu-Natal, Limpopo, and Mpumalanga Provs.; formerly more widespread, S to Orange River), Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.	151	Oblique view, E. b. burchellii; also as E. quagga burchellii, Plains Zebra	1976	Hickman GC	South Africa, KwaZulu-Natal, Hluhluwe-Umfolozi Game Reserve
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>burchellii</i>	Burchell's Zebra	S and E Angola, N and E Botswana, SE Dem. Rep. Congo, Kenya, N Namibia, SE Sudan, SW Ethiopia, Malawi, Mozambique, S Somalia, South Africa (N KwaZulu-Natal, Limpopo, and Mpumalanga Provs.; formerly more widespread, S to Orange River), Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.	465	Mother nursing 60-day-old foal, E. b. chapmanni; also as E. quagga chapmani, Chapman's or Plains Zebra	1978	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>burchellii</i>	Burchell's Zebra	S and E Angola, N and E Botswana, SE Dem. Rep. Congo, Kenya, N Namibia, SE Sudan, SW Ethiopia, Malawi, Mozambique, S Somalia, South Africa (N KwaZulu-Natal, Limpopo, and Mpumalanga Provs.; formerly more widespread, S to Orange River), Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.	1062	Side view showing narrow stripes, from South Africa, E. b. burchellii (includes antiquorum); also as E. quagga burchellii, Plains Zebra		Kutunidisz K	Germany, Berlin, Tierpark Berlin
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>burchellii</i>	Burchell's Zebra	S and E Angola, N and E Botswana, SE Dem. Rep. Congo, Kenya, N Namibia, SE Sudan, SW Ethiopia, Malawi, Mozambique, S Somalia, South Africa (N KwaZulu-Natal, Limpopo, and Mpumalanga Provs.; formerly more widespread, S to Orange River), Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.	1145	Side view of three individuals in savannah habitat, E. b. boehmi; also as E. quagga boehmi, Grant's or Plains Zebra	1992	Shoemaker AH	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>burchellii</i>	Burchell's Zebra	S and E Angola, N and E Botswana, SE Dem. Rep. Congo, Kenya, N Namibia, SE Sudan, SW Ethiopia, Malawi, Mozambique, S Somalia, South Africa (N KwaZulu-Natal, Limpopo, and Mpumalanga Provs.; formerly more widespread, S to Orange River), Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.	1146	Maneless morph, oblique front view, feeding, E. b. boehmi; also as E. quagga boehmi, Grant's or Plains Zebra	1992	Shoemaker AH	Kenya, Rift Valley province, Kajiado county, Amboseli National Park
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>burchellii</i>	Burchell's Zebra	S and E Angola, N and E Botswana, SE Dem. Rep. Congo, Kenya, N Namibia, SE Sudan, SW Ethiopia, Malawi, Mozambique, S Somalia, South Africa (N KwaZulu-Natal, Limpopo, and Mpumalanga Provs.; formerly more widespread, S to Orange River), Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.	1666	E. b. burchellii; also as E. quagga burchellii, Plains Zebra. They seem to have some genes of the extinct Quagga; note the brown stripes on a brown background on rumps and absence of "shadow" stripes on two animals in foreground, and reduced stripes on rump and legs of the one at right.	November 9, 2008	Harding LE	Swaziland
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>burchellii</i>	Burchell's Zebra	S and E Angola, N and E Botswana, SE Dem. Rep. Congo, Kenya, N Namibia, SE Sudan, SW Ethiopia, Malawi, Mozambique, S Somalia, South Africa (N KwaZulu-Natal, Limpopo, and Mpumalanga Provs.; formerly more widespread, S to Orange River), Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.	1667	Lateral view of standing adult; E. b. chapmani intergrading to E. b. burchellii, apparently; also as E. quagga, Plains Zebra	November 18, 2008	Harding LE	Botswana, Ngamiland, Moremi National Park
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>burchellii</i>	Burchell's Zebra	S and E Angola, N and E Botswana, SE Dem. Rep. Congo, Kenya, N Namibia, SE Sudan, SW Ethiopia, Malawi, Mozambique, S Somalia, South Africa (N KwaZulu-Natal, Limpopo, and Mpumalanga Provs.; formerly more widespread, S to Orange River), Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.	2218	E. b. boehmi. Also as E. quagga boehmi.	26 September 2007	Perry P	Kenya, Rift Valley province, Narok county, Maasai Mara National Reserve
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>burchellii</i>	Burchell's Zebra	S and E Angola, N and E Botswana, SE Dem. Rep. Congo, Kenya, N Namibia, SE Sudan, SW Ethiopia, Malawi, Mozambique, S Somalia, South Africa (N KwaZulu-Natal, Limpopo, and Mpumalanga Provs.; formerly more widespread, S to Orange River), Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.	2219	E. b. boehmi. Also as E. quagga boehmi.	16 August 2009	Perry P	Tanzania, Serengeti National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>burchellii</i>	Burchell's Zebra	S and E Angola, N and E Botswana, SE Dem. Rep. Congo, Kenya, N Namibia, SE Sudan, SW Ethiopia, Malawi, Mozambique, S Somalia, South Africa (N KwaZulu-Natal, Limpopo, and Mpumalanga Provs.; formerly more widespread, S to Orange River), Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.	2220	E. b. burchellii. Also as E. quagga burchellii.	8 November 2007	Perry P	South Africa, North West, Madikwe National Park
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>burchellii</i>	Burchell's Zebra	S and E Angola, N and E Botswana, SE Dem. Rep. Congo, Kenya, N Namibia, SE Sudan, SW Ethiopia, Malawi, Mozambique, S Somalia, South Africa (N KwaZulu-Natal, Limpopo, and Mpumalanga Provs.; formerly more widespread, S to Orange River), Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.	2221	E. b. burchellii. Also as E. quagga burchellii.	3 July 2008	Perry P	Swaziland, Manzini district, Hlane Game Reserve
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>burchellii</i>	Burchell's Zebra	S and E Angola, N and E Botswana, SE Dem. Rep. Congo, Kenya, N Namibia, SE Sudan, SW Ethiopia, Malawi, Mozambique, S Somalia, South Africa (N KwaZulu-Natal, Limpopo, and Mpumalanga Provs.; formerly more widespread, S to Orange River), Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.	2222	E. b. crawshayi. Also as E. quagga crawshayi.	18 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>burchellii</i>	Burchell's Zebra	S and E Angola, N and E Botswana, SE Dem. Rep. Congo, Kenya, N Namibia, SE Sudan, SW Ethiopia, Malawi, Mozambique, S Somalia, South Africa (N KwaZulu-Natal, Limpopo, and Mpumalanga Provs.; formerly more widespread, S to Orange River), Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.	2223	Nearly full-term pregnant female. E. b. crawshayi. Also as E. quagga crawshayi.	20 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>caballus</i>	Horse	In the late 18th Century, from Poland and Russian Steppes east to Turkestan and Mongolia; wild population survived (at least until recently) in SW Mongolia and adjacent Gansu, Sinkiang, and Inner Mongolia (China); reintroduced into Mongolia. Domesticated worldwide; feral in Portugal, Spain, France, Greece, Iran, Sri Lanka, Lesser Sundas (Flores and Rintja), Australia, New Zealand, Colombia, Hispaniola, Canada, USA (incl. Hawaiian Isls), Galapagos and probably other oceanic islands.	150	Herd of feral, domestic horses		Audio Visual Office, US Fish & Wildlife Service	USA, island off E coast

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>caballus</i>	Horse	In the late 18th Century, from Poland and Russian Steppes east to Turkestan and Mongolia; wild population survived (at least until recently) in SW Mongolia and adjacent Gansu, Sinkiang, and Inner Mongolia (China); reintroduced into Mongolia. Domesticated worldwide; feral in Portugal, Spain, France, Greece, Iran, Sri Lanka, Lesser Sundas (Flores and Rintja), Australia, New Zealand, Colombia, Hispaniola, Canada, USA (incl. Hawaiian Isls), Galapagos and probably other oceanic islands.	294	Side view, E. c. przewalskii; also as E. przewalskii, Przewalski's Horse or Takhi	1965	Glass BP	UK, England, Whipsnade Zoo
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>caballus</i>	Horse	In the late 18th Century, from Poland and Russian Steppes east to Turkestan and Mongolia; wild population survived (at least until recently) in SW Mongolia and adjacent Gansu, Sinkiang, and Inner Mongolia (China); reintroduced into Mongolia. Domesticated worldwide; feral in Portugal, Spain, France, Greece, Iran, Sri Lanka, Lesser Sundas (Flores and Rintja), Australia, New Zealand, Colombia, Hispaniola, Canada, USA (incl. Hawaiian Isls), Galapagos and probably other oceanic islands.	1063	Close-up of head, E. c. przewalskii; also as E. przewalskii, Przewalski's Horse or Takhi	1986	Andera M	Czech Republic, Prague Zoological Park
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>caballus</i>	Horse	In the late 18th Century, from Poland and Russian Steppes east to Turkestan and Mongolia; wild population survived (at least until recently) in SW Mongolia and adjacent Gansu, Sinkiang, and Inner Mongolia (China); reintroduced into Mongolia. Domesticated worldwide; feral in Portugal, Spain, France, Greece, Iran, Sri Lanka, Lesser Sundas (Flores and Rintja), Australia, New Zealand, Colombia, Hispaniola, Canada, USA (incl. Hawaiian Isls), Galapagos and probably other oceanic islands. Status:	1646	Lateral view of walking adult in winter pelage, E. c. przewalskii; also as E. przewalskii, Przewalski's Horse or Takhi	February 2011	Patterson BD	USA, IL, Cook Co., Chicago, Brookfield Zoo
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>caballus</i>	Horse	In the late 18th Century, from Poland and Russian Steppes east to Turkestan and Mongolia; wild population survived (at least until recently) in SW Mongolia and adjacent Gansu, Sinkiang, and Inner Mongolia (China); reintroduced into Mongolia. Domesticated worldwide; feral in Portugal, Spain, France, Greece, Iran, Sri Lanka, Lesser Sundas (Flores and Rintja), Australia, New Zealand, Colombia, Hispaniola, Canada, USA (incl. Hawaiian Isls), Galapagos and probably other oceanic islands.	1859	Foal and its mother of E. c. przewalskii; also as E. przewalskii, Przewalski's Horse or Takhi	July 11, 1997	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>grevyi</i>	Grevy's Zebra	Dry desert regions of S and E Ethiopia, N Kenya, and S Somalia (extinct).	293	Side view of small herd	1978	Gordon DC	Kenya, Rift Valley province, Samburu county, Samburu National Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>grevyi</i>	Grevy's Zebra	Dry desert regions of S and E Ethiopia, N Kenya, and S Somalia (extinct).	822	Side view, standing	1984	Wolff JO	Kenya
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>grevyi</i>	Grevy's Zebra	Dry desert regions of S and E Ethiopia, N Kenya, and S Somalia (extinct).	2224		16 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Shaba or Buffalo Springs National Reserve
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>grevyi</i>	Grevy's Zebra	Dry desert regions of S and E Ethiopia, N Kenya, and S Somalia (extinct).	2225		20 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Lewa Wildlife Conservancy
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>grevyi</i>	Grevy's Zebra	Dry desert regions of S and E Ethiopia, N Kenya, and S Somalia (extinct).	2226		18 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Shaba or Buffalo Springs National Reserve
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>grevyi x burchellii</i>	Grevy's Zebra x Burchell's Zebra hybrid	Central and northern Kenya, where the ranges of the two species overlap.	2092	Adult male hybrid fighting adult male <i>E. burchellii</i> (also as <i>E. quagga</i>).	31 July 2012	BA Roberts	Kenya, Rift Valley province, Laikipia county, Ol Pejeta Conservancy
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>hemionus</i>	Onager	Formerly much of Mongolia, north to Transbaikalia (Russia); east to NE Inner Mongolia (China) and possibly W Manchuria (China); and west to Dzhungarian Gate. Survives in SW and SC Mongolia and adjacent China; see Sokolov and Orlov (1980:248). Also formerly Kazakhstan north to upper Irtysh and Ural Rivers (Russia); westward north of the Caucasus and Black Sea at least to Dniestr River (Ukraine); Anatolia, Syria, and SE of Caspian Sea in N Iraq, Iran, Afghanistan, and Pakistan to Thar Desert of NW India; survives as isolated populations in Rann of Kutch (India), Badkhyz Preserve, Turkmenistan, and C Iran; also reestablished on Barsa-Khelmes Isl (Aral Sea, Uzbekistan); until 17th-18th centuries in Armenia and Azerbaidjan.	861	Full side view of male	1981	Kutunidisz K	Germany, Saxony-Anhalt, Halle Zoological Garden
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>kiang</i>	Kiang	Ladak (India), Tibet, Tsinghai and Szechwan (China), adjacent Nepal and Sikkim (India).	1064	Side view, standing		Kutunidisz K	Germany, Berlin, Tierpark Berlin
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>zebra</i>	Mountain Zebra	S Angola, Namibia, South Africa (Eastern and Western Cape Provs.; formerly in W Northern Cape Prov.).	600	Side view of adults and young, <i>E. z. hartmannae</i> ; also as <i>E. hartmannae</i> , Hartmann's Zebra	1975	Joseph BE	USA, CA, San Diego Co., San Diego Zoo
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>zebra</i>	Mountain Zebra	S Angola, Namibia, South Africa (Eastern and Western Cape Provs.; formerly in W Northern Cape Prov.).	1860	Side view of walking adult of <i>E. z. hartmanni</i> ; also as <i>E. hartmannae</i> , Hartmann's Zebra	June 25, 1993	Huckaby, DG	USA, OR, Multnomah Co., Portland, Oregon Zoo
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>zebra</i>	Mountain Zebra	S Angola, Namibia, South Africa (Eastern and Western Cape Provs.; formerly in W Northern Cape Prov.).	2227	<i>E. z. hartmannae</i> . Also as <i>E. hartmannae</i> , Hartmann's Zebra.	24 April 2004	Perry P	Namibia

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>zebra</i>	Mountain Zebra	S Angola, Namibia, South Africa (Eastern and Western Cape Provs.; formerly in W Northern Cape Prov.).	2228		19 September 2005	Perry P	South Africa, Western Cape, Karoo National Park
Perissodactyla	Equidae	horses	<i>Equus</i>	<i>zebra</i>	Mountain Zebra	S Angola, Namibia, South Africa (Eastern and Western Cape Provs.; formerly in W Northern Cape Prov.).	2334	Female suckling colt. True E. zebra.	13 April 2014	CP Groves	South Africa, Eastern Cape, Mountain Zebra National Park
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Ceratotherium</i>	<i>simum</i>	White Rhinoceros	Formerly north of Equator in S Chad, Central African Republic, S Sudan, NE Dem. Rep. Congo, and Uganda. Southern Africa in SE Angola, Botswana, NE Namibia, S Mozambique, South Africa (north of Orange-Vaal Rivers and in KwaZulu-Natal), Swaziland, Zimbabwe, and possibly also SW Zambia. Now much restricted in distribution; in south of range, extinct except in E KwaZulu-Natal (South Africa), but reintroduced into other parts of South Africa (KwaZulu-Natal, Limpopo Prov., Mpumalanga, Free State), Namibia, Swaziland, Mozambique, Zimbabwe, and Botswana; introduced into Zambia and Kenya. In north of range, now confined to NE Dem. Rep. Congo.	153	Oblique view	1975	Anderson Jeremy	South Africa, KwaZulu-Natal, Hluhluwe-Umfolozi Game Reserve
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Ceratotherium</i>	<i>simum</i>	White Rhinoceros	Formerly north of Equator in S Chad, Central African Republic, S Sudan, NE Dem. Rep. Congo, and Uganda. Southern Africa in SE Angola, Botswana, NE Namibia, S Mozambique, South Africa (north of Orange-Vaal Rivers and in KwaZulu-Natal), Swaziland, Zimbabwe, and possibly also SW Zambia. Now much restricted in distribution; in south of range, extinct except in E KwaZulu-Natal (South Africa), but reintroduced into other parts of South Africa (KwaZulu-Natal, Limpopo Prov., Mpumalanga, Free State), Namibia, Swaziland, Mozambique, Zimbabwe, and Botswana; introduced into Zambia and Kenya. In north of range, now confined to NE Dem. Rep. Congo.	295	Close-up view of head, showing horns	1978	Hickman GC	South Africa, KwaZulu-Natal, Hluhluwe-Umfolozi Game Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Ceratotherium</i>	<i>simum</i>	White Rhinoceros	Formerly north of Equator in S Chad, Central African Republic, S Sudan, NE Dem. Rep. Congo, and Uganda. Southern Africa in SE Angola, Botswana, NE Namibia, S Mozambique, South Africa (north of Orange-Vaal Rivers and in KwaZulu-Natal), Swaziland, Zimbabwe, and possibly also SW Zambia. Now much restricted in distribution; in south of range, extinct except in E KwaZulu-Natal (South Africa), but reintroduced into other parts of South Africa (KwaZulu-Natal, Limpopo Prov., Mpumalanga, Free State), Namibia, Swaziland, Mozambique, Zimbabwe, and Botswana; introduced into Zambia and Kenya. In north of range, now confined to NE Dem. Rep. Congo.	296	Side view of 3-week-old	1978	Hickman GC	South Africa, KwaZulu-Natal, Hluhluwe-Umfolozi Game Reserve
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Ceratotherium</i>	<i>simum</i>	White Rhinoceros	Formerly north of Equator in S Chad, Central African Republic, S Sudan, NE Dem. Rep. Congo, and Uganda. Southern Africa in SE Angola, Botswana, NE Namibia, S Mozambique, South Africa (north of Orange-Vaal Rivers and in KwaZulu-Natal), Swaziland, Zimbabwe, and possibly also SW Zambia. Now much restricted in distribution; in south of range, extinct except in E KwaZulu-Natal (South Africa), but reintroduced into other parts of South Africa (KwaZulu-Natal, Limpopo Prov., Mpumalanga, Free State), Namibia, Swaziland, Mozambique, Zimbabwe, and Botswana; introduced into Zambia and Kenya. In north of range, now confined to NE Dem. Rep. Congo.	1113	Side view of adult and young standing		Shoshani JH	Kenya
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Ceratotherium</i>	<i>simum</i>	White Rhinoceros	Formerly north of Equator in S Chad, Central African Republic, S Sudan, NE Dem. Rep. Congo, and Uganda. Southern Africa in SE Angola, Botswana, NE Namibia, S Mozambique, South Africa (north of Orange-Vaal Rivers and in KwaZulu-Natal), Swaziland, Zimbabwe, and possibly also SW Zambia. Now much restricted in distribution; in south of range, extinct except in E KwaZulu-Natal (South Africa), but reintroduced into other parts of South Africa (KwaZulu-Natal, Limpopo Prov., Mpumalanga, Free State), Namibia, Swaziland, Mozambique, Zimbabwe, and Botswana; introduced into Zambia and Kenya. In north of range, now confined to NE Dem. Rep. Congo.	1861	Side view of adult; also as <i>C. cottoni</i> , Northern White Rhinoceros	August, 1988	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Ceratotherium</i>	<i>simum</i>	White Rhinoceros	Formerly north of Equator in S Chad, Central African Republic, S Sudan, NE Dem. Rep. Congo, and Uganda. Southern Africa in SE Angola, Botswana, NE Namibia, S Mozambique, South Africa (north of Orange-Vaal Rivers and in KwaZulu-Natal), Swaziland, Zimbabwe, and possibly also SW Zambia. Now much restricted in distribution; in south of range, extinct except in E KwaZulu-Natal (South Africa), but reintroduced into other parts of South Africa (KwaZulu-Natal, Limpopo Prov., Mpumalanga, Free State), Namibia, Swaziland, Mozambique, Zimbabwe, and Botswana; introduced into Zambia and Kenya. In north of range, now confined to NE Dem. Rep. Congo.	2011	Lateral view of mounted skeleton of trotting animal		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Ceratotherium</i>	<i>simum</i>	White Rhinoceros	Formerly north of Equator in S Chad, Central African Republic, S Sudan, NE Dem. Rep. Congo, and Uganda. Southern Africa in SE Angola, Botswana, NE Namibia, S Mozambique, South Africa (north of Orange-Vaal Rivers and in KwaZulu-Natal), Swaziland, Zimbabwe, and possibly also SW Zambia. Now much restricted in distribution; in south of range, extinct except in E KwaZulu-Natal (South Africa), but reintroduced into other parts of South Africa (KwaZulu-Natal, Limpopo Prov., Mpumalanga, Free State), Namibia, Swaziland, Mozambique, Zimbabwe, and Botswana; introduced into Zambia and Kenya. In north of range, now confined to NE Dem. Rep. Congo.	2229		3 July 2008	Perry P	Swaziland, Manzini district, Hlane Game Reserve
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Dicerorhinus</i>	<i>sumatrensis</i>	Sumatran Rhinoceros	Formerly Bangladesh (Chittagong Hills), Borneo, Burma, India (Assam), Laos, Malaysia (peninsular Malaya), Mergui Isl, Sumatra, Thailand, and Vietnam; probably also S China, and Cambodia. Survives in Tenasserim Range (Thailand-Burma), Petchabun Range (Thailand), and other scattered localities in Burma, peninsular Malaya, Sumatra, and Borneo.	884	Side view		Maruska EJ (contributed by AH Shoemaker)	Denmark, Copenhagen Zoo
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Dicerorhinus</i>	<i>sumatrensis</i>	Sumatran Rhinoceros	Formerly Bangladesh (Chittagong Hills), Borneo, Burma, India (Assam), Laos, Malaysia (peninsular Malaya), Mergui Isl, Sumatra, Thailand, and Vietnam; probably also S China, and Cambodia. Survives in Tenasserim Range (Thailand-Burma), Petchabun Range (Thailand), and other scattered localities in Burma, peninsular Malaya, Sumatra, and Borneo.	1221	Side view, walking, adult female weighing 650 kg, D. s. harrissoni		Groves CP	Malaysia, Sabah, Sepilok Nature Sanctuary

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Dicerorhinus</i>	<i>sumatrensis</i>	Sumatran Rhinoceros	Formerly Bangladesh (Chittagong Hills), Borneo, Burma, India (Assam), Laos, Malaysia (peninsular Malaya), Mergui Isl, Sumatra, Thailand, and Vietnam; probably also S China, and Cambodia. Survives in Tenasserim Range (Thailand-Burma), Petchabun Range (Thailand), and other scattered localities in Burma, peninsular Malaya, Sumatra, and Borneo.	1862	Side view of entire adult	December, 1993	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Diceros</i>	<i>bicornis</i>	Black Rhinoceros	Formerly in S Angola, Botswana, Burundi, N Cameroon, Central African Republic, S Dem. Rep. Congo, S Chad, N Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, SE Niger, Nigeria, Rwanda, Somalia, South Africa, Sudan, Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe; possibly more widespread in Niger, extending to Benin and Côte d'Ivoire, within historic times. Very much reduced in numbers, particularly in recent decades of 20th century, and probably now extinct in many countries which it formerly occupied. Survives in reserves in Kenya, Tanzania, Namibia, Zambia, Zimbabwe and KwaZulu-Natal (South Africa), and possibly still in Cameroon, Chad, Central African Republic, Sudan, Rwanda, Malawi, Mozambique, Angola, and Botswana; widely reintroduced into parts of South Africa.	154	Side view of female and young	1973	Bleiweiss SJ	Kenya
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Diceros</i>	<i>bicornis</i>	Black Rhinoceros	Formerly in S Angola, Botswana, Burundi, N Cameroon, Central African Republic, S Dem. Rep. Congo, S Chad, N Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, SE Niger, Nigeria, Rwanda, Somalia, South Africa, Sudan, Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe; possibly more widespread in Niger, extending to Benin and Côte d'Ivoire, within historic times. Very much reduced in numbers, particularly in recent decades of 20th century, and probably now extinct in many countries which it formerly occupied. Survives in reserves in Kenya, Tanzania, Namibia, Zambia, Zimbabwe and KwaZulu-Natal (South Africa), and possibly still in Cameroon, Chad, Central African Republic, Sudan, Rwanda, Malawi, Mozambique, Angola, and Botswana; widely reintroduced into parts of South Africa.	297	Side view exhibiting flehmen behavior	1972	Gordon DC	Tanzania, Arusha, Ngorongoro Crater

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Diceros</i>	<i>bicornis</i>	Black Rhinoceros	Formerly in S Angola, Botswana, Burundi, N Cameroon, Central African Republic, S Dem. Rep. Congo, S Chad, N Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, SE Niger, Nigeria, Rwanda, Somalia, South Africa, Sudan, Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe; possibly more widespread in Niger, extending to Benin and Côte d'Ivoire, within historic times. Very much reduced in numbers, particularly in recent decades of 20th century, and probably now extinct in many countries which it formerly occupied. Survives in reserves in Kenya, Tanzania, Namibia, Zambia, Zimbabwe and KwaZulu-Natal (South Africa), and possibly still in Cameroon, Chad, Central African Republic, Sudan, Rwanda, Malawi, Mozambique, Angola, and Botswana; widely reintroduced into parts of South Africa.	1065	Oblique view (frontal view of face) of female standing		Kutunidisz K	Hungary, Budapest Zoo
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Diceros</i>	<i>bicornis</i>	Black Rhinoceros	Formerly in S Angola, Botswana, Burundi, N Cameroon, Central African Republic, S Dem. Rep. Congo, S Chad, N Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, SE Niger, Nigeria, Rwanda, Somalia, South Africa, Sudan, Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe; possibly more widespread in Niger, extending to Benin and Côte d'Ivoire, within historic times. Very much reduced in numbers, particularly in recent decades of 20th century, and probably now extinct in many countries which it formerly occupied. Survives in reserves in Kenya, Tanzania, Namibia, Zambia, Zimbabwe and KwaZulu-Natal (South Africa), and possibly still in Cameroon, Chad, Central African Republic, Sudan, Rwanda, Malawi, Mozambique, Angola, and Botswana; widely reintroduced into parts of South Africa.	1264	Side view, horns unusually long	1993	Haweeli JD	Tanzania, Arusha, Ngorongoro Crater

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Diceros</i>	<i>bicornis</i>	Black Rhinoceros	Formerly in S Angola, Botswana, Burundi, N Cameroon, Central African Republic, S Dem. Rep. Congo, S Chad, N Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, SE Niger, Nigeria, Rwanda, Somalia, South Africa, Sudan, Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe; possibly more widespread in Niger, extending to Benin and Côte d'Ivoire, within historic times. Very much reduced in numbers, particularly in recent decades of 20th century, and probably now extinct in many countries which it formerly occupied. Survives in reserves in Kenya, Tanzania, Namibia, Zambia, Zimbabwe and KwaZulu-Natal (South Africa), and possibly still in Cameroon, Chad, Central African Republic, Sudan, Rwanda, Malawi, Mozambique, Angola, and Botswana; widely reintroduced into parts of South Africa.	2230		20 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Lewa Wildlife Conservancy
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Diceros</i>	<i>bicornis</i>	Black Rhinoceros	Formerly in S Angola, Botswana, Burundi, N Cameroon, Central African Republic, S Dem. Rep. Congo, S Chad, N Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, SE Niger, Nigeria, Rwanda, Somalia, South Africa, Sudan, Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe; possibly more widespread in Niger, extending to Benin and Côte d'Ivoire, within historic times. Very much reduced in numbers, particularly in recent decades of 20th century, and probably now extinct in many countries which it formerly occupied. Survives in reserves in Kenya, Tanzania, Namibia, Zambia, Zimbabwe and KwaZulu-Natal (South Africa), and possibly still in Cameroon, Chad, Central African Republic, Sudan, Rwanda, Malawi, Mozambique, Angola, and Botswana; widely reintroduced into parts of South Africa.	2231	Attended by Buphagus erythrorhynchus, Red-billed Oxpecker	25 June 2009	Perry P	Kenya, Rift Valley province, Nakuru county, Lake Nakuru National Park
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Rhinoceros</i>	<i>sondaicus</i>	Javan Rhinoceros	Formerly Bangladesh, Burma, Thailand, Laos, Cambodia, Vietnam, and probably S China through peninsular Malaya to Sumatra and Java. Survives in Ujung Kulon (W Java) and in Vietnam; perhaps in small areas of Burma, Thailand, Laos, and Cambodia.	1222	Side view, standing		Ammann H (via CP Groves)	Indonesia, West Java, Ujung Kulon National Park
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Rhinoceros</i>	<i>unicornis</i>	Indian Rhinoceros	Within the present millennium, Indus Valley (Pakistan) east in N India to Assam and N Burma. Survives in India (Assam, West Bengal), Nepal, and possibly N Burma.	601	Side view	1976	Master LL	USA, PA, Philadelphia Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Perissodactyla	Rhinocerotidae	rhinoceroses	<i>Rhinoceros</i>	<i>unicornis</i>	Indian Rhinoceros	Within the present millennium, Indus Valley (Pakistan) east in N India to Assam and N Burma. Survives in India (Assam, West Bengal), Nepal, and possibly N Burma.	1863	Side view of walking juvenile	November, 1986	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Perissodactyla	Tapiridae	tapirs	<i>Tapirus</i>	<i>bairdii</i>	Baird's Tapir	East from Isthmus of Tehuantepec, Mexico, through all other Central American states to Colombia west of the Rio Cauca and Ecuador west of the Andes to the Gulf of Guayaquil.	712	Side view of 3-day-old male born in captivity; also as <i>Tapirella bairdii</i>	1980	Smith JR (contributed by AH Shoemaker)	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Perissodactyla	Tapiridae	tapirs	<i>Tapirus</i>	<i>bairdii</i>	Baird's Tapir	East from Isthmus of Tehuantepec, Mexico, through all other Central American states to Colombia west of the Rio Cauca and Ecuador west of the Andes to the Gulf of Guayaquil.	931	Female nursing young, lying on ground; also as <i>Tapirella bairdii</i>	1987	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Perissodactyla	Tapiridae	tapirs	<i>Tapirus</i>	<i>bairdii</i>	Baird's Tapir	East from Isthmus of Tehuantepec, Mexico, through all other Central American states to Colombia west of the Rio Cauca and Ecuador west of the Andes to the Gulf of Guayaquil.	1864	Side view of standing adult; also as <i>Tapirella bairdii</i>	June 21, 1998	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Perissodactyla	Tapiridae	tapirs	<i>Tapirus</i>	<i>indicus</i>	Malayan Tapir	Burma and Thailand south of 18°N, south through peninsular Malaya and Sumatra; listed as occurring in S Cambodia and possibly S Vietnam; reliably recorded from Hongquan district, eastern Cochin China, Vietnam, in 1944; authentic record from Laos in 1902.	298	Side view; also as <i>Acrocodia indica</i>	1977	Carter TS	Brazil, Sao Paulo Zoo
Perissodactyla	Tapiridae	tapirs	<i>Tapirus</i>	<i>indicus</i>	Malayan Tapir	Burma and Thailand south of 18°N, south through peninsular Malaya and Sumatra; listed as occurring in S Cambodia and possibly S Vietnam; reliably recorded from Hongquan district, eastern Cochin China, Vietnam, in 1944; authentic record from Laos in 1902.	1865	Side view of standing adult; also as <i>Acrocodia indica</i>	November, 1974	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Perissodactyla	Tapiridae	tapirs	<i>Tapirus</i>	<i>pinchaque</i>	Mountain Tapir	Andes of Colombia and Ecuador; perhaps W Venezuela and N Peru.	466	Young in striped and spotted coat	1977	Shoemaker AH	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Perissodactyla	Tapiridae	tapirs	<i>Tapirus</i>	<i>pinchaque</i>	Mountain Tapir	Andes of Colombia and Ecuador; perhaps W Venezuela and N Peru.	1866	Dorsal view of adult and subadult lying down	August 11, 1978	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Perissodactyla	Tapiridae	tapirs	<i>Tapirus</i>	<i>pinchaque</i>	Mountain Tapir	Andes of Colombia and Ecuador; perhaps W Venezuela and N Peru.	1867	Adult and striped juvenile standing	April 2, 1999	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Perissodactyla	Tapiridae	tapirs	<i>Tapirus</i>	<i>pinchaque</i>	Mountain Tapir	Andes of Colombia and Ecuador; perhaps W Venezuela and N Peru.	1868	Two adults	April 5, 1996	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Perissodactyla	Tapiridae	tapirs	<i>Tapirus</i>	<i>terrestris</i>	South American Tapir	East of the western cordillera of the Andes in N Argentina, Bolivia, Brazil, Colombia, E Ecuador, French Guiana, Guyana, Paraguay, Peru, Surinam, and Venezuela.	602	Side view of sitting animal	1975	Master LL	USA, MI, Wayne Co., Detroit Zoo
Perissodactyla	Tapiridae	tapirs	<i>Tapirus</i>	<i>terrestris</i>	South American Tapir	East of the western cordillera of the Andes in N Argentina, Bolivia, Brazil, Colombia, E Ecuador, French Guiana, Guyana, Paraguay, Peru, Surinam, and Venezuela.	603	Side view	1979	Wolff JO	USA, DC, Washington, National Zoological Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Perissodactyla	Tapiridae	tapirs	<i>Tapirus</i>	<i>terrestris</i>	South American Tapir	East of the western cordillera of the Andes in N Argentina, Bolivia, Brazil, Colombia, E Ecuador, French Guiana, Guyana, Paraguay, Peru, Surinam, and Venezuela.	1223	Side view, standing, feet clearly visible showing individual digits	1992	Gray JF	Peru, Loreto, Napo River, Amazon Biosphere Reserve
Pholidota	Manidae	pangolins	<i>Manis</i>	<i>temminckii</i>	Ground Pangolin	N South Africa; N and E Namibia; Zimbabwe; Mozambique; Botswana; S Angola; S Zambia; SE Dem. Rep. Congo; S Rwanda; Malawi; Tanzania; E Uganda; W Kenya; S Sudan; S Chad.	846	Underside of dead specimen	1968	Sheppe WA	Zambia, Lusaka
Pholidota	Manidae	pangolins	<i>Manis</i>	<i>temminckii</i>	Ground Pangolin	N South Africa; N and E Namibia; Zimbabwe; Mozambique; Botswana; S Angola; S Zambia; SE Dem. Rep. Congo; S Rwanda; Malawi; Tanzania; E Uganda; W Kenya; S Sudan; S Chad.	847	Close-up of scales	1968	Sheppe WA	Zambia, Lusaka
Pholidota	Manidae	pangolins	<i>Manis</i>	<i>temminckii</i>	Ground Pangolin	N South Africa; N and E Namibia; Zimbabwe; Mozambique; Botswana; S Angola; S Zambia; SE Dem. Rep. Congo; S Rwanda; Malawi; Tanzania; E Uganda; W Kenya; S Sudan; S Chad.	848	Interior of stomach, removed from specimen, showing pyloric and cardiac regions and stomach contents including small pebbles	1968	Sheppe WA	Zambia, Lusaka
Pholidota	Manidae	pangolins	<i>Manis</i>	<i>temminckii</i>	Ground Pangolin	N South Africa; N and E Namibia; Zimbabwe; Mozambique; Botswana; S Angola; S Zambia; SE Dem. Rep. Congo; S Rwanda; Malawi; Tanzania; E Uganda; W Kenya; S Sudan; S Chad.	849	Carcass of skinned specimen, showing extent of tongue (internal portion 35 cm long, external portion 20 cm long)	1968	Sheppe WA	Zambia, Lusaka
Pholidota	Manidae	pangolins	<i>Manis</i>	<i>temminckii</i>	Ground Pangolin	N South Africa; N and E Namibia; Zimbabwe; Mozambique; Botswana; S Angola; S Zambia; SE Dem. Rep. Congo; S Rwanda; Malawi; Tanzania; E Uganda; W Kenya; S Sudan; S Chad.	997	Side view		Rood J	Tanzania, Serengeti National Park
Pholidota	Manidae	pangolins	<i>Manis</i>	<i>tetradactyla</i>	Long-tailed Pangolin	Equatorial Africa from Senegal and Gambia to W Uganda, south to SW Angola.	664	Dorsal view	1979	O'Brien JP	Central African Republic, Bangui
Pholidota	Manidae	pangolins	<i>Manis</i>	<i>tetradactyla</i>	Long-tailed Pangolin	Equatorial Africa from Senegal and Gambia to W Uganda, south to SW Angola.	665	Hand-held, animal coiled up	1979	O'Brien JP	Central African Republic, Bangui
Pholidota	Manidae	pangolins	<i>Manis</i>	<i>tetradactyla</i>	Long-tailed Pangolin	Equatorial Africa from Senegal and Gambia to W Uganda, south to SW Angola.	1869	Side view of mounted skeleton	June, 1990	Huckaby, DG	USA, DC, Washington, National Museum of Natural History
Pholidota	Manidae	pangolins	<i>Manis</i>	<i>tricuspis</i>	Tree Pangolin	Equatorial Africa from Senegal to W Kenya, south to NW Zambia and SW Angola; NE Mozambique; Bioko (Equatorial Guinea).	1156	Lateral view of skull and mandible		Forbes RB	USA, NM, Bernalillo Co., Albuquerque, University of New Mexico, Museum of Southwestern Biology
Pilosa	Bradypodidae	three-toed sloths	<i>Bradypus</i>	<i>torquatus</i>	Maned Sloth	Coastal forests of SE Brazil.	1025	Side view of sloth in tree	1985	Pinder L	Brazil, Rio de Janeiro, Poco das Antas Biological Reserve, Silva Jardim
Pilosa	Bradypodidae	three-toed sloths	<i>Bradypus</i>	<i>variegatus</i>	Brown-throated Sloth	Honduras to Colombia, Ecuador, Brazil, W Venezuela, E Perú and Bolivia, Paraguay, and N Argentina.	051	Side view on branch	1977	August PV	Venezuela, Aragua, Parque Nacional Henri Pittier
Pilosa	Bradypodidae	three-toed sloths	<i>Bradypus</i>	<i>variegatus</i>	Brown-throated Sloth	Honduras to Colombia, Ecuador, Brazil, W Venezuela, E Perú and Bolivia, Paraguay, and N Argentina.	889	Animal on branch, showing claws	1977	Fontaine RP	Panama, Barro Colorado Island

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Pilosa	Bradypodidae	three-toed sloths	<i>Bradypus</i>	<i>variegatus</i>	Brown-throated Sloth	Honduras to Colombia, Ecuador, Brazil, W Venezuela, E Perú and Bolivia, Paraguay, and N Argentina.	1117	Lateral view of skull and mandible		Forbes RB	USA, NM, Bernalillo Co., Albuquerque, University of New Mexico, Museum of Southwestern Biology
Pilosa	Bradypodidae	three-toed sloths	<i>Bradypus</i>	<i>variegatus</i>	Brown-throated Three-toed Sloth	Honduras to Colombia, Ecuador, Brazil, W Venezuela, E Perú and Bolivia, Paraguay, and N Argentina.	2012	Lateral view of mounted skeleton hanging from diagonal branch		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Pilosa	Cyclopodidae	silky anteaters	<i>Cyclopes</i>	<i>didactylus</i>	Silky Anteater	México (Veracruz and Oaxaca) to Colombia and west of Andes to S Ecuador, east of Andes to Venezuela, Trinidad, Guyana, Surinam, French Guiana, and S Colombia and Venezuela, south to Bolivia (La Paz and Santa Cruz) and Brazil (Acre east to Alagoas).	663	View of adult female with tail curled around branch		Cervantes-Reza FA	Mexico, Chis.
Pilosa	Megalonychidae	two-toed sloths	<i>Choloepus</i>	<i>didactylus</i>	Linnaeus's Two-toed Sloth	Guianas and Venezuela (delta and south of Río Orinoco) south into Brazil (Maranhão west along Rio Amazonas/Solimões) and west into upper Amazon Basin of Ecuador and Perú.	2013	Lateral view of mounted skeleton hanging from horizontal branch		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Pilosa	Megalonychidae	two-toed sloths	<i>Choloepus</i>	<i>hoffmannii</i>	Hoffmann's Two-toed Sloth	Central America (Nicaragua) into South America east to W Venezuela and south to Brazil (Mato Grosso) and E Bolivia.	052	Side view		Eisenberg JF	USA, DC, Washington, National Zoological Park
Pilosa	Megalonychidae	two-toed sloths	<i>Choloepus</i>	<i>hoffmannii</i>	Hoffmann's Two-toed Sloth	Central America (Nicaragua) into South America east to W Venezuela and south to Brazil (Mato Grosso) and E Bolivia.	1118	Lateral view of skull and mandible		Forbes RB	USA, NM, Bernalillo Co., Albuquerque, University of New Mexico, Museum of Southwestern Biology
Pilosa	Myrmecophagidae	anteaters	<i>Myrmecophaga</i>	<i>tridactyla</i>	Giant Anteater	Belize and Guatemala through South America to Uruguay and the Gran Chaco of Bolivia, Paraguay, Argentina.	243	Side view of animal walking	1978	Carter TS	Brazil, Minas Gerais, Serra da Canastra National Park
Pilosa	Myrmecophagidae	anteaters	<i>Myrmecophaga</i>	<i>tridactyla</i>	Giant Anteater	Belize and Guatemala through South America to Uruguay and the Gran Chaco of Bolivia, Paraguay, Argentina.	244	Close-up of animal feeding	1978	Carter TS	Brazil, Minas Gerais, Serra da Canastra National Park
Pilosa	Myrmecophagidae	anteaters	<i>Myrmecophaga</i>	<i>tridactyla</i>	Giant Anteater	Belize and Guatemala through South America to Uruguay and the Gran Chaco of Bolivia, Paraguay, Argentina.	1119	Lateral view of skull and mandible		Forbes RB	USA, NM, Bernalillo Co., Albuquerque, University of New Mexico, Museum of Southwestern Biology
Pilosa	Myrmecophagidae	anteaters	<i>Myrmecophaga</i>	<i>tridactyla</i>	Giant Anteater	Belize and Guatemala through South America to Uruguay and the Gran Chaco of Bolivia, Paraguay, Argentina.	1286	Side view, walking, in captivity, feet fully visible	1976	Best TL	Germany, Hesse, Frankfurt Zoological Garden
Pilosa	Myrmecophagidae	anteaters	<i>Myrmecophaga</i>	<i>tridactyla</i>	Giant Anteater	Belize and Guatemala through South America to Uruguay and the Gran Chaco of Bolivia, Paraguay, Argentina.	2014	Diagonal anterior view of mounted skeleton		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Pilosa	Myrmecophagidae	anteaters	<i>Tamandua</i>	<i>mexicana</i>	Northern Tamandua	E México (Tamaulipas), Central America, South America to NW Perú and NW Venezuela.	056	Side view on fallen tree trunk		Myers P	Panama
Pilosa	Myrmecophagidae	anteaters	<i>Tamandua</i>	<i>mexicana</i>	Northern Tamandua	E México (Tamaulipas), Central America, South America to NW Perú and NW Venezuela.	890	Close-up of head	1977	Fontaine RP	Panama, Barro Colorado Island
Pilosa	Myrmecophagidae	anteaters	<i>Tamandua</i>	<i>tetradactyla</i>	Southern Tamandua	South America east of the Andes from Colombia, Venezuela, Trinidad, and the Guianas, south to Uruguay and N Argentina.	2232		2 September 2010	Perry P	Brazil, Mato Grosso do Sul, Pantanal

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Aotidae	night monkeys	<i>Aotus</i>	<i>azarai</i>	Azara's Night Monkey	Bolivia south of Amazon, between Rios Tocantins and Tapajos-Juruena, south to Paraguay and N Argentina.	1559	Close-up of face	1995	Lord RD	Bolivia, La Paz Zoo
Primates	Aotidae	night monkeys	<i>Aotus</i>	<i>nigriceps</i>	Black-Headed Night Monkey	Brazil, south of Rio Solimões, west of Rio Tapajós Juruena, west into Peru; Bolivia.	901	Close-up of female's face, hands also show	1977	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Aotidae	night monkeys	<i>Aotus</i>	<i>nigriceps</i>	Black-Headed Night Monkey	Brazil, south of Rio Solimões, west of Rio Tapajós Juruena, west into Peru; Bolivia.	1560	Front view	2000	Lord RD	Brazil, Sao Paulo Zoo
Primates	Aotidae	night monkeys	<i>Aotus</i>	<i>vociferans</i>	Spix' Night Monkey	Colombia, east of Cordillera Oriental, west of Rio Negro, south to Brazil (north of Amazon-Solimões Rivers)	1561	Close-up of face	1995	Lord RD	Colombia, Cundinamarca, Zoo Santa Cruz
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Alouatta</i>	<i>caraya</i>	Black Howler	N Argentina to Mato Grosso (Brazil), Bolivia.	400	Adult male, two adult females, one juvenile	1978	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Alouatta</i>	<i>caraya</i>	Black Howler	N Argentina to Mato Grosso (Brazil), Bolivia.	401	Female, howling	1979	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Alouatta</i>	<i>caraya</i>	Black Howler	N Argentina to Mato Grosso (Brazil), Bolivia.	1558	Female	1996	Lord RD	USA, PA, Allegheny Co., Pittsburgh Zoo and PPG Aquarium
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Alouatta</i>	<i>macconnelli</i>	Guyanana Red Howler	Trinidad; Guyana, French Guiana, and Brazil north of the lower and Middle Amazon.	899	Front view, adult male sitting on branch	1978	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Alouatta</i>	<i>palliata</i>	Mantled Howler	W. Ecuador to Veracruz and Oaxaca (Mexico).	898	Adult female with yearling infant	1977	Fontaine RP	Panama, Barro Colorado Island
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Alouatta</i>	<i>pigra</i>	Guatemalan Black Howler	Yucatan and Chiapas (Mexico) to Belize and Guatemala.	043	Front view		Eisenberg JF	USA, DC, Washington, National Zoological Park
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Alouatta</i>	<i>pigra</i>	Guatemalan Black Howler	Yucatan and Chiapas (Mexico) to Belize and Guatemala.	1725	Front view of juvenile	July 20, 2003	Wyatt DT	Belize, Belize, near La Democracia
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Alouatta</i>	<i>seniculus</i>	Venezuelan Red Howler	Colombia to Venezuela and NW Brazil.	900	Group in tree, howling	1978	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Ateles</i>	<i>fusciceps</i>	Black-headed Spider Monkey	SE Panama to Ecuador, Colombia to W Cordillera (Paraguay)	735	Oblique view, showing use of prehensile tail	1981	Oaks EC	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Ateles</i>	<i>geoffroyi</i>	Geoffroy's Spider Monkey	S Mexico to Panama	044	Front view of subadult	1967	Eisenberg JF	Panama, Barro Colorado Island
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Ateles</i>	<i>geoffroyi</i>	Geoffroy's Spider Monkey	S Mexico to Panama	233	17-year-old female with four-month-old infant	1975	Thorington CM	Panama, Barro Colorado Island
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Ateles</i>	<i>geoffroyi</i>	Geoffroy's Spider Monkey	S Mexico to Panama	234	Adult hanging by left forelimb and tail	1975	Thorington CM	Panama, Barro Colorado Island
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Ateles</i>	<i>geoffroyi</i>	Geoffroy's Spider Monkey	S Mexico to Panama	902	Juvenile female suspended by tail	1977	Fontaine RP	Panama, Barro Colorado Island
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Ateles</i>	<i>geoffroyi</i>	Geoffroy's Spider Monkey	S Mexico to Panama	903	Adult male leaping between trees	1977	Fontaine RP	Panama, Barro Colorado Island
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Ateles</i>	<i>hybridus</i>	Brown Spider Monkey	N Colombia and NW Venezuela.	1870	Adult hanging only by prehensile tail	July 11, 1997	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Ateles</i>	<i>paniscus</i>	Red-faced Spider Monkey	Guianas and Brazil, north of the Amazon (east of Rio Negro)	1030	Hanging by forelimbs and tail	1989	Kutunidisz K	Germany, Berlin Zoological Garden
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Lagothrix</i>	<i>lagotricha</i>	Brown Woolly Monkey	Brazil N of Rio Napo-Amazon system, SE Colombia, extreme N Peru and NE Ecuador	521	Front view, sitting	1980	Joseph BE	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Lagothrix</i>	<i>lagotricha</i>	Brown Woolly Monkey	Brazil N of Rio Napo-Amazon system, SE Colombia, extreme N Peru and NE Ecuador	1706	Adult male in tree	2008	Semedo TBF	Brazil, Mato Grosso, Município de Aripuanã, Serra do Expedito

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Atelidae	howlers, spider & wooly monkeys	<i>Oreonax</i>	<i>flavicauda</i>	Yellow-tailed Woolly Monkey	E Andes in San Martin (Peru) and Amazonas (Brazil)	906	Side view of male on floor of cage	1978	Fontaine RP	Peru, Lima, Museo de Historia Natural "Javier Prado"
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Callimico</i>	<i>goeldii</i>	Goeldi's Marmoset	W Brazil, N Bolivia, E Peru, Colombia: Upper Amazon Rainforests	1201	Side view, sitting, tail not in view	1993	Huckaby DG	USA, WA, King Co., Seattle, Woodland Park Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Callithrix</i>	<i>geoffroyi</i>	White-headed Marmoset	EC Brazil (coast of Bahia)	518	Front view	1979	Rosenthal MA	USA, IL, Cook Co., Chicago, Lincoln Park Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Callithrix</i>	<i>geoffroyi</i>	White-headed Marmoset	EC Brazil (coast of Bahia)	1668	Lateral view, clinging to branch	May 28, 2007	Harding LE	Portugal, Lisbon Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Callithrix</i>	<i>intermedia</i>	Hershkovitz's Marmoset	Between the Rios Roosevelt and Aripuanã including the entire basin of the Rio Guariba.	1708	Adult grasping tree trunk, eating Cecropia sp. fruits; also as Mico intermedius, Aripuana Marmoset	2008	Semedo TBF	Brazil, Mato Grosso, Município do Aripuanã, Serra do Expedito
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Callithrix</i>	<i>jacchus</i>	Common Marmoset	Brazilian coast: Piauí, Ceará, and Pernambuco Provinces	519	Two animals	1979	Rosenthal MA	USA, IL, Cook Co., Chicago, Lincoln Park Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Callithrix</i>	<i>jacchus</i>	Common Marmoset	Brazilian coast: Piauí, Ceará, and Pernambuco Provinces	1762	Frontal view of entire animal	1992	Fink, KW - contributed by DG Huckaby	
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Callithrix</i>	<i>jacchus</i>	Common Marmoset	Brazilian coast: Piauí, Ceará, and Pernambuco Provinces	2015	Lateral view of mounted skeleton on branch		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Callithrix</i>	<i>melanura</i>	Black-tailed Marmoset	S Brazil, between the Rios Aripuanã and Juruena, southwest to the Rio Beni in Bolivia.	895	Oblique view of male on tree branch	1976	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Callithrix</i>	<i>penicillata</i>	Black-tufted Marmoset	Brazilian coast: Bahia to São Paulo, inland to Goiás	1550	Close-up of head	2000	Lord RD	Brazil, Sao Paulo Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Callithrix</i>	<i>pygmaea</i>	Pygmy Marmoset	N and W Brazil, N Peru, Ecuador	1202	Sitting on branch	1993	Huckaby DG	<u>USA, WA, King Co., Seattle, Woodland Park Zoo</u>
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Callithrix</i>	<i>pygmaea</i>	Pygmy Marmoset	N and W Brazil, N Peru, Ecuador	1386	Sitting on branch	May 13, 1996	Andera M	Germany, Bavaria, Augsburg Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Callithrix</i>	<i>pygmaea</i>	Pygmy Marmoset	N and W Brazil, N Peru, Ecuador	1551	Side view, sitting on branch	1995	Lord RD	USA, TX, Harris Co., Houston Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Callithrix</i>	<i>pygmaea</i>	Pygmy Marmoset	N and W Brazil, N Peru, Ecuador	1763	One adult grooming another	1991	Fink, KW - contributed by DG Huckaby	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Cebus</i>	<i>albifrons</i>	White-fronted Capuchin	Venezuela, Colombia, Ecuador, N Peru, NW Brazil, Trinidad, Bolivia	1562	Close-up of face	2000	Lord RD	Ecuador, Pichincha, Guayllabamba, Quito Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Cebus</i>	<i>capucinus</i>	White-headed Capuchin	W Ecuador to Honduras	905	Oblique view of juvenile female standing on tree branch	1977	Fontaine RP	Panama, Barro Colorado Island
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Cebus</i>	<i>libidinosus</i>	Black-striped Capuchin	Argentina (Chaco, Formosa, Jujuy, Salta); Bolivia; Brazil (Goiás, Mato Grosso, Mato Grosso do Sul); Paraguay	1707	Close-up of face; <i>Cebus libidinosus</i> paraguayanus; also as <i>Cebus cay</i> , Azara's Capuchin	2009	Semedo TBF	Brazil, Mato Grosso, Município do Peconé, Sesc Pantanal, next to Cuiabá River
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Cebus</i>	<i>olivaceus</i>	Weeper Capuchin	Guyana, French Guiana, Surinam, N Brazil, Venezuela, perhaps N Colombia	045	Front view in tree	1977	August PV	Venezuela, Guarico, 45 km south of Calabozo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Leontopithecus</i>	<i>chrysomelas</i>	Golden-headed Lion Tamarin	Brazil, coastal Bahia	1122	Side view of individual, showing dark back	1991	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Leontopithecus</i>	<i>chrysomelas</i>	Golden-headed Lion Tamarin	Brazil, coastal Bahia	1123	Oblique front view, good detail of forelimbs, face lighter than in other slide of this species	1991	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Leontopithecus</i>	<i>chrysomelas</i>	Golden-headed Lion Tamarin	Brazil, coastal Bahia	1552	Close-up of head, side view	2000	Lord RD	Brazil, Sao Paulo Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Leontopithecus</i>	<i>chrysomelas</i>	Golden-headed Lion Tamarin	Brazil, coastal Bahia	1871	Side view of adult facing camera	June 25, 1994	Huckaby, DG	USA, DC, Washington, National Zoological Park
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Leontopithecus</i>	<i>chrysopygus</i>	Black Lion Tamarin	Brazil, São Paulo region	1553	Close-up of head, front view	2000	Lord RD	Brazil, Sao Paulo Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Leontopithecus</i>	<i>rosalia</i>	Golden Lion Tamarin	SE Brazil: Rio Doce (Espírito Santo) south into Rio de Janeiro and Guanabara	659	View of marmoset in tree		Van Devender RW	USA, OK, Oklahoma Co., Oklahoma City Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Leontopithecus</i>	<i>rosalia</i>	Golden Lion Tamarin	SE Brazil: Rio Doce (Espírito Santo) south into Rio de Janeiro and Guanabara	896	Side view of male on branch	1973	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Saguinus</i>	<i>fuscicollis</i>	Brown-mantled Tamarin	N and W Brazil, N Bolivia, E Peru, E Ecuador, SW Colombia	897	Front view of adult male and female clinging to branch, showing feet. One has neck tags	1978	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Saguinus</i>	<i>imperator</i>	Emperor Tamarin	W Brazil, E Peru, Bolivia	399	Oblique view	1966	LaVal RK	Peru

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Saguinus</i>	<i>imperator</i>	Emperor Tamarin	W Brazil, E Peru, Bolivia	1124	Front view of individual with mouth open, in apparent threat, showing canines, S. i. subgrisescens	1991	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Saguinus</i>	<i>midas</i>	Red-handed Tamarin	Brazil, Guyana, Cayenne, Surinam, north of the Amazon, east of the Rio Negro	1554	Side view on branch	1995	Lord RD	USA, DE, Wilmington, Brandywine Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Saguinus</i>	<i>midas</i>	Red-handed Tamarin	Brazil, Guyana, Cayenne, Surinam, north of the Amazon, east of the Rio Negro	1764	Two adults, showing all feet and tail	1992	Fink, KW - contributed by DG Huckaby	
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Saguinus</i>	<i>nigricollis</i>	Black-mantled Tamarin	W Brazil, E Peru, E Ecuador	1555	Front view	1995	Lord RD	USA, DE, Wilmington, Brandywine Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Saguinus</i>	<i>oedipus</i>	Cottontop Tamarin	N Colombia, Panama	882	Front view	1983	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Saguinus</i>	<i>oedipus</i>	Cottontop Tamarin	N Colombia, Panama	1557	Front view	2000	Lord RD	Brazil, Sao Paulo Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Saguinus</i>	<i>tripartitus</i>	Golden-mantled Tamarin	East of Rio Curaray, Brazil-Colombia border; sympatric with <i>S. fuscicollis</i> around Curaray-Napo Confluence	1556	Sitting on branch, front view	2000	Lord RD	Peru, Lima Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Saimiri</i>	<i>boliviensis</i>	Black-capped Squirrel Monkey	Upper Amazon in Peru; SW Brazil; Bolivia	1563	Eating	1995	Lord RD	Bolivia, La Paz Zoo
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Saimiri</i>	<i>sciureus</i>	Common Squirrel Monkey	N Brazil north of the Amazon-Jurua system, and south of the Amazon east of the Rio Xingu or the Rio Iriri; Marajo Isl (Brazil), Guyana, French Guiana, Surinam, Venezuela, Colombia, E Ecuador, NE Peru	907	Two adults and a juvenile in tree	1978	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Saimiri</i>	<i>sciureus</i>	Common Squirrel Monkey	N Brazil north of the Amazon-Jurua system, and south of the Amazon east of the Rio Xingu or the Rio Iriri; Marajo Isl (Brazil), Guyana, French Guiana, Surinam, Venezuela, Colombia, E Ecuador, NE Peru	908	Front view of juvenile female feeding on foliage in tree. Feet show well	1979	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Cebidae	marmosets, tamarins, capuchins, squirrel monkeys	<i>Saimiri</i>	<i>sciureus</i>	Common Squirrel Monkey	N Brazil north of the Amazon-Jurua system, and south of the Amazon east of the Rio Xingu or the Rio Iriri; Marajo Isl (Brazil), Guyana, French Guiana, Surinam, Venezuela, Colombia, E Ecuador, NE Peru	2017	Lateral view of mounted skeleton on diagonal branch		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Primates	Cercopithecidae	Old World monkeys	<i>Allenopithecus</i>	<i>nigriviridis</i>	Allen's Swamp Monkey	NW Dem. Rep. Congo, NE Angola.	2297		27 September 2007	Huffman, B	USA, OH, Cuyahoga co., Cleveland Metroparks Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Cercopithecidae	Old World monkeys	<i>Cercocebus</i>	<i>galeritus</i>	Tana River Mangabey	Lower Tana River (Kenya)	529	Side view of monkey in tree	1974	Waser P	Kenya, Coast province, Tana River county, Tana River Forest
Primates	Cercopithecidae	Old World monkeys	<i>Cercocebus</i>	<i>torquatus</i>	Collared Mangabey	W Nigeria to Gabon.	1872	Frontal view of adult with arms spread	December 21, 1998	Huckaby, DG	USA, LA, Orleans Par., New Orleans, Audubon Zoo
Primates	Cercopithecidae	Old World monkeys	<i>Cercocebus</i>	<i>torquatus</i>	Collared Mangabey	W Nigeria to Gabon.	1873	Side view of adult facing camera	April 2, 1999	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Cercopithecidae	Old World monkeys	<i>Cercopithecus</i>	<i>ascanius</i>	Red-tailed Monkey	Uganda, Dem. Rep. Congo, Zambia, Angola, marginally in Central African Republic; W Kenya	523	Ventral view in tree, showing tail, C. a. schmidti	1973	Waser P	Uganda, Kibale Forest
Primates	Cercopithecidae	Old World monkeys	<i>Cercopithecus</i>	<i>diana</i>	Diana Monkey	Sierra Leone to Sassandra River, Côte d'Ivoire	736	Oblique view, seated	1981	Hays L (contrib. by DG Huckaby)	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Cercopithecidae	Old World monkeys	<i>Cercopithecus</i>	<i>mitis</i>	Blue Monkey	Congo-Oubangui River system (probably Itimbiri River) to East African Rift Valley, N Angola and NW Zambia	524	Oblique view, walking on tree limb	1973	Waser P	Uganda, Kibale Forest
Primates	Cercopithecidae	Old World monkeys	<i>Cercopithecus</i>	<i>mitis</i>	Blue Monkey	Congo-Oubangui River system (probably Itimbiri River) to East African Rift Valley, N Angola and NW Zambia	525	Oblique view, sitting in tree	1974	Waser P	Kenya, Coast province, Tana River county, Tana River Forest
Primates	Cercopithecidae	Old World monkeys	<i>Cercopithecus</i>	<i>neglectus</i>	De Brazza's Monkey	SE Cameroon to Uganda and N Angola, W Kenya, SW Ethiopia, and S Sudan	404	Adult pair	1977	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Primates	Cercopithecidae	Old World monkeys	<i>Cercopithecus</i>	<i>neglectus</i>	De Brazza's Monkey	SE Cameroon to Uganda and N Angola, W Kenya, SW Ethiopia, and S Sudan	405	Female and young	1978	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Primates	Cercopithecidae	Old World monkeys	<i>Cercopithecus</i>	<i>preussi</i>	Preuss' Monkey	Region of Mt. Cameroon; Bioko (Equatorial Guinea)	909	Oblique view of animal sitting	1984	Kutunidisz K	Germany, Mecklenburg-Western Pomerania, Rostock Zoo
Primates	Cercopithecidae	Old World monkeys	<i>Chlorocebus</i>	<i>pygerythrus</i>	Vervet Monkey	Ethiopia (east of Rift Valley), Somalia, to Zambia east of the Luangwa, and South Africa	237	Front view, sitting	1974	LaVal RK	South Africa, KwaZulu-Natal, Richards Bay
Primates	Cercopithecidae	Old World monkeys	<i>Chlorocebus</i>	<i>pygerythrus</i>	Vervet Monkey	Ethiopia (east of Rift Valley), Somalia, to Zambia east of the Luangwa, and South Africa	522	Mother and infant	1973	Shoshani JH	Tanzania, Arusha, Ngorongoro Crater
Primates	Cercopithecidae	Old World monkeys	<i>Chlorocebus</i>	<i>pygerythrus</i>	Vervet Monkey	Ethiopia (east of Rift Valley), Somalia, to Zambia east of the Luangwa, and South Africa.	1894	Adult male in Ficus natalensis, formerly C. aethiops	June 14, 2007	Payne HFP	South Africa, KwaZulu-Natal, Durban
Primates	Cercopithecidae	Old World monkeys	<i>Chlorocebus</i>	<i>pygerythrus</i>	Vervet Monkey	Ethiopia (east of Rift Valley), Somalia, to Zambia east of the Luangwa, and South Africa.	1895	Infant close-up, , formerly C. aethiops	June 14, 2007	Payne HFP	South Africa, KwaZulu-Natal, Durban
Primates	Cercopithecidae	Old World monkeys	<i>Chlorocebus</i>	<i>pygerythrus</i>	Vervet Monkey	Ethiopia (east of Rift Valley), Somalia, to Zambia east of the Luangwa, and South Africa.	1896	Infant and juvenile, playing, formerly C. aethiops. Image on cover of Journal of Mammalogy 93(2)	June 14, 2007	Payne HFP	South Africa, KwaZulu-Natal, Durban
Primates	Cercopithecidae	Old World monkeys	<i>Chlorocebus</i>	<i>pygerythrus</i>	Vervet Monkey	Ethiopia (east of Rift Valley), Somalia, to Zambia east of the Luangwa, and South Africa	2233		26 September 2008	Perry P	South Africa, Eastern Cape, Kwandwe Game Reserve
Primates	Cercopithecidae	Old World monkeys	<i>Colobus</i>	<i>angolensis</i>	Angola Colobus	NE Angola, S and E Dem. Rep. Congo, Rwanda, Burundi, NE Zambia, SE Kenya, E Tanzania	963	Side view, close-up of two individuals, C. a. palliates	1988	Shoemaker AH	USA, FL, Dade Co., Miami Zoo
Primates	Cercopithecidae	Old World monkeys	<i>Colobus</i>	<i>guereza</i>	Mantled Guereza	Nigeria to Ethiopia; Kenya; Uganda; Tanzania	239	Front view sitting, C. g. dodingae	1962	Glass BP	Ethiopia, Oromia, Mount Gara Muleta

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Cercopithecidae	Old World monkeys	<i>Colobus</i>	<i>guereza</i>	Mantled Colobus	Nigeria to Ethiopia; Kenya; Uganda; Tanzania	1765	Two adults, showing tail	1987	Fink, KW - contributed by DG Huckaby	
Primates	Cercopithecidae	Old World monkeys	<i>Colobus</i>	<i>guereza</i>	Mantled Guereza	Nigeria to Ethiopia; Kenya; Uganda; Tanzania	2093	Adult female with juvenile	3 April 2011	BA Roberts	Kenya, Rift Valley province, Laikipia county, Nanyuki
Primates	Cercopithecidae	Old World monkeys	<i>Colobus</i>	<i>guereza</i>	Mantled Colobus	Nigeria to Ethiopia; Kenya; Uganda; Tanzania	2234		20 June 2009	Perry P	Kenya, Rift Valley province, Nakuru county, Lake Nakuru National Park
Primates	Cercopithecidae	Old World monkeys	<i>Colobus</i>	<i>polykomos</i>	King Colobus	Gambia to the Nzo-Sassandra system in Côte d'Ivoire	964	Frontal view	1987	Shoemaker AH	UK, England, London Zoo
Primates	Cercopithecidae	Old World monkeys	<i>Erythrocebus</i>	<i>patas</i>	Patas Monkey	Savannahs, from W Africa to Ethiopia, Kenya, and Tanzania	1032	Oblique view of monkey sitting	1988	Huckaby DG	USA, CA, San Francisco Co., San Francisco Zoo
Primates	Cercopithecidae	Old World monkeys	<i>Lophocebus</i>	<i>albigena</i>	Gray-cheeked Mangabey	SE Nigeria (Cross River), Cameroon, Republic of Congo, Gabon, Equatorial Guinea, NE Angola, Central African Republic, Dem. Rep. Congo north and east of Congo-Lualaba system, W Uganda (to Busoga), Burundi	528	Side view leaping from branch, <i>L. a. johnstoni</i>	1973	Waser P	Uganda, Kibale Forest
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>arctoides</i>	Stump-tailed Macaque	Assam (India) to S China and N Malay Peninsula.	2026	Group foraging	2013	Harding LE	China, Yunnan, Xishuangbanna Daizu Zizhizhou (Autonomous Prefecture), Tropical Botanical Garden near Jinghong, CAS
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>fascicularis</i>	Crab-eating Macaque	S Indochina and Burma to Borneo and Timor (Indonesia); Philippine Isls; Nicobar Isls (India)	910	Front view, adult female with infant. Feet show well	1976	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>fascicularis</i>	Crab-eating Macaque	S Indochina and Burma to Borneo and Timor (Indonesia); Philippine Isls; Nicobar Isls (India)	911	Oblique view of threat display	1978	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>fascicularis</i>	Crab-eating Macaque	S Indochina and Burma to Borneo and Timor (Indonesia); Philippine Isls; Nicobar Isls (India)	912	Grooming cluster of at least 7 animals, mixed ages and sexes	1978	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>fascicularis</i>	Crab-eating Macaque	S Indochina and Burma to Borneo and Timor (Indonesia); Philippine Isls; Nicobar Isls (India)	1669	Two animals, interacting; head and tail visible	December 3, 2007	Harding LE	Malaysia, Kuala Lumpur
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>fascicularis</i>	Crab-eating Macaque	S Indochina and Burma to Borneo and Timor (Indonesia); Philippine Isls; Nicobar Isls (India).	1681	Juvenile female	2011	Harding LE	Malaysia, Sabah, Sepilok
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>fascicularis</i>	Crab-eating Macaque	S Indochina and Burma to Borneo and Timor (Indonesia); Philippine Isls; Nicobar Isls (India)	2018	Diagonal anterior view of mounted skeleton standing on three feet		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>fuscata</i>	Japanese Macaque	Honshu, Shikoku, Kyushu, and adjacent small islands (Japan); Yaku Isl (Ryukyu Isls, Japan)	526	View showing thick fur coat	1972	Shoshani JH	Japan, Honshu Island, northern end
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>mulatta</i>	Rhesus Monkey	Afghanistan and India to N Thailand, China, and Hainan Isl (China)	816	Group of four including juveniles	1982	Mathur R	India, Rajasthan, Jaipur , Galtaji
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>mulatta</i>	Rhesus Monkey	Afghanistan and India to N Thailand, China, and Hainan Isl (China)	2019	Anterior view of mounted skeleton sitting in crotch of tree with mouth open		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>mulatta</i>	Rhesus Monkey	Afghanistan and India to N Thailand, China, and Hainan Isl (China)	2027	Adult female with infant	2013	Harding LE	China, Yunnan, Kunming Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>nemestrina</i>	Southern Pig-tailed Macaque	Malay Peninsula, Borneo, Sumatra and Bangka Isl (Indonesia), Thailand north to about 7°30'N	1414	Wild, young	1998	Francis CM	Malaysia, Sabah, Sepilok
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>nemestrina</i>	Southern Pig-tailed Macaque	Malay Peninsula, Borneo, Sumatra and Bangka Isl (Indonesia), Thailand north to about 7°30'N.	1682	Mother and juvenile	2011	Harding LE	Malaysia, Sabah, Sepilok
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>nigra</i>	Celebes Crested Macaque	Sulawesi, east of Onggak Dumoga River, Lembeh Isl, Bacan Isl (Indonesia)	527	Oblique view of sitting adult	1975	Joseph BE	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>ochreata</i>	Booted Macaque	SE Sulawesi, Kabaena, Muna, and Butung (Indonesia)	913	Oblique view of animal sitting	1985	Kutunidisz K	Czech Republic, Vysocina, Jihlava Zoo
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>silenus</i>	Lion-tailed Macaque	SW India, Western Ghats	1033	Pair, one sitting, one standing	1989	Kutunidisz K	Germany, Berlin Zoological Garden
Primates	Cercopithecidae	Old World monkeys	<i>Macaca</i>	<i>sylvanus</i>	Barbary Macaque	Morocco, Algeria, Gibraltar (introduced).	1906	Sitting adult	March 22, 2012	Harding, LE	Morocco, Meknès-Tafilalet, Moyen Atlas Mountains, south of Azrou
Primates	Cercopithecidae	Old World monkeys	<i>Mandrillus</i>	<i>leucophaeus</i>	Drill	SE Nigeria; Cameroon, north of the Sanaga River and just south of it; Bioko (Equatorial Guinea)	914	Oblique view of adult male	1985	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Cercopithecidae	Old World monkeys	<i>Mandrillus</i>	<i>leucophaeus</i>	Drill	SE Nigeria; Cameroon, north of the Sanaga River and just south of it; Bioko (Equatorial Guinea)	915	Front view of adult female sitting	1986	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Cercopithecidae	Old World monkeys	<i>Mandrillus</i>	<i>sphinx</i>	Mandrill	Cameroon, south of the Sanaga River; Rio Muni (Equatorial Guinea); Gabon; Republic of Congo	1203	Side view of male, facial colors in view	1992	Huckaby DG	USA, UT, Salt Lake City, Hogle Zoo
Primates	Cercopithecidae	Old World monkeys	<i>Mandrillus</i>	<i>sphinx</i>	Mandrill	Cameroon, south of the Sanaga River; Rio Muni (Equatorial Guinea); Gabon; Republic of Congo	1204	View of rump region of male, showing coloration (mimicking facial region)	1992	Huckaby DG	USA, UT, Salt Lake City, Hogle Zoo
Primates	Cercopithecidae	Old World monkeys	<i>Mandrillus</i>	<i>sphinx</i>	Mandrill	Cameroon, south of the Sanaga River; Rio Muni (Equatorial Guinea); Gabon; Republic of Congo	2020	Both anterior and lateral views of mounted skeleton of squatting female		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Primates	Cercopithecidae	Old World monkeys	<i>Mandrillus</i>	<i>sphinx</i>	Mandrill	Cameroon, south of the Sanaga River; Rio Muni (Equatorial Guinea); Gabon; Republic of Congo	2021	Lateral view of mounted skeleton of male with mouth open		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Primates	Cercopithecidae	Old World monkeys	<i>Miopithecus</i>	<i>talapoin</i>	Angolan Talapoin	Angola, SW Dem. Rep. Congo.	1874	Side view of adult female	September 19, 2003	Huckaby, DG	USA, LA, Orleans Par., New Orleans, Audubon Zoo
Primates	Cercopithecidae	Old World monkeys	<i>Nasalis</i>	<i>larvatus</i>	Proboscis Monkey	Borneo.	1683	Adult female jumping	2011	Harding LE	Malaysia, Sabah, Klias River
Primates	Cercopithecidae	Old World monkeys	<i>Nasalis</i>	<i>larvatus</i>	Proboscis Monkey	Borneo.	1684	Adult female	2011	Harding LE	Malaysia, Sabah, Klias River
Primates	Cercopithecidae	Old World monkeys	<i>Nasalis</i>	<i>larvatus</i>	Proboscis Monkey	Borneo.	1685	Adult male	2011	Harding LE	Malaysia, Sabah, Klias River
Primates	Cercopithecidae	Old World monkeys	<i>Nasalis</i>	<i>larvatus</i>	Proboscis Monkey	Borneo.	1741	Family group in cage	1973	Collins, CT - contributed by DG Huckaby	USA, CA, San Diego Co., San Diego Zoo
Primates	Cercopithecidae	Old World monkeys	<i>Papio</i>	<i>anubis</i>	Olive Baboon	Mali to Ethiopia, Kenya, NW Tanzania	046	Oblique view of sitting animal	1976	Gordon DC	Kenya, Rift Valley province, Samburu county
Primates	Cercopithecidae	Old World monkeys	<i>Papio</i>	<i>anubis</i>	Olive Baboon	Mali to Ethiopia, Kenya, NW Tanzania	236	Group of three	1973	Bleiweiss SJ	Kenya
Primates	Cercopithecidae	Old World monkeys	<i>Papio</i>	<i>anubis</i>	Olive Baboon	Mali to Ethiopia, Kenya, NW Tanzania	1125	Oblique front view of male in quadrupedal stance	1992	Shoemaker AH	Kenya, Rift Valley province, Samburu county, Samburu National Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Cercopithecidae	Old World monkeys	<i>Papio</i>	<i>anubis</i>	Olive Baboon	Mali to Ethiopia, Kenya, NW Tanzania	1258	Grooming behavior	1993	Haweeli JD	Tanzania, Serengeti National Park
Primates	Cercopithecidae	Old World monkeys	<i>Papio</i>	<i>anubis</i>	Olive Baboon	Mali to Ethiopia, Kenya, NW Tanzania	2235		19 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Shaba or Buffalo Springs National Reserve
Primates	Cercopithecidae	Old World monkeys	<i>Papio</i>	<i>anubis</i>	Olive Baboon	Mali to Ethiopia, Kenya, NW Tanzania	2236		19 June 2009	Perry P	Kenya, Eastern province, Isiolo county, Shaba or Buffalo Springs National Reserve
Primates	Cercopithecidae	Old World monkeys	<i>Papio</i>	<i>cynocephalus</i>	Yellow Baboon	Somalia, coastal Kenya, Tanzania, to Zambezi River.	2237		24 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park
Primates	Cercopithecidae	Old World monkeys	<i>Papio</i>	<i>cynocephalus</i>	Yellow Baboon	Somalia, coastal Kenya, Tanzania, to Zambezi River.	2238		24 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park
Primates	Cercopithecidae	Old World monkeys	<i>Papio</i>	<i>hamadryas</i>	Hamadryas Baboon	Arid zone of Red Sea coast of Sudan, Eritrea, Ethiopia, N Somalia, Yemen, Saudi Arabia	403	Close-up of head of adult male, mouth partially open showing dentition	1978	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Primates	Cercopithecidae	Old World monkeys	<i>Papio</i>	<i>ursinus</i>	Chacma Baboon	South of Zambezi River, to S Angola, SW Zambia	235	Two adults with young	1978	Hickman GC	South Africa, Limpopo or Mpumalanga, Kruger National Park
Primates	Cercopithecidae	Old World monkeys	<i>Papio</i>	<i>ursinus</i>	Chacma Baboon	South of Zambezi River, to S Angola, SW Zambia	1034	Side view of female walking, feeding on ground, with infant on her back		Visser J	
Primates	Cercopithecidae	Old World monkeys	<i>Papio</i>	<i>ursinus</i>	Chacma Baboon	South of Zambezi River, to S Angola, SW Zambia	1670	Lateral view of female with infant clinging under her abdomen	November 25, 2008	Harding LE	Botswana, Chobe, Kasane
Primates	Cercopithecidae	Old World monkeys	<i>Papio</i>	<i>ursinus</i>	Chacma Baboon	South of Zambezi River, to S Angola, SW Zambia	2335	Adult male.	11 April 2014	CP Groves	South Africa, Eastern Cape, Mountain Zebra National Park
Primates	Cercopithecidae	Old World monkeys	<i>Piliocolobus</i>	<i>kirkii</i>	Zanzibar Red Colobus	Zanzibar.	2298		15 October 2013	Huffman, B	Tanzania, Zanzibar, Unguja, Jozani Chwaka Bay National Park
Primates	Cercopithecidae	Old World monkeys	<i>Piliocolobus</i>	<i>kirkii</i>	Zanzibar Red Colobus	Zanzibar.	2299		15 October 2013	Huffman, B	Tanzania, Zanzibar, Unguja, Jozani Chwaka Bay National Park
Primates	Cercopithecidae	Old World monkeys	<i>Piliocolobus</i>	<i>kirkii</i>	Zanzibar Red Colobus	Zanzibar.	2300		19 October 2013	Huffman, B	Tanzania, Zanzibar, Unguja, Jozani Chwaka Bay National Park
Primates	Cercopithecidae	Old World monkeys	<i>Presbytis</i>	<i>melalophos</i>	Sumatran Surili	Sumatra (Indonesia).	2308	Also as <i>P. mitrata</i> , Mitred Leaf Monkey.	24 November 2013	Wirth R	Indonesia, West Java, Bogor, Taman Safari I
Primates	Cercopithecidae	Old World monkeys	<i>Pygathrix</i>	<i>cinerea</i>	Grey-shanked Douc Langur	C Vietnam, 13°59'-14°46'N.	1671	Sitting adult, face, limbs, and most of tail visible		Harding LE	Vietnam, Endangered Primate Research Center
Primates	Cercopithecidae	Old World monkeys	<i>Pygathrix</i>	<i>nemaus</i>	Red-shanked Douc Langur	C Vietnam, E Laos, from 20°N to about 14°N, perhaps as far as 13°N.	1875	Frontal view of sitting adult male	July 20, 1997	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Primates	Cercopithecidae	Old World monkeys	<i>Pygathrix</i>	<i>nemaus</i>	Red-shanked Douc Langur	C Vietnam, E Laos, from 20°N to about 14°N, perhaps as far as 13°N.	1876	Side view of adult female and infant	July 20, 1997	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Primates	Cercopithecidae	Old World monkeys	<i>Rhinopithecus</i>	<i>bieti</i>	Black Snub-nosed Monkey	Ridge of Mekong-Salween divide, Yunnan (China).	2028	Adult female with infant, foraging on lichens. Formerly in <i>Pygathrix</i> .	2013	Harding LE	China, Yunnan, Lijiang Diqu (Prefecture), Tacheng Nature Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Cercopithecidae	Old World monkeys	<i>Rhinopithecus</i>	<i>bieti</i>	Black Snub-nosed Monkey	Ridge of Mekong-Salween divide, Yunnan (China).	2029	Adult in tree eating lichens. Formerly in Pygathrix.	2013	Harding LE	China, Yunnan, Lijiang Diqu (Prefecture), Tacheng Nature Reserve
Primates	Cercopithecidae	Old World monkeys	<i>Rhinopithecus</i>	<i>roxellana</i>	Golden Snub-nosed monkey	Mountains of Sichuan, S Ganssu, Hubei, Shaanxi (China).	916	Two individuals grooming	1986	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Cercopithecidae	Old World monkeys	<i>Rhinopithecus</i>	<i>roxellana</i>	Golden Snub-nosed monkey	Mountains of Sichuan, S Ganssu, Hubei, Shaanxi (China).	2030	Close up of head of infant with mouth open. Formerly in Pygathrix.	2013	Harding LE	China, Yunnan, Kunming Zoo
Primates	Cercopithecidae	Old World monkeys	<i>Semnopithecus</i>	<i>dussumieri</i>	Southern Plains Gray Langur	SW and WC India.	2239		6 March 2005	Perry P	India, Gujarat, Gir Forest National Park and Wildlife Sanctuary
Primates	Cercopithecidae	Old World monkeys	<i>Semnopithecus</i>	<i>dussumieri</i>	Southern Plains Gray Langur	SW and WC India.	2240		25 April 2011	Perry P	India, Madhya Pradesh, Kanha National Park
Primates	Cercopithecidae	Old World monkeys	<i>Semnopithecus</i>	<i>entellus</i>	Northern Plains Gray Langur	Pakistan and India, lowlands north of Godavari and Krishna Rivers, south of Ganges	817	Two individuals, one grooming the other		Mathur R	
Primates	Cercopithecidae	Old World monkeys	<i>Theropithecus</i>	<i>gelada</i>	Gelada	N Ethiopia, highlands	917	Copulating pair	1986	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Cercopithecidae	Old World monkeys	<i>Theropithecus</i>	<i>gelada</i>	Gelada	N Ethiopia, highlands	1205	Front view of male, showing coloration in pectoral region	1991	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Cercopithecidae	Old World monkeys	<i>Trachypithecus</i>	<i>cristatus</i>	Silvery Lutung	Borneo, Natuna Isl, Bangka, Belitung, Sumatra, Riau Archipelago, and W coast of Malay Peninsula.	1686	Adult	2011	Harding LE	Malaysia, Sabah, Kinabatangan River
Primates	Cercopithecidae	Old World monkeys	<i>Trachypithecus</i>	<i>cristatus</i>	Silvery Lutung	Borneo, Natuna Isl, Bangka, Belitung, Sumatra, Riau Archipelago, and W coast of Malay Peninsula.	1950	Montage of views of skull and lower jaw	2008	Hurst P - contributed by Harding LE	Indonesia, Riau Islands, Battam
Primates	Cercopithecidae	Old World monkeys	<i>Trachypithecus</i>	<i>delacouri</i>	Delacour's Langur	Vietnam south of Red River, 18°-21°36'N.	1954	Frontal view of adult	2009	Bui DT - contributed by Harding LE	Vietnam, Ninh Binh, Cuc Phuong National Park
Primates	Cercopithecidae	Old World monkeys	<i>Trachypithecus</i>	<i>delacouri</i>	Delacour's Langur	Vietnam south of Red River, 18°-21°36'N.	1955	Lateral view of adult	2009	Bui DT - contributed by Harding LE	Vietnam, Ninh Binh, Cuc Phuong National Park
Primates	Cercopithecidae	Old World monkeys	<i>Trachypithecus</i>	<i>delacouri</i>	Delacour's Langur	Vietnam south of Red River, 18°-21°36'N.	1956	Montage of views of skull and lower jaw	2008	Hurst P - contributed by Harding LE	Vietnam, Thanh Hoa, Hoi Xuan
Primates	Cercopithecidae	Old World monkeys	<i>Trachypithecus</i>	<i>poliocephalus</i>	White-headed Langur	Cat Ba Isl (Vietnam); Guangxi (China)	1206	Sitting on railing, most of tail visible, T. p. leucocephalus		Groves CP	China, Yunnan, Kunming Zoo
Primates	Cheirogaleidae	dwarf lemurs	<i>Cheirogaleus</i>	<i>medius</i>	Lesser Dwarf Lemur	W Madagascar	047	Front view		Visser J	Madagascar, Anosy, Tôlanaro district, Fort Dauphin (Tôlanaro)
Primates	Cheirogaleidae	dwarf lemurs	<i>Microcebus</i>	<i>murinus?</i>	Gray Mouse Lemur	W Madagascar, apparently from the far southwest to the Sambirano region.	048	Front view		Visser J	Madagascar, Anosy, Tôlanaro district, Fort Dauphin (Tôlanaro)
Primates	Cheirogaleidae	mouse lemurs	<i>Microcebus</i>	<i>rufus</i>	Eastern Rufous Mouse Lemur	E and N Madagascar.	2327		3 October 2008	SI Zeveloff	Madagascar, Masaola National Park
Primates	Daubentoniidae	aye-ayes	<i>Daubentonia</i>	<i>madagascariensis</i>	Aye-aye	NE and NW Madagascar (discontinuous).	660	Side view of skull	1980	Van Devender RW	USA, DC, Washington, National Museum of Natural History
Primates	Galagidae	bushbabies	<i>Galago</i>	<i>moholi</i>	Moholi Bushbaby	KwaZulu-Natal and N Namibia north to Lake Victoria.	2241		26 August 2007	Perry P	South Africa, Mpumalanga, Bongani Mountain Lodge
Primates	Galagidae	bushbabies	<i>Galago</i>	<i>moholi</i>	Moholi Bushbaby	KwaZulu-Natal and N Namibia north to Lake Victoria.	2301		24 April 2002	Huffman, B	USA, OH, Hamilton co., Cincinnati Zoo & Botanical Gardens

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Galagidae	bushbabies	<i>Otolemur</i>	<i>crassicaudatus</i>	Brown Greater Galago	Kenya, Tanzania and Rwanda to KwaZulu-Natal (South Africa) and Angola.	534	Front view of hand-held animal	1978	Shoshani JH	Kenya, Central province, Kiambu county, Tigoni, Institute of Primate Research
Primates	Galagidae	bushbabies	<i>Otolemur</i>	<i>garnettii</i>	Northern Greater Galago	S Somalia to SE Tanzania (including Zanzibar, Pemba and Mafia Isls) and perhaps N Mozambique.	2302		19 October 2013	Huffman, B	Tanzania, Zanzibar, Unguja, Zanzibar city
Primates	Galagidae	bushbabies	<i>Otolemur</i>	<i>garnettii</i>	Northern Greater Galago	S Somalia to SE Tanzania (including Zanzibar, Pemba and Mafia Isls) and perhaps N Mozambique.	2303		7 May 2009	Huffman, B	USA, OH, Hamilton co., Cincinnati Zoo & Botanical Gardens
Primates	Galagidae	bushbabies	<i>Otolemur</i>	<i>garnettii</i>	Northern Greater Galago	S Somalia to SE Tanzania (including Zanzibar, Pemba and Mafia Isls) and perhaps N Mozambique.	2304		2 November 2013	Huffman, B	USA, OH, Hamilton co., Cincinnati Zoo & Botanical Gardens
Primates	Hominidae	humans & relatives	<i>Gorilla</i>	<i>beringei</i>	Eastern Gorilla	N and E Dem. Rep. Congo, SW Uganda, N Rwanda	797	Adult female eating wild celery, <i>G. b. beringei</i>	1982	Dunne L	Rwanda, Virunga Mts.
Primates	Hominidae	humans & relatives	<i>Gorilla</i>	<i>gorilla</i>	Western Gorilla	SE Nigeria, Cameroon, Rio Muni (Equatorial Guinea), Republic of Congo, SW Central African Republic, Gabon	050	Partial front view	1973	Hickman GC	USA, NY, Bronx Co., Bronx Zoo
Primates	Hominidae	humans & relatives	<i>Gorilla</i>	<i>gorilla</i>	Western Gorilla	SE Nigeria, Cameroon, Rio Muni (Equatorial Guinea), Republic of Congo, SW Central African Republic, Gabon	535	Sitting adult and infant	1974	Joseph BE	USA, CA, San Diego Co., San Diego Zoo Safari Park (Wild Animal Park)
Primates	Hominidae	humans & relatives	<i>Gorilla</i>	<i>gorilla</i>	Western Gorilla	SE Nigeria, Cameroon, Rio Muni (Equatorial Guinea), Republic of Congo, SW Central African Republic, Gabon	966	Male knuckle-walking, female and young	1987	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Hominidae	humans & relatives	<i>Pan</i>	<i>paniscus</i>	Bonobo	Congo Basin of Dem. Rep. Congo, on south side of Congo River	967	Oblique view	1987	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Primates	Hominidae	humans & relatives	<i>Pan</i>	<i>troglydytes</i>	Common Chimpanzee	S Cameroon; Gabon; S Republic of Congo; Uganda; W Tanzania; E and N Dem. Rep. Congo; W Central African Republic; Guinea to W Nigeria, south to Congo River in W Africa	540	Front view of juvenile	1978	Joseph BE	USA, CA, San Francisco Co., San Francisco Zoo
Primates	Hominidae	humans & relatives	<i>Pan</i>	<i>troglydytes</i>	Common Chimpanzee	S Cameroon; Gabon; S Republic of Congo; Uganda; W Tanzania; E and N Dem. Rep. Congo; W Central African Republic; Guinea to W Nigeria, south to Congo River in W Africa	919	Side view of animal knuckle-walking	1976	Fontaine RP	USA, CA or FL, Lion Country Safari
Primates	Hominidae	humans & relatives	<i>Pan</i>	<i>troglydytes</i>	Common Chimpanzee	S Cameroon; Gabon; S Republic of Congo; Uganda; W Tanzania; E and N Dem. Rep. Congo; W Central African Republic; Guinea to W Nigeria, south to Congo River in W Africa	920	Adult female carrying infant, walking bipedally and "pant-hooting"	1976	Fontaine RP	USA, CA or FL, Lion Country Safari
Primates	Hominidae	humans & relatives	<i>Pan</i>	<i>troglydytes</i>	Common Chimpanzee	S Cameroon; Gabon; S Republic of Congo; Uganda; W Tanzania; E and N Dem. Rep. Congo; W Central African Republic; Guinea to W Nigeria, south to Congo River in W Africa	2016	Anterior view of mounted skeleton standing on hind feet		Villemarette Josh	
Primates	Hominidae	humans & relatives	<i>Pongo</i>	<i>abelii</i>	Sumatran Orangutan	Sumatra, NW of Lake Toba (Indonesia).	1766	Adult male	1981	Fink, KW - contributed by DG Huckaby	
Primates	Hominidae	humans & relatives	<i>Pongo</i>	<i>pygmaeus</i>	Bornean Orangutan	Borneo, except the southeast	538	Front view of adult	1980	Hickman GC	South Africa, Kwazulu-Natal, Lion Park
Primates	Hominidae	humans & relatives	<i>Pongo</i>	<i>pygmaeus</i>	Bornean Orangutan	Borneo, except the southeast	739	Front view of adult pair, female partly obscured	1976	Wagner PI	USA, CA, Sacramento Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Hominidae	humans & relatives	<i>Pongo</i>	<i>pygmaeus</i>	Bornean Orangutan	Borneo, except the southeast.	1687	Mother and infant	2011	Harding LE	Malaysia, Sabah, Kinabatangan River
Primates	Hominidae	humans & relatives	<i>Pongo</i>	<i>pygmaeus</i>	Bornean Orangutan	Borneo, except the southeast	1877	Frontal view of sitting adult male	February, 1991	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Primates	Hominidae	humans & relatives	<i>Pongo</i>	<i>sp.</i>	orangutan	Borneo or Sumatra	740	Front view of mother and young	1981	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Hominidae	humans & relatives	<i>Pongo</i>	<i>sp.</i>	orangutan	Borneo or Sumatra	921	Adult female knuckle-walking	1973	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Hylobatidae	gibbons	<i>Bunopithecus</i>	<i>hoolock</i>	Hoolock Gibbon	Between the Brahmaputra and Salween Rivers in Assam (India), Burma, and Yunnan (China).	2031	Adult in tree. Formerly in <i>Hylobates</i> . Most recently as Hoolock leuconedys, Eastern Hoolock Gibbon.	2013	Harding LE	China, Yunnan, Baoshan Diqu (Prefecture), Nankang Nature Reserve
Primates	Hylobatidae	gibbons	<i>Hylobates</i>	<i>agilis</i>	Agile Gibbon	Malay Peninsula from the Mudah and Thepha Rivers on the north to the Perak and Kelanton Rivers on the south; Sumatra (Indonesia), SE of Lake Toba and the Singkil River	536	Adult female (brown coat), subadult male H. muelleri (gray coat)	1977	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Primates	Hylobatidae	gibbons	<i>Hylobates</i>	<i>agilis</i>	Agile Gibbon	Malay Peninsula from the Mudah and Thepha Rivers on the north to the Perak and Kelanton Rivers on the south; Sumatra (Indonesia), SE of Lake Toba and the Singkil River	737	Front view	1975	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Primates	Hylobatidae	gibbons	<i>Hylobates</i>	<i>lar</i>	Lar gibbon	Between the Salween and Mekong Rivers from S Yunnan (China) south to the Mun River (Thailand) and the Mudah and Thepha Rivers on the Malay Peninsula; S Malay Peninsula south of the Perak and Kelantan Rivers; Sumatra (Indonesia) NW of Lake Toba and the Singkil River; E and S Burma	1035	Oblique view of female with young	1989	Huckaby DG	USA, HA, Honolulu Co., Honolulu Zoo
Primates	Hylobatidae	gibbons	<i>Hylobates</i>	<i>lar</i>	Lar Gibbon	Between the Salween and Mekong Rivers from S Yunnan (China) south to the Mun River (Thailand) and the Mudah and Thepha Rivers on the Malay Peninsula; S Malay Peninsula south of the Perak and Kelantan Rivers; Sumatra (Indonesia) NW of Lake Toba and the Singkil River; E and S Burma	2022	Diagonal anterior view of mounted skeleton standing on hind feet		Villemarette Josh	
Primates	Hylobatidae	gibbons	<i>Hylobates</i>	<i>pileatus</i>	Pileated Gibbon	SE Thailand and Cambodia S of the Mun and Takhrong rivers and W of Mekong River	1001	Full view of gibbon hanging from horizontal bar	1988	Kutunidisz K	Switzerland, Zurich Zoo
Primates	Hylobatidae	gibbons	<i>Nomascus</i>	<i>leucogenys</i>	Northern White-cheeked Gibbon	SW Yunnan (China) to 19°N in Vietnam and Laos.	537	Side view of sitting adult	1974	Joseph BE	USA, CA, San Diego Co., San Diego Zoo
Primates	Hylobatidae	gibbons	<i>Nomascus</i>	<i>leucogenys</i>	Northern White-cheeked Gibbon	SW Yunnan (China) to 19°N in Vietnam and Laos.	1672	Adult female, partially obscured by foliage		Harding LE	Vietnam, Endangered Primate Research Center
Primates	Hylobatidae	gibbons	<i>Nomascus</i>	<i>leucogenys</i>	Northern White-cheeked Gibbon	SW Yunnan (China) to 19°N in Vietnam and Laos.	1949	Montage of views of skull and lower jaw	2010	Hurst P - contributed by Harding LE	Laos, Xieng Khouang
Primates	Hylobatidae	gibbons	<i>Nomascus</i>	<i>leucogenys</i>	Northern White-cheeked Gibbon	SW Yunnan (China) to 19°N in Vietnam and Laos.	1951	Lateral view of adult female	2008	Harding LE	Vietnam, Ninh Binh, Cuc Phuong National Park
Primates	Hylobatidae	gibbons	<i>Nomascus</i>	<i>leucogenys</i>	Northern White-cheeked Gibbon	SW Yunnan (China) to 19°N in Vietnam and Laos.	1952	Lateral view of adult male	2008	Harding LE	Vietnam, Ninh Binh, Cuc Phuong National Park
Primates	Hylobatidae	gibbons	<i>Symphalangus</i>	<i>syndactylus</i>	Siamang	Barisan Mountains of Sumatra (Indonesia); mountains of Malay Peninsula south of Perak River	241	Nursing female with infant	1975	Oaks EC	USA, HA, Honolulu Co., Honolulu Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Hylobatidae	gibbons	<i>Symphalangus</i>	<i>syndactylus</i>	Siamang	Barisan Mountains of Sumatra (Indonesia); mountains of Malay Peninsula south of Perak River	738	Front view, suspended by arms		Collins CT (contributed by DG Huckaby)	USA, CA, San Diego Co., San Diego Zoo
Primates	Hylobatidae	gibbons	<i>Symphalangus</i>	<i>syndactylus</i>	Siamang	Barisan Mountains of Sumatra (Indonesia); mountains of Malay Peninsula south of Perak River	918	Front view of male vocalizing with inflated throat sac	1978	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Hylobatidae	gibbons	<i>Symphalangus</i>	<i>syndactylus</i>	Siamang	Barisan Mountains of Sumatra (Indonesia); mountains of Malay Peninsula south of Perak River	1742	Pair calling on platform	1973	Collins, CT - contributed by DG Huckaby	USA, CA, San Diego Co., San Diego Zoo
Primates	Indriidae	indris	<i>Indri</i>	<i>indri</i>	Indri	NE to EC Madagascar.	2328		8 October 2008	SI Zeveloff	Madagascar, Alaotra-Mangoro region, Andasibe-Mantadia National Park, Analamazoatra Reserve
Primates	Indriidae	sifakas	<i>Propithecus</i>	<i>coquereli</i>	Coquerel's Sifaka	Madagascar: xerophytic bush zone south of Tsiribihina River.	1207	Front view of male, showing coloration in pectoral region	1992	Huckaby DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Indriidae	sifakas	<i>Propithecus</i>	<i>coquereli</i>	Coquerel's Sifaka	Madagascar: xerophytic bush zone south of Tsiribihina River.	1878	Adult holding onto tree trunk with head turned 180 degrees	June 21, 1998	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Indriidae	sifakas	<i>Propithecus</i>	<i>diadema</i>	Diademmed Sifaka	N and E Madagascar, south to Mangoro River.	2329		8 October 2008	SI Zeveloff	Madagascar, Alaotra-Mangoro region, Andasibe-Mantadia National Park, Analamazoatra Reserve
Primates	Indriidae	sifakas	<i>Propithecus</i>	<i>verreauxi</i>	Verreaux's Sifaka	Madagascar: xerophytic bush zone south of Tsiribihina River.	1634	Adult, suspended in air during bipedal half-bound	September 15, 2005	Patterson BD	Madagascar, Atsimo Andrefana, Ankazoabo district, Berenty Reserve
Primates	Indriidae	sifakas	<i>Propithecus</i>	<i>verreauxi</i>	Verreaux's Sifaka	Madagascar: xerophytic bush zone south of Tsiribihina River.	1635	Side view of adult grasping trunk, facing camera	September 15, 2005	Patterson BD	Madagascar, Atsimo Andrefana, Ankazoabo district, Berenty Reserve
Primates	Lemuridae	true lemurs	<i>Eulemur</i>	<i>coronatus</i>	Crowned Lemur	Mt. Ambre (N Madagascar)	1002	Side view of two lemurs	1988	Kutunidisz K	France, Alsace, Mulhouse Zoo
Primates	Lemuridae	true lemurs	<i>Eulemur</i>	<i>coronatus</i>	Crowned Lemur	Mt. Ambre (N Madagascar)	1879	Male (brown) and female (gray) sitting	October 23, 1994	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Primates	Lemuridae	true lemurs	<i>Eulemur</i>	<i>fulvus</i>	Brown Lemur	W Madagascar from Akarafantsika north to the Sambirano, perhaps to the Tsaratanana; E Madagascar, some way northeast of Antananarivo; Mayotte (Comoro Isls).	1636	Side view of walking adult, E. f. rufus	September 15, 2005	Patterson BD	Madagascar, Atsimo Andrefana, Ankazoabo district, Berenty
Primates	Lemuridae	true lemurs	<i>Eulemur</i>	<i>fulvus</i>	Brown Lemur	W Madagascar from Akarafantsika north to the Sambirano, perhaps to the Tsaratanana; E Madagascar, some way northeast of Antananarivo; Mayotte (Comoro Isls).	1637	Adult in tree, face and front foot in focus, E. f. rufus	September 15, 2005	Patterson BD	Madagascar, Atsimo Andrefana, Ankazoabo district, Berenty
Primates	Lemuridae	true lemurs	<i>Eulemur</i>	<i>rubriventer</i>	Red-bellied Lemur	E Madagascar, from Tsaratanana Mtns to Ivohibé	1003	Side view of male	1988	Kutunidisz K	France, Alsace, Mulhouse Zoo
Primates	Lemuridae	true lemurs	<i>Hapalemur</i>	<i>griseus</i>	Gray Bamboo Lemur	E Madagascar from Tsaratanana Massif south to Tolagnaro.	2305		2 November 2013	Huffman, B	USA, OH, Hamilton co., Cincinnati Zoo & Botanical Gardens
Primates	Lemuridae	true lemurs	<i>Lemur</i>	<i>catta</i>	Ring-tailed Lemur	S Madagascar	240	Lemur sitting with tail well shown	1977	Oaks EC	USA, UT, Salt Lake City, Hogle Zoo
Primates	Lemuridae	true lemurs	<i>Lemur</i>	<i>catta</i>	Ring-tailed Lemur	S Madagascar	965	Side view, adult walking with young on back	1983	Pearson DW	USA, NC, Durham Co., Duke Lemur Center (Duke University Primate Center)

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Lemuridae	true lemurs	<i>Lemur</i>	<i>catta</i>	Ring-tailed Lemur	S Madagascar	1638	Five adults huddling	September 15, 2005	Patterson BD	Madagascar, Atsimo Andrefana, Ankazoabo district, Berenty
Primates	Lemuridae	lemurs	<i>Lemur</i>	<i>catta</i>	Ring-tailed Lemur	S Madagascar	1673	Two adults in tree, male's forearm gland visible	April 30, 2009	Harding LE	Canada, BC, Greater Vancouver Zoo
Primates	Lemuridae	lemurs	<i>Prolemur</i>	<i>simus</i>	Greater Bamboo Lemur	Madagascar: confined to Ranomafana district; in historic times occurred around Bay of Antongil.	2069	Side view of adult	1995	Groves, CP	France, Paris, Paris Zoo
Primates	Lemuridae	lemurs	<i>Prolemur</i>	<i>simus</i>	Greater Bamboo Lemur	Madagascar: confined to Ranomafana district; in historic times occurred around Bay of Antongil.	2070	Side view of adult	1995	Groves, CP	France, Paris, Paris Zoo
Primates	Lemuridae	true lemurs	<i>Varecia</i>	<i>rubra</i>	Red Ruffed Lemur	Madagascar: Masoala Peninsula	531	Oblique view	1969	Rosenthal MA	USA, CA, San Diego Co., San Diego Zoo
Primates	Lemuridae	true lemurs	<i>Varecia</i>	<i>variegata</i>	Black-and-white Ruffed Lemur	East coast of Madagascar, to 19°S latitude	530	Frontal, side and oblique view of 3 captives, V. v. subcincta		Rosenthal MA	USA, NC, Durham Co., Duke Lemur Center (Duke University Primate Center)
Primates	Lepilemuridae	sportive lemurs	<i>Lepilemur</i>	<i>leucopus</i>	White-footed Sportive Lemur	Arid zone of S Madagascar.	1639	Adult in tree cavity, face and front feet visible	September 15, 2005	Patterson BD	Madagascar, Atsimo Andrefana, Ankazoabo district, Berenty
Primates	Lorisidae	lorises	<i>Loris</i>	<i>lydekkerianus?</i>	Gray Slender Loris	Dry and hill zones of Sri Lanka; S India	532	Oblique view	1972	Shoshani JH	Sri Lanka, Dehiwala Zoo (Colombo Zoo)
Primates	Lorisidae	lorises	<i>Loris</i>	<i>lydekkerianus?</i>	Gray Slender Loris	Dry and hill zones of Sri Lanka; S India	1036	Side view of male		Kutunidisz K	Hungary, Szeged Zoo
Primates	Lorisidae	lorises	<i>Nycticebus</i>	<i>bengalensis?</i>	Bengal Slow Loris	Assam (India) to Vietnam and S Thailand (Isthmus of Kra); Yunnan, perhaps Kwangsi (China)	533	Dorso-lateral view	1980	Rosenthal MA	USA, IL, Cook Co., Chicago, Lincoln Park Zoo
Primates	Lorisidae	lorises	<i>Nycticebus</i>	<i>coucang?</i>	Slow Loris	Sulu Arch. (S Philippines); Malay Peninsula, Tioman and offshore islands, Sumatra, Bangka, Java, Borneo, Natuna Isl.	661	Close-up view of face and hand	1979	Van Devender RW	USA, TX, Harris Co., Houston Zoo
Primates	Lorisidae	lorises	<i>Perodicticus</i>	<i>potto</i>	Potto	Cameroon to Guinea; Republic of Congo; Gabon; Dem. Rep. Congo to W Kenya	049	Front view		Eisenberg JF	USA, DC, Washington, National Zoological Park
Primates	Pitheciidae	sakis, uakaris, titis	<i>Cacajao</i>	<i>calvus</i>	Bald Uakari	NW Brazil, E Peru	520	Captive adult, face visible		Master LL	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Pitheciidae	sakis, uakaris, titis	<i>Cacajao</i>	<i>calvus</i>	Bald Uakari	NW Brazil, E Peru	904	Front view of adult female	1976	Fontaine RP	USA, FL, Dade Co., Miami, Monkey Jungle
Primates	Pitheciidae	sakis, uakaris, titis	<i>Callicebus</i>	<i>brunneus</i>	Brown Titi	Middle to upper Madeira basin in Peru and Brazil, to upper Rio Purús (Brazil) and Ucayali (Peru); Bolivia (see van Roosmalen et al., 2002).	1674	Adult in tree facing camera	April 1, 2005	Harding LE	Peru, Madre de Dios, Tambopata River
Primates	Pitheciidae	sakis, uakaris, titis	<i>Callicebus</i>	<i>moloch</i>	White-eared Titi	WC Bolivia, El Beni and Santa Cruz Provs., Upper Rios Marmoré-Grande and San Miguel basins	883	Frontal head view	1983	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Primates	Pitheciidae	sakis, uakaris, titis	<i>Chiropotes</i>	<i>chiropotes</i>	Red-backed Bearded Saki	Guyana, French Guiana, Surinam, Brazil east of the R.Branco.	2309		10 October 2012	Wirth R	UK, England, Essex, Colchester Zoo
Primates	Pitheciidae	sakis, uakaris, titis	<i>Chiropotes</i>	<i>sp.</i>	bearded saki	N South America	1031	Side view of male sitting		Kutunidisz K	Germany, North Rhine-Westphalia, Cologne Zoological Park
Primates	Pitheciidae	sakis, uakaris, titis	<i>Pithecia</i>	<i>irroratus?</i>	Rio Tapajos Saki	South of the Amazon in SW Brazil; SW Peru; E Bolivia.	1564	Close-up of face	2000	Lord RD	Peru, Lima Zoo
Primates	Pitheciidae	sakis, uakaris, titis	<i>Pithecia</i>	<i>monachus?</i>	Monk Saki	West of Rio Jurua and Rio Japura-Caqueta (in Brazil), Colombia, Ecuador and Peru	1566	Front view	1985	Lord RD	Bolivia, Santa Cruz Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Primates	Pitheciidae	sakis, uakaris, titis	<i>Pithecia</i>	<i>pithecia</i>	White-faced Saki	Guyana; French Guiana; Surinam; N Amazon, east of Rio Negro and Rio Orinoco (N Brazil, S Venezuela)	402	Pair of adults showing sexually dimorphic coloration	1979	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Primates	Pitheciidae	sakis, uakaris, titis	<i>Pithecia</i>	<i>pithecia</i>	White-faced Saki	Guyana; French Guiana; Surinam; N Amazon, east of Rio Negro and Rio Orinoco (N Brazil, S Venezuela)	1565	Male, Close-up	1985	Lord RD	Venezuela, Aragua, Maracay, Las Delicias Zoo
Primates	Pitheciidae	sakis, uakaris, titis	<i>Pithecia</i>	<i>pithecia</i>	White-faced Saki	Guyana; French Guiana; Surinam; N Amazon, east of Rio Negro and Rio Orinoco (N Brazil, S Venezuela)	1640	Front view of adult male	April 16, 2004	Patterson BD	USA, CA, Sacramento Zoo
Primates	Tarsiidae	tarsiers	<i>Tarsius</i>	<i>bancanus</i>	Horsfield's Tarsier	SE Asia	662	Oblique view of skull, showing large eye-socket. Also as <i>Cephalopachus bancanus</i> , Western Tarsier.	1980	Van Devender RW	USA, DC, Washington, National Museum of Natural History
Primates	Tarsiidae	tarsiers	<i>Tarsius</i>	<i>bancanus</i>	Horsfield's Tarsier	Indonesia: Bangka Isl, Sumatra, Karimata Isl, Billiton Isl, and Sirhassen Isl (South Natuna Isls); Borneo	855	View of animal grasping tree trunk, front view of head. Also as <i>Cephalopachus bancanus</i> , Western Tarsier.	1984	Roberts M	USA, DC, Washington, National Zoological Park
Proboscidea	Elephantidae	elephants	<i>Elephas</i>	<i>maximus</i>	Asian Elephant	Thirteen countries in SE Asia from India in the west to Borneo in the east.	147	View of group, including young	1969	Eisenberg JF	Sri Lanka, Ruhuna National Park
Proboscidea	Elephantidae	elephants	<i>Elephas</i>	<i>maximus</i>	Asian Elephant	Thirteen countries in SE Asia from India in the west to Borneo in the east.	1061	Side view of male with long tusks	1989	Kutunidisz K	France, Paris, Paris Zoo
Proboscidea	Elephantidae	elephants	<i>Elephas</i>	<i>maximus</i>	Asian Elephant	Thirteen countries in SE Asia from India in the west to Borneo in the east.	1144	Side views of Asian elephant (left, tuskless, presumably female) and African elephant (right), allowing comparison of characteristics	1992	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, ABQ BioPark (Rio Grande) Zoo
Proboscidea	Elephantidae	elephants	<i>Elephas</i>	<i>maximus</i>	Asian Elephant	Thirteen countries in SE Asia from India in the west to Borneo in the east.	2023	Lateral view of mounted skeleton		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Proboscidea	Elephantidae	elephants	<i>Loxodonta</i>	<i>africana</i>	African Bush Elephant	Sub-Saharan, except C and W coast of Africa, including 30 countries from Senegal in the west to Somalia in the east.	288	Side view of young, drinking	1973	Gordon DC	Kenya, Coast province, Taita-Taveta county, Tsavo West, Kilaguni
Proboscidea	Elephantidae	elephants	<i>Loxodonta</i>	<i>africana</i>	African Bush Elephant	Sub-Saharan, except C and W coast of Africa, including 30 countries from Senegal in the west to Somalia in the east.	457	Group with cattle egrets in foreground	1978	Orr RT and MC	Kenya, Rift Valley province, Kajiado county, Amboseli National Park
Proboscidea	Elephantidae	elephants	<i>Loxodonta</i>	<i>africana</i>	African Bush Elephant	Sub-Saharan, except C and W coast of Africa, including 30 countries from Senegal in the west to Somalia in the east.	597	Side view of male	1978	Shoshani JH	Kenya, Rift Valley province, Kajiado county, Amboseli National Park
Proboscidea	Elephantidae	elephants	<i>Loxodonta</i>	<i>africana</i>	African Bush Elephant	Sub-Saharan, except C and W coast of Africa, including 30 countries from Senegal in the west to Somalia in the east.	598	Two males trumpeting	1978	Shoshani JH	Kenya, Rift Valley province, Kajiado county, Amboseli National Park
Proboscidea	Elephantidae	elephants	<i>Loxodonta</i>	<i>africana</i>	African Bush Elephant	Sub-Saharan, except C and W coast of Africa, including 30 countries from Senegal in the west to Somalia in the east.	1010	View of mixed herd	1987	Braude S	Kenya, Rift Valley province, Kajiado county, Amboseli National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Proboscidea	Elephantidae	elephants	<i>Loxodonta</i>	<i>africana</i>	African Bush Elephant	Sub-Saharan, except C and W coast of Africa, including 30 countries from Senegal in the west to Somalia in the east.	1220	Front view of "Ahmed", with tusks reaching to the ground		Shoshani JH	Kenya, Eastern province, Marsabit county, Marsabit National Park
Proboscidea	Elephantidae	elephants	<i>Loxodonta</i>	<i>africana</i>	African Bush Elephant	Sub-Saharan, except C and W coast of Africa, including 30 countries from Senegal in the west to Somalia in the east.	1263	Female nursing calf	1993	Haweeli JD	Tanzania, Serengeti National Park
Proboscidea	Elephantidae	elephants	<i>Loxodonta</i>	<i>africana</i>	African Bush Elephant	Sub-Saharan, except C and W coast of Africa, including 30 countries from Senegal in the west to Somalia in the east.	2336	Tuskless adult female	15 April 2014	CP Groves	South Africa, Eastern Cape, Addo Elephant National Park
Proboscidea	Elephantidae	elephants	<i>Mammuthus</i>	<i>exilis</i>	Pygmy Mammoth	Extinct. USA, CA, Santa Rosa, Santa Cruz, and San Miguel Islands	1880	Side view of mounted skeleton	August, 1990	Huckaby, DG	USA, CA, Santa Barbara Co., Santa Barbara Museum
Rodentia	Abrocomidae	chinchilla rats	<i>Abrocoma</i>	<i>bennettii</i>	Bennett's Chinchilla Rat	Chile from Copiapo to the area of Rio Biobio.	407	Side view of captive	1975	Martin RE	Chile, Metropolitan Santiago, Santiago
Rodentia	Anomaluridae	scaly-tailed squirrels	<i>Anomalurus</i>	<i>beecrofti</i>	Beecroft's Scaly-tailed Squirrel	Guinea-Bissau, Senegal, Sierra Leone, Ghana, Togo, Nigeria, Cameroon, Equatorial Guinea, N Angola, Dem. Rep. Congo, W Uganda, NW Zambia.	2306		18 January 2004	Huffman, B	Equatorial Guinea, Centro Sur, Monte Alen National Park
Rodentia	Aplodontidae	sewellels	<i>Aplodontia</i>	<i>rufa</i>	Sewellel	W coast of North America from SW British Columbia (Canada) to N California (USA), isolated populations in N and C California, extending into W Nevada	742	Front view of animal emerging from burrow	1967	Scheffer VB	USA, WA, King Co., Bellevue
Rodentia	Aplodontidae	sewellels	<i>Aplodontia</i>	<i>rufa</i>	Sewellel	W coast of North America from SW British Columbia (Canada) to N California (USA), isolated populations in N and C California, extending into W Nevada	743	Oblique view of animal at food dish	1967	Scheffer VB	USA, WA, Pierce Co., Tacoma, Point Defiance Zoo
Rodentia	Bathyergidae	mole-rats	<i>Bathyergus</i>	<i>janetta</i>	Namaqua Dune Mole-rat	SW South Africa; S Namibia	1084	Posterolateral view		Visser J	
Rodentia	Bathyergidae	mole-rats	<i>Bathyergus</i>	<i>suillus</i>	Cape Dune Mole-rat	S South Africa	066	Ventral view		Visser J	South Africa, Western Cape, Cape Town
Rodentia	Bathyergidae	mole-rats	<i>Bathyergus</i>	<i>suillus</i>	Cape Dune Mole-rat	S South Africa	1085	Close-up of head showing open mouth and incisors		Visser J	
Rodentia	Bathyergidae	mole-rats	<i>Cryptomys</i>	<i>hottentotus</i>	Southern African Mole-rat	South Africa to Tanzania, S Dem. Rep. Congo, and Namibia	065	Front view, in threatening posture	1977	Hickman GC	South Africa, KwaZulu-Natal, Pietermaritzburg
Rodentia	Bathyergidae	mole-rats	<i>Georchus</i>	<i>capensis</i>	Cape Mole-rat	South Africa	1086	Close-up of head	1988	Visser J	
Rodentia	Bathyergidae	mole-rats	<i>Heterocephalus</i>	<i>glaber</i>	Naked Mole-rat	C Somalia, C and E Ethiopia, C and S Kenya	674	Side view of open mouth, showing incisors	1981	Hickman GC	
Rodentia	Bathyergidae	mole-rats	<i>Heterocephalus</i>	<i>glaber</i>	Naked Mole-rat	C Somalia, C and E Ethiopia, C and S Kenya	1013	Side view, in lab	1987	Braude S	
Rodentia	Bathyergidae	mole-rats	<i>Heterocephalus</i>	<i>glaber</i>	Naked Mole-rat	C Somalia, C and E Ethiopia, C and S Kenya	1014	View of pregnant "queen", in lab	1984	Braude S	
Rodentia	Bathyergidae	mole-rats	<i>Heterocephalus</i>	<i>glaber</i>	Naked Mole-rat	C Somalia, C and E Ethiopia, C and S Kenya	1087	Side view of mole-rat in tunnel		Visser J	
Rodentia	Bathyergidae	mole-rats	<i>Heterocephalus</i>	<i>glaber</i>	Naked Mole-rat	C Somalia, C and E Ethiopia, C and S Kenya	1088	Close-up of head and forelimb		Visser J	
Rodentia	Capromyidae	hutias	<i>Capromys</i>	<i>pilorides</i>	Desmarest's Hutia	Mainland Cuba, Isle of Youth, Archipiélago de las Doce Lequnas, Archipiélago de Sabana, and many other islands and cays in the Cuban archipelago	1238	Side view, entire animal in view	1993	Huckaby DG	USA, WA, King Co., Seattle, Woodland Park Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Capromyidae	hutias	<i>Geocapromys</i>	<i>ingrahami</i>	Bahamian Hutia	Known from the type locality (Plana Cays, Bahama) and introduced populations on Little Wax Cay (1973) and Warderick Wells Cay (1981)	871	Oblique view, foraging	1966	Clough GC	The Bahamas, East Plana Cay
Rodentia	Castoridae	beavers	<i>Castor</i>	<i>canadensis</i>	American Beaver	Alaska and Canada south of the Arctic Circle (including Vancouver and Newfoundland), most of the continental United States (absent from parts of SW USA and from most of Florida), extending into N Mexico. Introduced to Tierra del Fuego (South America) and Eurasia, including Finland, NW Russia, Poland, Germany, and Austria	247	Recently constructed canal along edge of pond	1978	Lackey JA	
Rodentia	Castoridae	beavers	<i>Castor</i>	<i>canadensis</i>	American Beaver	Alaska and Canada south of the Arctic Circle (including Vancouver and Newfoundland), most of the continental United States (absent from parts of SW USA and from most of Florida), extending into N Mexico. Introduced to Tierra del Fuego (South America) and Eurasia, including Finland, NW Russia, Poland, Germany, and Austria	248	Tracks and small mud pile removed from canal by beaver	1978	Lackey JA	USA, NY, Oswego Co., Central Square
Rodentia	Castoridae	beavers	<i>Castor</i>	<i>canadensis</i>	American Beaver	Alaska and Canada south of the Arctic Circle (including Vancouver and Newfoundland), most of the continental United States (absent from parts of SW USA and from most of Florida), extending into N Mexico. Introduced to Tierra del Fuego (South America) and Eurasia, including Finland, NW Russia, Poland, Germany, and Austria	408	Beaver swimming	1975	Hall JG	USA, MT, Gallatin Co.
Rodentia	Castoridae	beavers	<i>Castor</i>	<i>canadensis</i>	American Beaver	Alaska and Canada south of the Arctic Circle (including Vancouver and Newfoundland), most of the continental United States (absent from parts of SW USA and from most of Florida), extending into N Mexico. Introduced to Tierra del Fuego (South America) and Eurasia, including Finland, NW Russia, Poland, Germany, and Austria	409	Outside of lodge at water's edge	1978	Lackey JA	USA, NY, Oswego Co., Central Square
Rodentia	Castoridae	beavers	<i>Castor</i>	<i>canadensis</i>	American Beaver	Alaska and Canada south of the Arctic Circle (including Vancouver and Newfoundland), most of the continental United States (absent from parts of SW USA and from most of Florida), extending into N Mexico. Introduced to Tierra del Fuego (South America) and Eurasia, including Finland, NW Russia, Poland, Germany, and Austria	410	View of dam from downstream side	1961	Sutton DA	USA, CO, El Paso Co., near Pike's Peak

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Castoridae	beavers	<i>Castor</i>	<i>canadensis</i>	American Beaver	Alaska and Canada south of the Arctic Circle (including Vancouver and Newfoundland), most of the continental United States (absent from parts of SW USA and from most of Florida), extending into N Mexico. Introduced to Tierra del Fuego (South America) and Eurasia, including Finland, NW Russia, Poland, Germany, and Austria	1239	Sitting, facing camera, tail and feet in view, showing webbing between toes of hind feet	1993	Huckaby DG	USA, OR, Multnomah Co., Portland, Oregon Zoo
Rodentia	Castoridae	beavers	<i>Castor</i>	<i>canadensis</i>	American Beaver	Alaska and Canada south of the Arctic Circle (including Vancouver and Newfoundland), most of the continental United States (absent from parts of SW USA and from most of Florida), extending into N Mexico. Introduced to Tierra del Fuego (South America) and Eurasia, including Finland, NW Russia, Poland, Germany, and Austria	1316	View of beaver pond, lodge, and dam	1989	Best TL	USA, AK, Denali, near Mt. McKinley
Rodentia	Castoridae	beavers	<i>Castor</i>	<i>canadensis</i>	American Beaver	Alaska and Canada south of the Arctic Circle (including Vancouver and Newfoundland), most of the continental United States (absent from parts of SW USA and from most of Florida), extending into N Mexico. Introduced to Tierra del Fuego (South America) and Eurasia, including Finland, NW Russia, Poland, Germany, and Austria	1317	Tree stump and trunk showing gnawing by beaver	1968	Best TL	USA, OK, McCurtain Co.
Rodentia	Castoridae	beavers	<i>Castor</i>	<i>canadensis</i>	American Beaver	Alaska and Canada south of the Arctic Circle (including Vancouver and Newfoundland), most of the continental United States (absent from parts of SW USA and from most of Florida), extending into N Mexico. Introduced to Tierra del Fuego (South America) and Eurasia, including Finland, NW Russia, Poland, Germany, and Austria	2024	Lateral view of mounted skeleton		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Rodentia	Caviidae	cavies & relatives	<i>Dolichotis</i>	<i>patagonum</i>	Patagonian Mara	Argentina, approx 28oS (Bolson de Pipanco, Catamarca Prov.) to 50oS	545	Side view	1971	Rosenthal MA	Germany, Hesse, Frankfurt Zoological Garden
Rodentia	Caviidae	cavies & relatives	<i>Dolichotis</i>	<i>patagonum</i>	Patagonian Mara	Argentina, approx 28oS (Bolson de Pipanco, Catamarca Prov.) to 50oS	791	Two adults and two young	1983	Chehebar CE	Argentina, Chubut
Rodentia	Caviidae	cavies & relatives	<i>Dolichotis</i>	<i>patagonum</i>	Patagonian Mara	Argentina, approx 28oS (Bolson de Pipanco, Catamarca Prov.) to 50oS	792	Two young	1983	Chehebar CE	Argentina, Chubut
Rodentia	Caviidae	cavies & relatives	<i>Dolichotis</i>	<i>patagonum</i>	Patagonian Mara	Argentina, approx 28oS (Bolson de Pipanco, Catamarca Prov.) to 50oS	1318	Side view, feet and limbs visible		Bergstrom BJ	USA, CO, Denver Zoo
Rodentia	Caviidae	cavies & relatives	<i>Dolichotis</i>	<i>patagonum</i>	Patagonian Mara	Argentina, approx 28oS (Bolson de Pipanco, Catamarca Prov.) to 50oS	1881	Female suckling young	November, 1986	Huckaby, DG	USA, CA, Los Angeles Co., Los Angeles Zoo & Botanical Gardens
Rodentia	Caviidae	cavies & relatives	<i>Galea</i>	<i>musteloides</i>	Common Yellow-toothed Cavy	S Peru, Bolivia, Argentina, N Chile	998	Side view		Rood J	Argentina
Rodentia	Caviidae	cavies & relatives	<i>Hydrochoerus</i>	<i>hydrochaeris</i>	Capybara	E Colombia, E Venezuela, the Guyanas and Peru, south through Brazil, Paraguay, NE Argentina, and Uruguay	1407	Female with litter	1994	Lord RD	Venezuela, Apure, 30 km SW of Mantecal, Hato Ed Cedral
Rodentia	Caviidae	cavies & relatives	<i>Hydrochoerus</i>	<i>hydrochaeris</i>	Capybara	E Colombia, E Venezuela, the Guyanas and Peru, south through Brazil, Paraguay, NE Argentina, and Uruguay	1709	Group on road	2009	Semedo TBF	Brazil, Mato Grosso, Município de Poconé, Rodovia Transpantaneira

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Caviidae	cavies & relatives	<i>Hydrochoerus</i>	<i>hydrochaeris</i>	Capybara	E Colombia, E Venezuela, the Guyanas and Peru, south through Brazil, Paraguay, NE Argentina, and Uruguay	1898	Female with litter, suckling. Image on cover of Journal of Mammalogy 92(1)	2004	Congdon, ER	Venezuela, Apure, Hato El Cedral
Rodentia	Caviidae	cavies & relatives	<i>Hydrochoerus</i>	<i>isthmius</i>	Lesser Capybara	Panama, W Colombia, and W Venezuela	670	Swimming	1971	Tyndale-Biscoe CH	Colombia, Magdalena, Isla Salamanca
Rodentia	Caviidae	cavies & relatives	<i>Hydrochoerus</i>	<i>isthmius</i>	Lesser Capybara	Panama, W Colombia, and W Venezuela	671	Feeding on grass	1971	Tyndale-Biscoe CH	Colombia, Valle del Cauca, Cali
Rodentia	Caviidae	cavies & relatives	<i>Kerodon</i>	<i>rupestris</i>	Rock Cavy	S Brazil, Paraguay, Uruguay, Boliva, Argentina, Chile.	1882	Two adults sitting together	September, 1987	Huckaby, DG	USA, CA, San Diego Co., San Diego Zoo
Rodentia	Caviidae	cavies & relatives	<i>Microcavia</i>	<i>australis</i>	Southern Mountain Cavy	Argentina between Jujuy and Santa Cruz Provs.; Aisen Prov. (Chile); possibly extreme S Bolivia.	999	Side view		Rood J	Argentina
Rodentia	Caviidae	cavies & relatives	<i>Microcavia</i>	<i>australis</i>	Southern Mountain Cavy	Argentina between Jujuy and Santa Cruz Provs.; Aisen Prov. (Chile); possibly extreme S Bolivia	1891	Quartering front view of reclining adult. Image on cover of Journal of Mammalogy 92(6)	2009	Cuevas, MF	Argentina, Mendoza, MaB Reserve of Ñacuñán
Rodentia	Chinchillidae	chinchillas	<i>Chinchilla</i>	<i>lanigera</i>	Long-tailed Chinchilla	N Chile, in foothills of the Andes and coastal mountains south to Talca	068	Front view of captive		Altig R	
Rodentia	Chinchillidae	chinchillas	<i>Lagidium</i>	<i>viscacia</i>	Southern Mountain Viscacha	W Argentina, S and W Bolivia, N Chile, S Peru.	788	Sitting upright on boulder	1982	Chehebar CE	Argentina, Mendoza
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Abrothrix</i>	<i>longipilis</i>	Long-haired Akodont	C to S Chile and Argentina	411	Side view of captive	1974	Meserve PL	Chile, Coquimbo, Parque Nacional Fray Jorge
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Abrothrix</i>	<i>olivaceus</i>	Olive-colored Akodont	N Chile, south through C Chile and bordering area of westernmost Argentina, to Patagonian region of S Chile and Argentina, including Tierra del Fuego	412	Side view of captive	1974	Meserve PL	Chile, Coquimbo, Parque Nacional Fray Jorge
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Arvicola</i>	<i>amphibius</i>	Eurasian Water Vole	Europe (excluding C and S Spain but including N Spain and N Portugal) east through Siberia to Lena River Basin (Yakutskaya); from Arctic Sea south to Lake Baikal and N Tien Shan Mtns of NW China (Xinjiang) through NW Iran, Iraq, N Israel, Caucasus, and Turkey; also in Great Britain except Ireland	748	Oblique view	1976	Taylor EJ	UK, England, Surrey, Tolworth Laboratory Studio
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Baiomys</i>	<i>taylori</i>	Northern Pygmy Mouse	SE Arizona and SW New Mexico, SW Oklahoma, and E Texas, USA, south to Michoacán, C Hidalgo, and C Veracruz, México	072	Front view	1972	Altig R	USA, TX, eastern region
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Baiomys</i>	<i>taylori</i>	Northern Pygmy Mouse	SE Arizona and SW New Mexico, SW Oklahoma, and E Texas, USA, south to Michoacán, C Hidalgo, and C Veracruz, México	1164	Side view	1991	Forbes RB	USA, NM, Luna Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Baiomys</i>	<i>taylori</i>	Northern Pygmy Mouse	SE Arizona and SW New Mexico, SW Oklahoma, and E Texas, USA, south to Michoacán, C Hidalgo, and C Veracruz, México	1902	Dorsal view	May, 1983	Cameron, GN	USA, TX, San Patricio Co., Welder Wildlife Refuge
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Chelemys</i>	<i>macronyx</i>	Andean Long-clawed Akodont	S Andes along Chile-Argentina boundary, about 34°S latitude south to Straits of Magellan	1015	Side view, C. m. vestitus	1987	Kelt D	Chile, Aisén of General Carlos Ibáñez del Campo, Reserva Nacional Coyhaique
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Chinchillula</i>	<i>sahamae</i>	Achallo	Altiplano region of S Perú, W Bolivia (above 4000 m), and N Chile	746	Side view, freshly-killed	1980	Anderson Justine	Bolivia, La Paz, Ulla Ulla National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Cricetulus</i>	<i>barabensis</i>	Striped Dwarf Hamster	Steppes of S Siberia from Irtysh River to Ussuri region, south through Transbaikalia to Mongolia, NE China, and Korean Peninsula	1165	Side view	1990	Andera M	Czech Republic, Prague Zoological Park
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Cricetus</i>	<i>cricetus</i>	Common Hamster	Belgium across C Europe, W Siberia, and N Kazakhstan to the upper Yenesei and Altai region and NW China (NW Xinjiang)	782	Side view	1981	Andera M	Czech Republic, Bohemia
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Dicrostonyx</i>	<i>groenlandicus</i>	Nearctic Collared Lemming	N Greenland and Queen Elizabeth Isls, islands in the District of Franklin, and Southampton Isl; N North America above treeline, from NE District of Keewatin, Canada, to N Alaska, USA.	071	Side view	1973	Riewe R	Canada, NU, Ellesmere Island, Bjerne Peninsula
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Eligmodontia</i>	<i>typus</i>	Eastern Patagonian Laucha	E Patagonian region of S Argentina, Buenos Aires and La Pampa Provs. southwards to Santa Cruz.	1899	Side view of adult. Image on cover of Journal of Mammalogy 92(6)	June 27, 2010	Sage, RD	Argentina, Rio Negro, General Roca, 1.35 km W, 2.34 km N Villa Manzano, 305 m elev.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Holochilus</i>	<i>sciureus</i>	Amazonian Marsh Rat	Broad reaches of Orinoco and Amazon River basins: Venezuela (including an isolated locality in the Maracaibo Basin, NW of the Andes), Guianas, N and C Brazil, and Amazonian regions of Colombia, Ecuador, Perú, and Bolivia	1581	Male	1983	Lord RD	Venezuela, Guarico, Calaboza
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Irenomys</i>	<i>tarsalis</i>	Large-footed Irenomys	C and S Chile, including Chiloe and Guaitecas Isls, and adjacent Argentina (Neuquén to Chubut Provs)	684	Hand-held animal	1981	Meserve PL	Chile, Los Rios, Valdivia Province, San Martin Experimental Forest
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Lemmiscus</i>	<i>curtatus</i>	Sagebrush Vole	Sagebrush steppe and desert from S Alberta and SE Saskatchewan, Canada, south to EC California and NW Colorado, including the Columbia Basin of interior Oregon and Washington, USA.	947	Dorso-lateral view of adult female, raised in lab colony	1985	Mullican TR	USA, ID, Bannock Co., Pocatello
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Lemmiscus</i>	<i>curtatus</i>	Sagebrush Vole	Sagebrush steppe and desert from S Alberta and SE Saskatchewan, Canada, south to EC California and NW Colorado, including the Columbia Basin of interior Oregon and Washington, USA.	1339	Side view, tail visible	1960	Johnson ML	
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Microryzomys</i>	<i>minutus</i>	Montane Colilargo	Lower montane to subalpine forest, mostly 2000-3500 m, from N Venezuela, through Colombia, Ecuador and Perú, to WC Bolivia.	1641	Side view, clinging to stick, both feet and tail visible	October, 1999	Patterson BD	Peru, Cuzco, Abra Acjanaco
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Microtus</i>	<i>agrestis</i>	Field Vole	Britain and nearby small islands (except Ireland); continental distribution extends from Scandinavia and Baltic region east through Siberia to the Lena River; in the south from N and C Portugal, Pyrennes of N Spain, France, Belgium, Netherlands, Germany, Switzerland, Austria, Czech Republic, Slovakia, N Italy, Poland, Hungary, Slovenia, east through N Croatia and N Bosnia and Herzegovina, N Serbia, Romania, Ukraine, and Kazhakstan to S Urals, Altai Mtns, NW China (NW Xinjiang), and Lake Baikal region	547	Side view	1976	Andera M	Czech Republic, South Bohemia

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Microtus</i>	<i>chrotorrhinus</i>	Rock Vole	S Labrador south through S Quebec and Ontario, Canada, to NE Minnesota, N New York, and N New England states, USA; isolated segments in the C (S New York, NE Pennsylvania) and S Appalachian Mtns (W Maryland to E Tennessee and W North Carolina)	250	Side view of anterior part of body		Crowell KL	USA, NY, Adirondack Mountains
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Microtus</i>	<i>longicaudus</i>	Long-tailed Vole	Rocky Mountains and adjacent foothills, from E Alaska and N Yukon, south through British Columbia and SW Alberta, Canada, to E California and W Colorado; including Pacific coastal taiga to N California; disjunct southern pockets in S California, Arizona, and New Mexico, USA	1157	Lateral view of adult, <i>M. l. longicaudus</i>	1991	Forbes RB	USA, NM, Bernalillo Co., Sandia Mts.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Microtus</i>	<i>mexicanus</i>	Mexican Vole	Patchy occurrence in mountains from extreme S Utah and extreme S Colorado to C Arizona and New Mexico, USA; south in Sierra Madres through interior México to C Oaxaca	1158	Adult female with neonate, <i>M. m. guadalupensis</i>	1991	Forbes RB	USA, NM, Bernalillo Co., Sandia Mts.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Microtus</i>	<i>mexicanus</i>	Mexican Vole	Patchy occurrence in mountains from extreme S Utah and extreme S Colorado to C Arizona and New Mexico, USA; south in Sierra Madres through interior México to C Oaxaca	1159	<i>M. m. guadalupensis</i> (left), <i>Microtus longicaudus longicaudus</i> (right, larger), shown for comparison of characteristics	1991	Forbes RB	USA, NM, Bernalillo Co., Sandia Mts.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Microtus</i>	<i>ochrogaster</i>	Prairie Vole	Northern and Central Great Plains—EC Alberta to S Manitoba, Canada; south to N Texas Panhandle, SW Oklahoma, and Arkansas; eastwards to C Tennessee, westernmost West Virginia, and W Ohio, USA; relictual populations in C Colorado, N New Mexico, and coastal prairies (<i>ludovicianus</i>) of SW Louisiana and adjacent Texas, USA	1160	Side view, in simulated grassland environment	1990	Mikesic DG	USA, IL

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Microtus</i>	<i>oeconomus</i>	Root Vole	Holarctic in tundra, northern taiga, and grassy meadows. In Palearctic, from Fennoscandia across N European Russia and Siberia to Kamchatka Peninsula and borderlands of Bering Sea; south through through Baltic region to NE Germany, Poland, Belarus, Ukraine, N Kazakhstan, transbaikal region, N Mongolia, NE China (N Nei Mongol), and discontinuously in the Ussuri region bordering the Japanese Sea, including, Sakhalin and Kurile Isls; relict populations in Netherlands, S Norway and C Sweden, Finnish Baltic Coast, E Austria, SW Slovakia, and W Hungary; absent from the British Isls but present on St. Lawrence Isl in Bering Sea. In Nearctic, from Alaska through Yukon Territory, eastwards to W Northwest Territories, and southwards to extreme NW British Columbia and Alexander Archipelago, Alaska	781	Oblique view	1983	Andera M	Slovak Republic, Bratislava , Zitny ostrov
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Microtus</i>	<i>pennsylvanicus</i>	Meadow Vole	Meadowlands interspersed across boreal and mixed coniferous-deciduous biomes of North America: C Alaska to Labrador, including Newfoundland and Prince Edward Isl, Canada; south in Rocky Mountains to N New Mexico, in Great Plains to N Kansas, and in Appalachians and along eastern seaboard to N Georgia and South Carolina, USA; outlier populations in W New Mexico and peninsular Florida, USA, and in N Chihuahua, México	070	Side view	1975	Master LL	USA, MI, Washtenaw Co., Ann Arbor
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Microtus</i>	<i>subterraneus</i>	Common Pine Vole	Atlantic coasts of N and C France through S Netherlands, across C Europe (SW Bohemia; Switzerland; Slovakia; Czech Republic; Italy) to Ukraine and the Don River, south through Romania and Balkan region into N and SE Greece, and Turkey (mountains in N, W and S but not on Anatolian Plateau) eastward to south of Trabzon; isolated populations in Russia (near St Petersburg) and Estonia. Absent from Mediterranean coast and islands	747	Front view of two adults	1982	Bogdanowicz W	Poland, Podlaskie, Bialowieza, Mammals Research Institute, Polish Academy of Sciences
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Microtus</i>	<i>subterraneus</i>	Common Pine Vole	Atlantic coasts of N and C France through S Netherlands, across C Europe (SW Bohemia; Switzerland; Slovakia; Czech Republic; Italy) to Ukraine and the Don River, south through Romania and Balkan region into N and SE Greece, and Turkey (mountains in N, W and S but not on Anatolian Plateau) eastward to south of Trabzon; isolated populations in Russia (near St Petersburg) and Estonia. Absent from Mediterranean coast and islands	786	Oblique view	1983	Bogdanowicz W	Poland, Podlaskie, Bialowieza

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Microtus</i>	<i>subterraneus</i>	Common Pine Vole	Atlantic coasts of N and C France through S Netherlands, across C Europe (SW Bohemia; Switzerland; Slovakia; Czech Republic; Italy) to Ukraine and the Don River, south through Romania and Balkan region into N and SE Greece, and Turkey (mountains in N, W and S but not on Anatolian Plateau) eastward to south of Trabzon; isolated populations in Russia (near St Petersburg) and Estonia. Absent from Mediterranean coast and islands	1161	Oblique front view	1990	Andera M	Czech Republic, Plzen, Strazov
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Myodes</i>	<i>gapperi</i>	Southern Red-backed Vole	Most of Canada from N British Columbia to Labrador, excluding Newfoundland; south in the Appalachians to N Georgia and NW South Carolina, in the Great Plains to N Iowa, and in the Rockies to C New Mexico and EC Arizona, USA; extralimital isolates in NW and E Pennsylvania and S New Jersey	069	Side view	1975	Elliott L	USA, NY, Franklin Co., Paul Smiths (Adirondack Mountains)
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Myodes</i>	<i>glareolus</i>	Bank Vole	W Palaearctic forests from France and Scandinavia to Lake Baikal, south to N Spain, N Italy (isolated montane populations farther south), the Balkans (but not most of Greece), W and N Turkey, N Kazakhstan and the Altai and Sayan Mtns; also occurs on Britain and SW Ireland	546	Side view	1976	Andera M	Czech Republic, South Bohemia
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Myodes</i>	<i>glareolus</i>	Bank Vole	W Palaearctic forests from France and Scandinavia to Lake Baikal, south to N Spain, N Italy (isolated montane populations farther south), the Balkans (but not most of Greece), W and N Turkey, N Kazakhstan and the Altai and Sayan Mtns; also occurs on Britain and SW Ireland	1247	Side view, entire animal in view	1992	Andera M	Czech Republic, Plzen or South Bohemia, Sumava Mountains
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Neacomys</i>	<i>spinus</i>	Common Bristly Mouse	WC Brazil to Andean foothills and lowlands of SE Colombia, E Ecuador, E Perú, and N and C Bolivia .	1711	Lateral view	2009	Semedo TBF	Brazil, Mato Grosso, Município de Cotriguaçu, Fazenda São Nicolau
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Necomys</i>	<i>lasiurus</i>	Hairy-tailed Akodont	C Brazil south of the Amazon River, extreme SE Perú, and perhaps NE Argentina; limits uncertain	551	Oblique view of slightly anesthetized animal	1980	Reis SF and M V Dellape	
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Neotoma</i>	<i>cinerea</i>	Bushy-tailed Woodrat	SE Yukon and westernmost Northwest Territories, south through Alaskan Panhandle, British Columbia and W Alberta, Canada; in W USA, from Washington to W Dakotas as far south as EC California, S Nevada, N Arizona, and NW New Mexico.	1166	Side view, N. c. fusca	1988	Forbes RB	USA, OR, Tillamook Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Neotoma</i>	<i>cinerea</i>	Bushy-tailed Woodrat	SE Yukon and westernmost Northwest Territories, south through Alaskan Panhandle, British Columbia and W Alberta, Canada; in W USA, from Washington to W Dakotas as far south as EC California, S Nevada, N Arizona, and NW New Mexico.	1351	Side view, posterior part of tail not in view		Grondahl CD	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Neotoma</i>	<i>floridana</i>	Eastern Woodrat	SC and SE USA, from EC Colorado to C Texas, eastwards to the Atlantic seaboard, from S North Carolina to peninsular Florida; isolated population on Florida Keys (N. f. smalli)	1016	Front view	1986	Post D	USA, KS, Riley Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Neotoma</i>	<i>lepida</i>	Desert Woodrat	SE Oregon to C Utah and WC Colorado, south through Nevada, NW Arizona, and S California, USA, to S Baja California Sur, México	1252	Side view, all parts visible except tip of tail	1991	Huckaby DG	USA, CA, San Bernardino Co., near Pioneertown
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Neotoma</i>	<i>macrootis</i>	Big-eared Woodrat	Santa Lucia Range, WC California, and Sierra Nevada, EC California, southwards to N Baja California Norte, México; isolated population in SE California	414	Oblique view	1972	Meserve PL	USA, CA, Orange Co., Irvine
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Neotoma</i>	<i>mexicana</i>	Mexican Woodrat	SE Utah and C Colorado, USA, southwards through W and interior México, to highlands of Guatemala, El Salvador, and W Honduras	1167	Side view, N. m. scopulorum	1991	Forbes RB	USA, NM, Socorro Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Ochrotomys</i>	<i>nuttalli</i>	Golden Mouse	SE USA, from SE Missouri across to E West Virginia and S Virginia, south to E Texas, the Gulf coast, and C Florida.	1647	Female suckling infant, in vines	2009	Stetson D	USA, GA, Oconee National Forest
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Oecomys</i>	<i>bicolor</i>	Bicolored Arboreal Rice Rat	E Panamá to W Colombia and Ecuador; Venezuela, Guianas, N and C Brazil; Amazonian drainage of Bolivia, Perú, Ecuador, and Colombia.	1712	Lateral view	2010	Semedo TBF	Brazil, Mato Grosso, Município de Cotriguaçu, Fazenda São Nicolau
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Oligoryzomys</i>	<i>fulvescens</i>	Fulvous Collilargo	W and E versants of S México, through Central America, to Ecuador, N and C Venezuela, Guianas, and northernmost Brazil in South America	1582	Diagonal shot, only head in focus	2000	Lord RD	Venezuela, Apure, 30 km SW of Mantecal, Hato Ed Cedral
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Ondatra</i>	<i>zibethicus</i>	Common Muskrat	North America, north to the treeline, including Newfoundland; south to the Gulf of México, Rio Grande and lower Colorado River valleys. Introduced to Czech Republic in 1905 and now widespread in the Palearctic, including C and N Europe, most of Ukraine, Russia, and Siberia, adjacent parts of Mongolia and scattered throughout China, NE Korea, and Honshu Isl, Japan; also into southernmost Argentina	1162	Lateral view of adult feeding at edge of water	1991	Forbes RB	USA, NM, Bernalillo Co., Albuquerque
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Ondatra</i>	<i>zibethicus</i>	Common Muskrat	North America, north to the treeline, including Newfoundland; south to the Gulf of México, Rio Grande and lower Colorado River valleys. Introduced to Czech Republic in 1905 and now widespread in the Palearctic, including C and N Europe, most of Ukraine, Russia, and Siberia, adjacent parts of Mongolia and scattered throughout China, NE Korea, and Honshu Isl, Japan; also into southernmost Argentina	1163	Muskrat lodge over water	1987	Forbes RB	USA, IA, Dickinson Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Onychomys</i>	<i>arenicola</i>	Chihuahuan Grasshopper Mouse	Chihuahuan Desert: SE Arizona, SC New Mexico, and W Texas, USA, south to Aguascalientes, San Luis Potosi, and W Tamaulipas, México	1168	Side view	1991	Forbes RB	USA, NM, Dona Ana Co.

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Onychomys</i>	<i>leucogaster</i>	Northern Grasshopper Mouse	S Alberta, S Saskatchewan, and SW Manitoba, Canada, south through much of Great Plains and Great Basin region of USA, to NC Sonora and N Tamaulipas, México	253	Close-up view of anterior part of body	1968	LaVal RK	USA, TX
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Onychomys</i>	<i>leucogaster</i>	Northern Grasshopper Mouse	S Alberta, S Saskatchewan, and SW Manitoba, Canada, south through much of Great Plains and Great Basin region of USA, to NC Sonora and N Tamaulipas, México	1017	Side view, captive animal	1987	Rinker GC	
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Onychomys</i>	<i>leucogaster</i>	Northern Grasshopper Mouse	S Alberta, S Saskatchewan, and SW Manitoba, Canada, south through much of Great Plains and Great Basin region of USA, to NC Sonora and N Tamaulipas, México	1169	Side view	1990	Forbes RB	USA, AZ, Cochise Co., Portal
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Onychomys</i>	<i>torridus</i>	Southern Grasshopper Mouse	C California, S Nevada, and extreme SW Utah, USA, south to N Baja California Norte, Sonora, and N Sinaloa, México	1170	Oblique front view	1991	Forbes RB	USA, AZ, Cochise Co., Portal
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Oryzomys</i>	<i>alfaroi</i>	Alfaro's Rice Rat	Lowland to lower montane forests from S Tamaulipas and Oaxaca, México, through Middle America, to W Colombia and Ecuador	679	Side view of adult male, also as <i>Handleyomys alfaroi</i>	1979	Anderson S	Costa Rica, Puntarenas, Monteverde
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Oryzomys</i>	<i>couesi</i>	Coues's Rice Rat	Extreme S Texas, USA; México, excluding NC plateau region, south through most of Central America, to NW Colombia; including Jamaica, Isla Cozumel, and allopatric populations in S Baja California Sur (peninsulae) and WC Sonora (Iambi).	2052	Lateral view of adult. O. c. <i>mexicanus</i>	May 1996	Cameron GN	Mexico, Jalisco, Sierra de Manantlan Biosphere Reserve, Las Joyas Scientific Station
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Oryzomys</i>	<i>megacephalus</i>	Azara's Broad-headed Rice Rat	Lowland tropical rainforests of E Amazonia—E and S Venezuela, Guianas, N and C Brazil, E Paraguay; including Trinidad; western limits indeterminate	1710	Quartering front view, also as <i>Hylaeamys megacephalus</i> , Large-headed Rice Rat	2009	Semedo TBF	Brazil, Mato Grosso, Município de Cotriguaçu, Fazenda São Nicolau
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Oryzomys</i>	<i>megacephalus</i>	Azara's Broad-headed Rice Rat	Lowland tropical rainforests of E Amazonia—E and S Venezuela, Guianas, N and C Brazil, E Paraguay; including Trinidad; western limits indeterminate	075	Side view, also as <i>Hylaeamys megacephalus</i> , Large-headed Rice Rat	1977	August PV	Venezuela, Miranda, Parque Nacional Guatapo
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Oryzomys</i>	<i>nitidus</i>	Elegant Rice Rat	Lowland rain forest and Andean foothills, 50-1985 m, of E Perú, E Bolivia, and WC Brazil (Acre and Mato Grosso).	548	Side view, animal in cage, also as <i>Euryoryzomys nitidus</i>	1980	Reis SF and M V Dellape	Brazil, Rio de Janeiro
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Oryzomys</i>	<i>palustris</i>	Marsh Rice Rat	SE USA—SE Kansas, S Illinois, and S New Jersey, south, avoiding the Appalachian Mtns, to E and coastal Texas, along the Gulf coast, and into peninsular Florida and lower Florida Keys	252	Front view	1966	LaVal RK	USA, LA, East Baton Rouge Par.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Oryzomys</i>	<i>russatus</i>	Russet Rice Rat	E Paraguay, SE Brazil (Bahia to Rio Grande do Sul), and NE Argentina (as per Massoia, 1975; Musser et al., 1998).	1642	Side view, tail visible, also as <i>Euryoryzomys russatus</i>	November, 1989	Patterson BD	Brazil, Sao Paulo, Ilha do Cardoso
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Otodylomys</i>	<i>phyllotis</i>	Big-eared Climbing Rat	C Costa Rica north to Yucatán Peninsula, S Tabasco, and N Chiapas, Mexico; isolated record from NC Guerrero, Mexico	553	Profile of caged animal	1980	Ahl AS and CS St. Clair	USA, MI, Ingham Co., East Lansing, Michigan State University, The Museum

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>beatae</i>	Orizaba Deermouse	C Veracruz and C Guerrero to Oaxaca and Chiapas, México, southwards through highlands of Guatemala, El Salvador, and Honduras.	2056	Dorso-lateral view of adult	January 9, 2013	Ordonez-Garza N	Guatemala, Sacatepéquez, San Cristóbal El Bajo; 11 km SE Antigua Guatemala, Finca El Pilar, Cerro El Cucurucho, 2640 m.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>boylei</i>	Brush Deermouse	Much of SW USA, from N California to westernmost Oklahoma, south to N Baja California Norte and Trans-Pecos Texas, along the Sierra Madre Occidental and W Central Plateau to Queretaro and W Hidalgo, México	1171	Side view, <i>P. b. rowleyi</i>	1991	Forbes RB	USA, NM, Grant Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>eremicus</i>	Cactus Deermouse	SE California, S Nevada, and SW Utah east to Trans-Pecos Texas, USA; south along mainland coast to C Sinaloa, and on the Mexican Plateau to N Zacatecas and S San Luis Potosí, México	1173	Dorsolateral view	1991	Forbes RB	USA, NM, Grant Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>gossypinus</i>	Cotton Deermouse	SE USA, from SE Oklahoma, extreme S Illinois and SE Virginia, southwards, skirting the S Appalachians, to E Texas, the Gulf States, and peninsular Florida	677	Side view, adult male	1979	Van Devender RW	USA, NC, Bladen Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>gossypinus</i>	Cotton Deermouse	SE USA, from SE Oklahoma, extreme S Illinois and SE Virginia, southwards, skirting the S Appalachians, to E Texas, the Gulf States, and peninsular Florida	678	Close-up view of head of adult male	1979	Van Devender RW	USA, NC, Bladen Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>hylocetes</i>	Transvolcanic Deermouse	Endemic to the Cordillera Transvolcanica, 1980-3085 m, from WC Jalisco eastwards to Distrito Federal and N Morelos, México.	2053	Lateral view of adult. Previously <i>P. aztecus hylocetes</i> , Aztec Deermouse.	May 1996	Cameron GN	Mexico, Jalisco, Sierra de Manantlan Biosphere Reserve, Las Joyas Scientific Station
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>leucopus</i>	White-footed Deermouse	S Alberta and to S Ontario, Quebec and Nova Scotia, Canada; throughout much of C and E USA, excluding Florida; southwards to N Durango and along Caribbean coast to Isthmus of Tehuantepec and NW Yucatán Peninsula, México	073	Side view, <i>P. l. noveboracensis</i>	1975	Master LL	USA, MI, Washtenaw Co., Ann Arbor
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>leucopus</i>	White-footed Deermouse	S Alberta and to S Ontario, Quebec and Nova Scotia, Canada; throughout much of C and E USA, excluding Florida; southwards to N Durango and along Caribbean coast to Isthmus of Tehuantepec and NW Yucatán Peninsula, México	251	Animal infested with botfly (<i>Cuterebra</i>) larvae	1974	Master LL	USA, MI, Washtenaw Co., Ann Arbor
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>leucopus</i>	White-footed Deermouse	S Alberta and to S Ontario, Quebec and Nova Scotia, Canada; throughout much of C and E USA, excluding Florida; southwards to N Durango and along Caribbean coast to Isthmus of Tehuantepec and NW Yucatán Peninsula, México	1174	Oblique front view, <i>P. l. tornillo</i>	1991	Forbes RB	USA, NM, Bernalillo Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>maniculatus</i>	North American Deermouse	Panhandle of Alaska and across N Canada, south through most of continental USA, excluding the SE and E seaboard, to southernmost Baja California Sur and to NC Oaxaca, México; including many landbridge islands	074	Oblique view, <i>P. m. bairdii</i>	1975	Master LL	USA, MI, Washtenaw Co., Ann Arbor

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>maniculatus</i>	North American Deermouse	Panhandle of Alaska and across N Canada, south through most of continental USA, excluding the SE and E seaboard, to southernmost Baja California Sur and to NC Oaxaca, México; including many landbridge islands	1175	Lateral view, P. m. rufinus	1991	Forbes RB	USA, NM, Socorro Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>mayensis</i>	Mayan Deermouse	Known only from the type locality and close vicinity, WC Guatemala.	2057	Anterior view of adult	December 30, 2005	Ordonez-Garza N	Guatemala, Huehuetenango, 5 km SW San Mateo Ixtatan, 3110 m
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>mexicanus</i>	Mexican Deermouse	In México, along the Atlantic coast from S San Luis Potosí to the Isthmus of Tehuantepec, and along the Pacific coast, from the Guerrero-Oaxaca border to C Chiapas; upper foothills and middle-elevation mountains in Guatemala, through El Salvador, Honduras, and Nicaragua, to highlands in Costa Rica and W Panamá (Chiriquí region)	675	Dorsal view of adult male	1979	Anderson S	Costa Rica, Puntarenas, Monteverde
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>mexicanus</i>	Mexican Deermouse	In México, along the Atlantic coast from S San Luis Potosí to the Isthmus of Tehuantepec, and along the Pacific coast, from the Guerrero-Oaxaca border to C Chiapas; upper foothills and middle-elevation mountains in Guatemala, through El Salvador, Honduras, and Nicaragua, to highlands in Costa Rica and W Panamá (Chiriquí region)	676	Side view of female with 20-day-old young clinging to nipples	1979	Anderson S	Costa Rica, Puntarenas, Monteverde
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>nasutus</i>	Northern Rock Deermouse	C Colorado and SE Utah, south through New Mexico and Trans-Pecos Texas, USA, to NW Coahuila, México	1172	Dorsolateral view, P. n. griseus	1991	Forbes RB	USA, NM, Lincoln Co., Carizozo Lava Beds
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>truei</i>	Pinyon Deermouse	USA, SW and C Oregon to W and SE Colorado, south to N Baja California Norte (México), Arizona, and New Mexico; isolated populations in N Texas (comanche) and S Baja California Sur (lagunae).	1176	Lateral view, standing on hind legs, P. t. truei	1991	Forbes RB	USA, NM, Socorro Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Peromyscus</i>	<i>truei</i>	Pinyon Deermouse	USA, SW and C Oregon to W and SE Colorado, south to N Baja California Norte (México), Arizona, and New Mexico; isolated populations in N Texas (comanche) and S Baja California Sur (lagunae).	2058	Lateral view showing feet and tail	July 25, 2012	Ordonez-Garza N	USA, OK, Cimarron county, Keton, Black Mesa Nature Preserve
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Phodopus</i>	<i>roborovskii</i>	Roborovski's Desert Hamster	Tuva (Russia) and E Kazakhstan; W and S Mongolia; adjacent regions of China from NW Xinjiang east through N Gansu, N Qinghai, Ningxia, N Shaanxi, N Shanxi, and Nei Mongolia to Liaoning and Jilin	1000	Side view of captive	1977	Andera M	
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Phodopus</i>	<i>sungorus</i>	Striped Desert Hamster	E Kazakhstan and SW Siberia	554	Dorso-lateral view of captive	1967	Anderson PK	Russia, Moscow
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Phyllotis</i>	<i>darwini</i>	Darwin's Pericote	Coastal WC Chile	413	Dorso-lateral view of captive	1974	Meserve PL	Chile, Coquimbo, Parque Nacional Fray Jorge
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Podomys</i>	<i>floridanus</i>	Florida Deermouse	Allopatric segments in panhandle and peninsular Florida, USA.	879	Side view		Sunquist F (contributed by J Eisenberg)	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Reithrodontomys</i>	<i>fulvescens</i>	Fulvous Harvest Mouse	SC Arizona, NC, S and E Texas, to SW Missouri and W Mississippi, USA; south through much of México, to W Nicaragua; excluding Yucatán Peninsula and Caribbean coastal lowlands.	1903	Diagonal view of animal climbing in vegetation	September, 1974	Cameron, GN	USA, TX, Galveston Co., University of Houston Coastal Center
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Reithrodontomys</i>	<i>humulis</i>	Eastern Harvest Mouse	SE USA, from E Oklahoma and E Texas eastwards to the Atlantic seaboard, from S Maryland to peninsular Florida	685	Side view of captive	1979	Van Devender RW	USA, NC, Bladen Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Reithrodontomys</i>	<i>megalotis</i>	Western Harvest Mouse	SC British Columbia and SE Alberta, Canada; through much of W and NC USA; south to N Baja California Norte and through interior México to C Oaxaca	1018	Side view, captive animal	1986	Rinker GC	
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Reithrodontomys</i>	<i>sumichrasti</i>	Sumichrast's Harvest Mouse	Allopatric segments in Middle American highlands: SW Jalisco and S San Luis Potosí to C Guerrero and EC Oaxaca, México; C Chiapas, México, to NC Nicaragua; C Costa Rica to W Panamá.	2059	Anterior view of adult; tail visible	December 31, 2005	Ordonez-Garza N	Guatemala, Huehuetenango, 5 km SW San Mateo Ixtatan, 3110 m
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Scotinomys</i>	<i>teguina</i>	Short-tailed Singing Mouse	Intermediate elevations of Middle America from E Oaxaca, México, to W Panamá.	2060	Frontal view, showing head and feet	July 15, 2010	Ordonez-Garza N	Guatemala, Chiquimula, Aldea Plan de la Arada, 8 km SW of Esquipulas, 1620 m
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Sigmodon</i>	<i>fulviventor</i>	Tawny-bellied Cotton Rat	SE Arizona, WC New Mexico, and SW Texas, USA, south through interior México to Guanajuato and NW Michoacán	549	Dorso-lateral view of captive	1980	Ahl AS and CS St. Clair	USA, MI, Ingham Co., East Lansing, Michigan State University, The Museum
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Sigmodon</i>	<i>hispidus</i>	Hispid Cotton Rat	SE USA, from S Nebraska to C Virginia and south to SE Arizona and peninsular Florida; NW Chihuahua to N Tamaulipas, south through interior México at least to C Zacatecas and W San Luis Potosí (southern limits with respect to <i>S. mascotensis</i> and <i>S. toltecus</i> need reverification)	076	Side view of captive		Baker RH	
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Sigmodon</i>	<i>hispidus</i>	Hispid Cotton Rat	SE USA, from S Nebraska to C Virginia and south to SE Arizona and peninsular Florida; NW Chihuahua to N Tamaulipas, south through interior México at least to C Zacatecas and W San Luis Potosí (southern limits with respect to <i>S. mascotensis</i> and <i>S. toltecus</i> need reverification)	1177	Side view, <i>S. h. berlandieri</i>	1991	Forbes RB	USA, NM, Luna Co.
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Sigmodon</i>	<i>hispidus</i>	Hispid Cotton Rat	SE USA, from S Nebraska to C Virginia and south to SE Arizona and peninsular Florida; NW Chihuahua to N Tamaulipas, south through interior México at least to C Zacatecas and W San Luis Potosí (southern limits with respect to <i>S. mascotensis</i> and <i>S. toltecus</i> need reverification)	1904	Side view	September, 1974	Cameron, GN	USA, TX, Galveston Co., University of Houston Coastal Center
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Synaptomys</i>	<i>cooperi</i>	Southern Bog Lemming	Midwestern and E USA through SE Canada, including Nova Scotia and Cape Breton Isl; as far south as W North Carolina and NE Arkansas; outlying populations in SW Kansas, W Nebraska, and the Dismal Swamp region of SE Virginia-NE North Carolina	682	Side view	1981	Master LL	USA, Mich, Livingston Co., Brighton

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Tylomys</i>	<i>nudicaudus</i>	Peters' Climbing Rat	C Guerrero and C Veracruz, Mexico, south to S Nicaragua, excluding Yucatan Peninsula	552	Profile of caged animal	1980	Ahl AS and CS St. Clair	USA, MI, Ingham Co., East Lansing, Michigan State University, The Museum
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Tylomys</i>	<i>watsoni</i>	Watson's Climbing Rat	Costa Rica and W Panamá	681	Side view, subadult male	1979	Anderson S	Costa Rica, Puntarenas, Monteverde
Rodentia	Cricetidae	hamsters, New World rats & mice, voles	<i>Zygodontomys</i>	<i>brevicauda</i>	Short-tailed Zygodont	Savannas from SE Costa Rica through Panamá, Colombia, Venezuela, and the Guianas, to Brazil north of the Amazon River; including Trinidad and Tobago and smaller continental-shelf islands adjacent Panamá and Venezuela	1583	Male	1984	Lord RD	Venezuela, Guarico, Calabozá
Rodentia	Ctenomyidae	tuco-tucos	<i>Ctenomys</i>	<i>boliviensis</i>	Bolivian Tuco-tuco	Santa Cruz Dept. (C Bolivia), Mato Grosso (SW Brazil), W Paraguay, and Formosa Prov., Argentina	1178	Ventral view of skull and dorsal view of mandible (black and white photograph)	1991	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, University of New Mexico, Museum of Southwestern Biology
Rodentia	Ctenomyidae	tuco-tucos	<i>Ctenomys</i>	<i>boliviensis</i>	Bolivian Tuco-tuco	Santa Cruz Dept. (C Bolivia), Mato Grosso (SW Brazil), W Paraguay, and Formosa Prov., Argentina	1179	Lateral view of skulls and mandibles of <i>Ctenomys boliviensis</i> (right, No. 59442) and <i>Pappogeomys castonops</i> (left), illustrating histricomorph (<i>Ctenomys</i>) and sciurormorph (<i>Pappogeomys</i>) cranial characters	1991	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, University of New Mexico, Museum of Southwestern Biology
Rodentia	Ctenomyidae	tuco-tucos	<i>Ctenomys</i>	<i>fulvus</i>	Tawny Tuco-tuco	Mountains and Monte desert of NW Argentina and N Chile	749	Side view	1983	Hickman GC	Chile, Antofagasta, San Pedro de Atacama
Rodentia	Ctenomyidae	tuco-tucos	<i>Ctenomys</i>	<i>opimus</i>	Tawny Tuco-tuco	Mountains and Monte desert of NW Argentina and N Chile.	1675	Lateral view; head, front feet, and tail visible	November 14, 2009	Harding LE	Chile, Antofagasta, Salar de Tara
Rodentia	Cuniculidae	pacas	<i>Cuniculus</i>	<i>paca</i>	Lowland Paca	SE San Luis Potosi (Mexico) to Paraguay, Guianas, S Brazil, and NE Argentina. Introduced into Cuba	686	Oblique view, showing feet		Cervantes-Reza FA	Mexico, Chis.
Rodentia	Dasyproctidae	agoutis	<i>Dasyprocta</i>	<i>azarae</i>	Azara's Agouti	EC and S Brazil, Paraguay, NE Argentina	790	Pair, sitting	1982	Chehebar CE	Argentina, Buenos Aires Zoo
Rodentia	Dasyproctidae	agoutis	<i>Dasyprocta</i>	<i>azarae</i>	Azara's Agouti	EC and S Brazil, Paraguay, NE Argentina	2242		4 September 2010	Perry P	Brazil, Mato Grosso do Sul, Pantanal
Rodentia	Dasyproctidae	agoutis	<i>Dasyprocta</i>	<i>fuliginosa</i>	Black Agouti	Colombia, S Venezuela, Surinam, N Brazil, Peru	687	Side view of head	1979	Van Devender RW	USA, TX, Harris Co., Houston Zoo
Rodentia	Dasyproctidae	agoutis	<i>Dasyprocta</i>	<i>leporina</i>	Red-rumped Agouti	Lesser Antilles, Venezuela, Guianas, Amazonian and E Brazil, introduced into the Virgin Isls.	1883	Side view of sitting adult	June 20, 1999	Huckaby, DG	USA, WA, Pierce Co., Tacoma, Point Defiance Zoo
Rodentia	Dasyproctidae	agoutis	<i>Dasyprocta</i>	<i>punctata</i>	Central American Agouti	Chiapas and Yucatan Peninsula (S Mexico) to S Bolivia, N Argentina, and SE Brazil. Introduced into W and E Cuba and the Cayman Isls.	1585	Female	1980	Lord RD	Nicaragua, Managua, National Zoo
Rodentia	Dasyproctidae	agoutis	<i>Dasyprocta</i>	<i>ruatanica</i>	Roatan Island Agouti	Roatan Island off northern Honduras	1369	Side view	1996	Lee TE, Jr.	Honduras, Islas de la Bahía, Roatan
Rodentia	Dasyproctidae	agoutis	<i>Dasyprocta</i>	<i>sp.</i>	agouti	Central and South America	415	Side view, digging	1979	Murie JO	Canada, AB, Edmonton, Valley Zoo
Rodentia	Dasyproctidae	agoutis	<i>Dasyprocta</i>	<i>sp.</i>	agouti	Central and South America	416	Animal grooming	1979	Murie JO	Canada, AB, Edmonton, Valley Zoo

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Dasyproctidae	agoutis	<i>Myoprocta</i>	<i>acouchy</i>	Red Acuchi	Guyana, Surinam, French Guiana, and Brazil north of the Amazon and east of the Rio Branco.	079	Side view		Eisenberg JF	USA, DC, Washington, National Zoological Park
Rodentia	Dinomyidae	pacaranas	<i>Dinomys</i>	<i>branickii</i>	Pacarana	Venezuela, Columbia, Ecuador, Peru, Brazil, and Bolivia	1366	Side view, sitting	1995	Huckaby DG	USA, CA, San Diego Co., San Diego Zoo
Rodentia	Dipodidae	jerboas & relatives	<i>Allactaga</i>	<i>elater</i>	Small Five-toed Jerboa	SW Pakistan; Afghanistan; Iran; E Turkey; Armenia, Azerbaijan, Georgia, N Caucasus, north along W Caspian Sea to Lower Volga south to Turkmenistan, east through Kazakhstan to NE Xinjiang, Nei Mongol, and N Gansu, China, and western Mongolia, in desert and semi-desert zones	080	Side view		Eisenberg JF	USA, DC, Washington, National Zoological Park
Rodentia	Dipodidae	jerboas & relatives	<i>Allactaga</i>	<i>elater</i>	Small Five-toed Jerboa	SW Pakistan; Afghanistan; Iran; E Turkey; Armenia, Azerbaijan, Georgia, N Caucasus, north along W Caspian Sea to Lower Volga south to Turkmenistan, east through Kazakhstan to NE Xinjiang, Nei Mongol, and N Gansu, China, and western Mongolia, in desert and semi-desert zones	1240	Side view, hind limbs and tail in view		Rogovin K	Uzbekistan, Bukhara Region (Kyzylkum Desert)
Rodentia	Dipodidae	jerboas & relatives	<i>Dipus</i>	<i>sagitta</i>	Northern Three-toed Jerboa	Desert, steppe and dry woodland from Don River (Russia), NW coast of Caspian Sea, and N Iran, through Turkmenistan, Uzbekistan, and Kazakhstan to S Tuva, Russia; Mongolia; China (Nei Mongol, Xinjiang, Qinghai, Gansu, Ningxia, N Shaanxi, N Shanxi, Liaoning, and Jilin)	1241	Side view, entire animal in view		Rogovin K	Russia, Dagestan, NW Caspium region
Rodentia	Dipodidae	jerboas & relatives	<i>Jaculus</i>	<i>jaculus</i>	Lesser Egyptian Jerboa	N Africa in Senegal, NE Nigeria and Niger, from S Mauritania to Morocco, E through Algeria, Tunisia and Libya to Sudan, Ethiopia and Eritrea, Egypt, and Somalia; throughout Arabia, the Sinai and Israel through Iraq to SW Iran	557	Side view	1977	Andera M	Czech Republic, Prague Zoological Park
Rodentia	Dipodidae	jerboas & relatives	<i>Jaculus</i>	<i>orientalis</i>	Greater Egyptian Jerboa	Arid or semarid regions of N Africa and Israel, from Morocco E through Algeria, Tunisia, and Libya to Egypt, Sinai and S Israel	081	Side view		Eisenberg JF	USA, DC, Washington, National Zoological Park
Rodentia	Dipodidae	jerboas & relatives	<i>Napaeozapus</i>	<i>insignis</i>	Woodland Jumping Mouse	Canada: SE Manitoba, SW and E Ontario, S and E Quebec north to S Labrador. USA: E Minnesota, N and C Wisconsin, upper peninsular and N lower peninsular Michigan, E Ohio, Pennsylvania; north and east to NW New Jersey, New York, Connecticut, Rhode Island, W Massachusetts (isolated population in Martha's Vinyard), Vermont, New Hampshire, and Maine; south to West Virginia, W Virginia, E Kentucky, E Tennessee, W North Carolina, NW South Carolina, and NE Geo	113	Oblique view	1975	Elliott L	USA, NY, Franklin Co., Paul Smiths (Adirondack Mountains)
Rodentia	Dipodidae	jerboas & relatives	<i>Salpingotus</i>	<i>kozlovi</i>	Kozlov's Pygmy Jerboa	Deserts of S and SE Mongolia; and China: Nei Mongol, Xinjiang, Gansu, N Shaanxi, and Ningxia	1242	View from nearly above, somewhat distant, entire animal in view		Rogovin K	Mongolia, eastern Gobi Desert

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Dipodidae	jerboas & relatives	<i>Stylodipus</i>	<i>andrewsi</i>	Andrew's Three-toed Jerboa	NW, S, and C Mongolia east of Barun Khurai (Baruun Huuray) Valley; and adjacent China: Nei Mongolia, N Hebei, N Shanxi, N Shaanxi, Gansu, and Ningxia	1243	Side view, entire animal in view		Rogovin K	Mongolia, Gobi Desert, Altai Mountain foothills
Rodentia	Dipodidae	jerboas & relatives	<i>Zapus</i>	<i>princeps</i>	Western Jumping Mouse	Canada and USA: S Yukon southeast to NE South Dakota, west to C Montana, southeast to SE Wyoming, S to NC New Mexico; northwest to N and C Utah (isolated population in SE Utah), N and C Nevada, EC California north to SW, C and E Oregon, SE Washington northwest to S Yukon	1110	Dorsolateral view of caged mouse	1981	Harris J	USA, CA, Mono Co., Mono Lake
Rodentia	Echimyidae	spiny rats	<i>Mesomys</i>	<i>hispidus</i>	Ferreira's Spiny Tree-rat	Amazon Basin of N Bolivia, Peru, E Ecuador, SE Colombia east through S Venezuela, the Guianas, and all of Brazil except east of the Rio Tapajos and south of the Amazon.	1713	Lateral view	2011	Semedo TBF	Brazil, Mato Grosso, Município de Cotriguaçu, Fazenda São Nicolau
Rodentia	Echimyidae	spiny rats	<i>Proechimys</i>	<i>guirae</i>	Guaira Spiny-rat	NC Venezuela, east of Lake Maracaibo and the Merida Andes	1584	Captive animal perched on log, feet and head visible	1984	Lord RD	Venezuela, Lara, Usera, Las Chimas
Rodentia	Erethizontidae	New World porcupines	<i>Coendou</i>	<i>prehensilis</i>	Brazilian Porcupine	E Venezuela, Guyanas, C and E Brazil, N Argentina, Uruguay, E Paraguay, Bolivia, Trinidad (see Goodwin and Greenhall, 1961:202); up to 1,500 m	082	Side view	1977	August PV	Venezuela, Guarico, 45 km south of Calabozo
Rodentia	Erethizontidae	New World porcupines	<i>Coendou</i>	<i>prehensilis</i>	Brazilian Porcupine	E Venezuela, Guyanas, C and E Brazil, N Argentina, Uruguay, E Paraguay, Bolivia, Trinidad (see Goodwin and Greenhall, 1961:202); up to 1,500 m	1714	Perched on pole, ca. 2:48 AM, eating wood	2010	Semedo TBF	Brazil, Mato Grosso, Município de Cláudia, Fazenda Continental
Rodentia	Erethizontidae	New World porcupines	<i>Erethizon</i>	<i>dorsatum</i>	North American Porcupine	C Alaska (USA) to S Hudson Bay and Labrador (Canada), south to E Tennessee, C Iowa, and C Texas (USA), N Coahuila, Chihuahua, and Sonora (Mexico), and S California (USA).	083	Side view	1973	Twiest GL	USA, PA, Clarion Co., Clarion
Rodentia	Erethizontidae	New World porcupines	<i>Erethizon</i>	<i>dorsatum</i>	North American Porcupine	C Alaska (USA) to S Hudson Bay and Labrador (Canada), south to E Tennessee, C Iowa, and C Texas (USA), N Coahuila, Chihuahua, and Sonora (Mexico), and S California (USA).	870	Side view of fetus including umbilical cord and placenta, with scale	1972	Gordon DC	USA, NY, Jefferson Co., Watertown
Rodentia	Erethizontidae	New World porcupines	<i>Sphiggurus</i>	<i>mexicanus</i>	Mexican Hairy Dwarf Porcupine	San Luis Potosi and Yucatan (Mexico) to W Panama, to 3,000 m	1393	Full view, female adult	1998	Cervantes-Reza FA	Mexico, Oax., Municipio San Francisco Ixhuatan, 1 km W Cachimbo
Rodentia	Geomyidae	pocket gophers	<i>Cratogeomys</i>	<i>castanops</i>	Yellow-faced Pocket Gopher	SE Colorado and SW Kansas (USA) to E Durango and S Coahuila (Mexico)	691	Side view, showing feet	1981	Hickman GC	
Rodentia	Geomyidae	pocket gophers	<i>Cratogeomys</i>	<i>castanops</i>	Yellow-faced Pocket Gopher	SE Colorado and SW Kansas (USA) to E Durango and S Coahuila (Mexico)	692	Ventral view, showing front feet, everted cheek-pouches, and incisors	1981	Hickman GC	
Rodentia	Geomyidae	pocket gophers	<i>Geomys</i>	<i>attwateri</i>	Attwater's Pocket Gopher	SC coast of Texas (USA).	2054	Dorso-lateral view of digging adult	May 1983	Cameron GN	USA, TX, San Patricio Co., Welder Wildlife Refuge
Rodentia	Geomyidae	pocket gophers	<i>Geomys</i>	<i>breviceps</i>	Baird's Pocket Gopher	W Louisiana, E Texas, E Oklahoma, and SW Arkansas (USA).	1905	Side view	December, 1989	Cameron, GN	USA, TX, Harris Co.
Rodentia	Geomyidae	pocket gophers	<i>Geomys</i>	<i>bursarius</i>	Plains Pocket Gopher	SC Manitoba (Canada) to NW Indiana, SC Texas, and NE New Mexico (USA)	690	Side view, showing feet	1981	Hickman GC	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Geomyidae	pocket gophers	<i>Geomys</i>	<i>pinetis</i>	Southeastern Pocket Gopher	C Florida to S Georgia and S Alabama (USA).	1244	Side view, animal on surface of ground. Tail, ears, forefeet visible	1990	McMurtray JD	USA, FL, Seminole Co., Lower Wekiva River State Preserve
Rodentia	Geomyidae	pocket gophers	<i>Thomomys</i>	<i>bottae</i>	Botta's Pocket Gopher	SW and W USA, north to Oregon, east to Colorado, and south to the Cape region of Baja California, Sinaloa and Nuevo Leon (Mexico)	254	Close-up of female's head	1969	Barrett RH	USA, CA, Tehama Co., Red Bluff
Rodentia	Geomyidae	pocket gophers	<i>Thomomys</i>	<i>mazama</i>	Western Pocket Gopher	NW Washington through C Oregon to N California (USA)	1319	Side view, digging, T. m. yelmensis		Leonard WP	USA, WA, Thurston Co., Weir Prairie
Rodentia	Geomyidae	pocket gophers	<i>Thomomys</i>	<i>talpoides</i>	Northern Pocket Gopher	S British Columbia to C Alberta and SW Manitoba (Canada), south to C South Dakota and N New Mexico, N Arizona, N Nevada, and NE California (USA).	688	Side view	1981	Hickman GC	
Rodentia	Geomyidae	pocket gophers	<i>Thomomys</i>	<i>talpoides</i>	Northern Pocket Gopher	S British Columbia to C Alberta and SW Manitoba (Canada), south to C South Dakota and N New Mexico, N Arizona, N Nevada, and NE California (USA).	689	Ventral view, showing front feet, cheek-pouches, and incisors	1981	Hickman GC	
Rodentia	Geomyidae	pocket gophers	<i>Thomomys</i>	<i>talpoides</i>	Northern Pocket Gopher	S British Columbia to C Alberta and SW Manitoba (Canada), south to C South Dakota and N New Mexico, N Arizona, N Nevada, and NE California (USA).	1953	quartering view of adult	June 29, 2006	Hale DW	USA, CO, El Paso co., US Air Force Academy
Rodentia	Gliridae	dormice	<i>Eliomys</i>	<i>quercinus</i>	Garden Dormouse	Primarily Europe, also Russia: Portugal, Spain, Balearic Isls, Andorra, France, Corsica, Belgium, Germany, Netherlands, Czech Republic and Slovakia, Poland, Belarus, Lithuania, Latvia, Estonia including Suur Tutarsaar Isl, Finland, Ukraine, European Russia to S Urals, Switzerland, Austria, Italy, including Sardegna, Eolian archipelago and Sicilia, Slovenia, Croatia, Adriatic Isls, Bosnia and Herzegovina, possibly Albania, possibly Bulgaria, and perhaps Romania	1253	Side view, entire animal in view	1993	Andera M	Czech Republic, Plzen or South Bohemia, Sumava Mountains
Rodentia	Gliridae	dormice	<i>Glis</i>	<i>glis</i>	Fat Dormouse	Europe, N Turkey, the Caucasus, N Iran and SW Turkmenistan; N Spain, France, Switzerland, Belgium, Netherlands, Germany, Poland; Ukraine north to Belarus, Lithuania and Latvia, east to Volga River, south to Saratov and Voronezh; Caucasus Mtns south to N Iran and SW Turkmenistan; the Mediterranean (except S and C Iberia, Balearic Isls), Corsica, Sardinia, Sicily, Elba, Italy, including Sicilia, Eolia and N Adriatic Isls, Austria, Czech Republic and Slovakia, Hungary, Slovenia; Croatia, Bosnia and Herzegovina, Serbia and Montenegro, Romania, Albania, Macedonia, Bulgaria, Greece, Crete, Corfu, Cephalonia, Turkish Thrace, N Turkey. Introduced to England	559	Side view	1980	Andera M	Czech Republic, Central Bohemia

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Gliridae	dormice	<i>Graphiurus</i>	<i>murinus</i>	Forest African Dormouse	C, E and Southern Africa: E Dem. Rep. Congo, Uganda, Rwanda, Burundi, Ethiopia, Kenya, Tanzania, Malawi, Mozambique, Zambia, Zimbabwe, South Africa. In some of these regional works, <i>G. microtis</i> is included in <i>G. murinus</i> ; thus the mapped localities and natural history data are a composite for both species	084	Side view	1974	Zool. Dept., Univ. of Natal, South Africa	South Africa, KwaZulu-Natal, Pietermaritzburg
Rodentia	Gliridae	dormice	<i>Graphiurus</i>	<i>ocularis</i>	Spectacled African Dormouse	South Africa, Eastern, Northern and Western Cape Provinces	085	Side view		Visser J	South Africa, Eastern Cape, Queenstown, Bailey
Rodentia	Gliridae	dormice	<i>Muscardinus</i>	<i>avellanarius</i>	Hazel Dormouse	Europe and N Turkey: Cumbria and S England, France, Switzerland, Italy, including Sicilia, Austria, Germany, Belgium, Netherlands, Denmark, S and C Sweden, Poland, Ukraine, Belarus, Lithuania, Latvia, and Estonia east to Russia; Czech Republic and Slovakia, Hungary, Slovenia, Croatia, Bosnia and Herzegovina, Serbia and Montenegro, Romania, Albania, Macedonia, Bulgaria, Greece, Corfu, N Turkey	558	Side view	1980	Andera M	Slovak Republic, southern
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Chaetodipus</i>	<i>arenarius</i>	Little Desert Pocket Mouse	Baja California Peninsula (Mexico).	1320	Side view, feet and tail visible	1989	Best TL	Mexico, B.C.S., Santa Rita
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Chaetodipus</i>	<i>baileyi</i>	Bailey's Pocket Mouse	S Arizona, SW New Mexico (USA), south to N Sinaloa (Mexico)	1245	Side view, entire animal in view	1993	Forbes RB	USA, AZ, Cochise Co.
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Chaetodipus</i>	<i>californicus</i>	California Pocket Mouse	C California (USA) to N Baja California (Mexico)	1093	Oblique view from above	1988	Harris J	USA, CA, Kern Co., Kelso Valley
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Chaetodipus</i>	<i>fallax</i>	San Diego Pocket Mouse	SW California (USA) to WC Baja California (Mexico)	1094	Side view of hand-held mouse, showing feet, tail and head	1981	Harris J	USA, CA, San Diego Co., Anza Borrego State Park
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Chaetodipus</i>	<i>intermedius</i>	Rock Pocket Mouse	SC Utah and Arizona to W Texas (USA), south to C Sonora and C Chihuahua (Mexico)	1180	C. i. ater (melanistic form), oblique front view, lab animal	1991	Forbes RB	
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Chaetodipus</i>	<i>intermedius</i>	Rock Pocket Mouse	SC Utah and Arizona to W Texas (USA), south to C Sonora and C Chihuahua (Mexico)	1181	Side view, typically colored individual, laboratory animal	1991	Forbes RB	
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Chaetodipus</i>	<i>nelsoni</i>	Nelson Pocket Mouse	Chihuahuan desert plateau from SE New Mexico and W Texas, USA to Ciudad San Luis Potosi, Mexico	1321	Side view, hind feet and tail visible	1993	Best TL	USA, TX, Upton Co., King Mountain
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Chaetodipus</i>	<i>penicillatus</i>	Desert Pocket Mouse	SE California and S Nevada to S Arizona and SW New Mexico (USA) to NE Baja California and Sonora (Mexico).	1095	Oblique view	1979	Roest AI	USA, CA, 30 mi. E of Lancaster
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Chaetodipus</i>	<i>spinatus</i>	Spiny Pocket Mouse	S Nevada, SE California (USA) south to Cape Region of Baja California Peninsula (Mexico)	751	Dorsal view, hand-held	1981	Harris J	USA, CA, San Diego Co., Anza Borrego State Park
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>agilis</i>	Agile Kangaroo Rat	SW and SC California (USA).	1322	Side view, hind feet and tail visible	1990	Best TL	USA, CA, Los Angeles Co., Wrightwood
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>compactus</i>	Gulf Coast Kangaroo Rat	Mainland, Padre and Mustang Isls of S Texas (USA) and barrier islands of N Tamaulipas (Mexico)	1323	Side view, feet and tail visible	1990	Best TL	USA, TX, Kleberg Co., Padre Island
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>deserti</i>	Desert Kangaroo Rat	Deserts of E California, to S and W Nevada, SW Utah, W and SC Arizona [USA], NW Sonora and NE Baja California Norte (Mexico)	1324	Side view from above, feet and tail visible	1994	Best TL	USA, AZ, Pinal Co., Picacho

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>deserti</i>	Desert Kangaroo Rat	Deserts of E California, to S and W Nevada, SW Utah, W and SC Arizona (USA), NW Sonora and NE Baja California (Mexico).	1690	Side view of released adult on ground, D. d. arizonae	September 15, 2009	Ambos A	USA, AZ, Mohave Co., Red Lake
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>gravipes</i>	San Quintin Kangaroo Rat	NW Baja California, Mexico	1326	Side view, feet and tail visible	1989	Best TL	Mexico, B.C., El Rosario
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>heermanni</i>	Heermann's Kangaroo Rat	Inner coastal ranges and western slopes of Sierra Nevada in C California (USA)	255	Side view	1969	Barrett RH	USA, CA, Tehama Co., Red Bluff
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>heermanni</i>	Heermann's Kangaroo Rat	Inner coastal ranges and western slopes of Sierra Nevada in C California (USA)	1096	Oblique view from above, D. h. morroensis	1979	Roest AI	USA, CA, San Luis Obispo
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>ingens</i>	Giant Kangaroo Rat	Western edge of Joaquin Valley, adjacent Carrizo and Elkhorn plains and upper Cuyama Valley of WC California (USA).	787	Oblique view	1982	Braun SE	USA, CA, San Luis Obispo
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>ingens</i>	Giant Kangaroo Rat	Western edge of Joaquin Valley, adjacent Carrizo and Elkhorn plains and upper Cuyama Valley of WC California (USA).	1097	Two kangaroo rats tussling in territorial combat	1988	Harris J	USA, CA, San Luis Obispo Co., Elkhorn Plain
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>merriami</i>	Merriam's Kangaroo Rat	NW Nevada and NE California to Texas [USA], south to Baja California Sur, N Sinaloa, and Mexican Plateau to San Luis Potosi [Mexico]	1327	Side view, hind feet and tail visible, D. m. insularis	1989	Best TL	Mexico, B.C.S., isla San Jose
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>merriami</i>	Merriam's Kangaroo Rat	NW Nevada and NE California to Texas [USA], south to Baja California Sur, N Sinaloa, and Mexican Plateau to San Luis Potosi [Mexico]	1328	Side view, feet and tail visible	1993	Best TL	USA, AZ, Pima Co., Santa Rita Experimental Range
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>microps</i>	Chisel-toothed Kangaroo Rat	SE Oregon and SW Idaho, south through NW and SE California, Nevada, and W Utah, to NW Arizona (USA).	1691	Side view of released adult on ground	June 10, 2010	Ambos A	USA, NV, Lincoln Co., Kane Springs Valley
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>nelsoni</i>	Nelson Kangaroo Rat	Mexican Plateau from N Coahuila and S Chihuahua to San Luis Potosi and S Nuevo Leon [Mexico]	1329	Side view, feet and tail visible, hand-held	1986	Best TL	Mexico, Coa., General Cepeda
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>nitratoides</i>	San Joaquin Valley Kangaroo Rat	S San Joaquin Valley, WC California, USA	1098	Oblique view of animal feeding on seeds from a person's hand	1988	Harris J	USA, CA, San Luis Obispo Co., Elkhorn Plain
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>nitratoides</i>	San Joaquin Valley Kangaroo Rat	S San Joaquin Valley, WC California, USA	1330	Side view, feet and tail visible	1990	Best TL	USA, CA, Kern Co., Buttonwillow
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>ordii</i>	Ord's Kangaroo Rat	SW Saskatchewan and SE Alberta (Canada) and SE Washington south through Great Plains and intermontane basins of W USA, to Mexican Plateau as far south as Hidalgo (Mexico)	560	Side view, hand-held	1978	Waser P	USA, KS, Morton Co., Cimarron National Grassland
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>ordii</i>	Ord's Kangaroo Rat	SW Saskatchewan and SE Alberta (Canada) and SE Washington south through Great Plains and intermontane basins of W USA, to Mexican Plateau as far south as Hidalgo (Mexico)	693	Ventral view of skull, dorsal view of lower jaw	1979	Van Devender RW	USA, OK
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>ordii</i>	Ord's Kangaroo Rat	SW Saskatchewan and SE Alberta (Canada) and SE Washington south through Great Plains and intermontane basins of W USA, to Mexican Plateau as far south as Hidalgo (Mexico)	1099	Dorsolateral view from behind, showing feet, tail & head	1987	Harris J	USA, CA, Mono Co., Mono Lake
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>ordii</i>	Ord's Kangaroo Rat	SW Saskatchewan and SE Alberta (Canada) and SE Washington south through Great Plains and intermontane basins of W USA, to Mexican Plateau as far south as Hidalgo (Mexico)	1352	View from side and above, feet and tail visible		Grondahl CD	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>panamintinus</i>	Panamint Kangaroo Rat	Deserts of E California and W Nevada	1331	Side view, feet and tail visible	1988	Best TL	USA, CA, Los Angeles Co., Pearblossum
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>panamintinus</i>	Panamint Kangaroo Rat	Deserts of E California and W Nevada	1901	Side view of adult, showing entire tail. Image on cover of Journal of Mammalogy 92(6)	July 30, 2011	Schell, R., www.robschellphotography.com	USA, CA, Kern Co., northwest of Mohave, Tehachapi Mts.
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>simulans</i>	Dulzura Kangaroo Rat	SW and SC California (USA).	417	Side view of captive	1972	Meserve PL	USA, CA, Orange Co., Irvine
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>simulans</i>	Dulzura Kangaroo Rat	Coastal southern California (USA) south to southern Baja California Sur (Mexico)	1332	Side view, feet and part of tail visible	1989	Best TL	Mexico, B.C., Colonia Vicente Guerrero
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>spectabilis</i>	Banner-tailed Kangaroo Rat	SC Arizona, New Mexico, W Texas (USA) south to N Sonora, Chihuahua and San Luis Potosi (Mexico)	561	Dorso-lateral view	1979	Waser P	USA, AZ, Cochise Co., Portal
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>spectabilis</i>	Banner-tailed Kangaroo Rat	SC Arizona, New Mexico, W Texas (USA) south to N Sonora, Chihuahua and San Luis Potosi (Mexico)	1333	Side view	1991	Best TL	USA, NM, Socorro Co., Pedro Armendariz lava field
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>spectabilis</i>	Banner-tailed Kangaroo Rat	SC Arizona, New Mexico, W Texas (USA) south to N Sonora, Chihuahua and San Luis Potosi (Mexico)	1334	Mound with burrow entrances	1989	Best TL	USA, NM, Hidalgo Co., Lordsburg
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>venustus</i>	Narrow-faced Kangaroo Rat	Outer coast ranges from S San Francisco Bay to Estero Bay and Gabilan Range of San Benito and Monterey counties, WC California (USA)	1325	Dorsolateral view, most of tail visible, D. v. elephantinus	1984	Best TL	USA, CA, San Benito Co., Pinnacles
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Dipodomys</i>	<i>venustus</i>	Narrow-faced Kangaroo Rat	Outer coast ranges from S San Francisco Bay to Estero Bay and Gabilan Range of San Benito and Monterey counties, WC California (USA)	1335	Side view, feet and tail visible	1990	Best TL	USA, CA, Santa Cruz Co., Felton
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Heteromys</i>	<i>anomalous</i>	Caribbean Spiny Pocket Mouse	N Colombia, including Magdalena Valley, east to N Venezuela, Trinidad, Tobago, and Margarita Isl. It does not enter Panama	086	Side view of adult male	1977	August PV	Venezuela, Miranda, Parque Nacional Guatapo
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Heteromys</i>	<i>desmarestianus</i>	Desmarest's Spiny Pocket Mouse	SE Tabasco (Mexico) south to NW Colombia.	2061	Frontal view, showing head, feet, and tail	December 7, 2007	Ordonez-Garza N	Guatemala, Zacapa, 9.5 km NW Gualan, El Limo, Sierra de las Minas, 1475 m
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Microdipodops</i>	<i>megacephalus</i>	Dark Kangaroo Mouse	SE Oregon, S Idaho, NE and EC California, N and C Nevada, and WC Utah (USA).	1100	Dorsolateral view	1988	Harris J	USA, CA, Mono Co., Mono Lake
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Microdipodops</i>	<i>megacephalus</i>	Dark Kangaroo Mouse	SE Oregon, S Idaho, NE and EC California, N and C Nevada, and WC Utah (USA).	1692	Side view of released adult on ground, M. m. albiventer	June 1, 2005	Ambos A	USA, NV, Lincoln Co., Dry Lake Valley
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Microdipodops</i>	<i>pallidus</i>	Pale Kangaroo Mouse	EC California, W and SC Nevada (USA).	1693	Side view of released adult on ground	July 15, 2006	Ambos A	USA, NV, Esmeralda Co., Fish Lake Valley
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Perognathus</i>	<i>amplus</i>	Arizona Pocket Mouse	W and C Arizona, USA to NW Sonora, Mexico	1336	Side view, feet and tail visible	1993	Best TL	USA, AZ, Pima Co., Santa Rita Experimental Range
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Perognathus</i>	<i>flavescens</i>	Plains Pocket Mouse	Great Plains and intermountain basins from Minnesota and N Utah (USA) to N Chihuahua (Mexico)	694	Oblique view	1980	Clauson BL	USA, NE, Antelope Co.
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Perognathus</i>	<i>flavescens</i>	Plains Pocket Mouse	Great Plains and intermountain basins from Minnesota and N Utah (USA) to N Chihuahua (Mexico)	1337	Side view, hind feet and tail visible	1995	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, Petroglyphs National Monument
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Perognathus</i>	<i>flavescens</i>	Plains Pocket Mouse	Great Plains and intermountain basins from Minnesota and N Utah (USA) to N Chihuahua (Mexico)	2062	Dorso-lateral view of adult	July 22, 2012	Ordonez-Garza N	USA, OK, Beaver county, Beaver dunes recreational area

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Perognathus</i>	<i>flavus</i>	Silky Pocket Mouse	Great Plains and intermountain plateaus from South Dakota, E Wyoming, and SE Utah (USA) south to Sonora and Puebla (Mexico).	562	Side view	1973	Wolff JO	USA, AZ, northern part
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Perognathus</i>	<i>flavus</i>	Silky Pocket Mouse	Great Plains and intermountain plateaus from South Dakota, E Wyoming, and SE Utah (USA) south to Sonora and Puebla (Mexico).	1182	Side view, P. f. flavus	1991	Forbes RB	USA, NM, Sandoval Co.
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Perognathus</i>	<i>flavus</i>	Silky Pocket Mouse	Great Plains and intermountain plateaus from South Dakota, E Wyoming, and SE Utah (USA) south to Sonora and Puebla (Mexico).	1338	Side view, feet and tail visible	1991	Best TL	USA, NM, Eddy Co., Carlsbad Caverns Nat. Park
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Perognathus</i>	<i>inornatus</i>	San Joaquin Pocket Mouse	Sacramento, San Joaquin and Salinas valleys and adjacent foothills, and western Mojave Desert, of California (USA).	695	side view of adult male	1980	Sulentich JM	USA, CA, Kern Co.
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Perognathus</i>	<i>merriami</i>	Merriam's Pocket Mouse	SE New Mexico east to S Texas (USA), east from N Chihuahua to Tamaulipas (Mexico)	1246	Side view, entire animal in view	1985	Lee TE, Jr.	USA, TX, Tom Greene Co., San Angelo
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Perognathus</i>	<i>parvus</i>	Great Basin Pocket Mouse	Great Basin from S British Columbia (Canada), south to E California and east to SE Wyoming and NW Arizona (USA).	752	Side view	1981	Harris J	USA, CA, Mono Co., Mono Lake
Rodentia	Heteromyidae	kangaroo rats & relatives	<i>Perognathus</i>	<i>parvus</i>	Great Basin Pocket Mouse	Great Basin from S British Columbia (Canada), south to E California and east to SE Wyoming and NW Arizona (USA).	753	Side view of captive, P. p. xanthanotus	1982	Sulentich JM	USA, CA, Kern Co.
Rodentia	Hystricidae	Old World porcupines	<i>Hystrix</i>	<i>cristata</i>	Crested Porcupine	Morocco to Egypt; Senegal to Ethiopia and N Tanzania; Sicily, Italy, Albania, and N Greece (European population possibly introduced). Sympatric with <i>H. africae</i> in C Africa.	563	Side view, captive from Ethiopia	1977	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Rodentia	Hystricidae	Old World porcupines	<i>Hystrix</i>	<i>cristata</i>	Crested Porcupine	Morocco to Egypt; Senegal to Ethiopia and N Tanzania; Sicily, Italy, Albania, and N Greece (European population possibly introduced). Sympatric with <i>H. africae</i> in C Africa.	2243		19 September 2006	Perry P	Zambia, Central or Western province, South Luangwa National Park
Rodentia	Muridae	Old World rats and mice	<i>Acomys</i>	<i>cahirinus</i>	Northeast African Spiny Mouse	NE Africa: Libya, Egypt, Sinai Peninsula, N Sudan, Ethiopia, and Djibouti; W and S distributional limits unresolved	567	Side view	1978	Andera M	Czech Republic, Prague Zoological Park
Rodentia	Muridae	Old World rats and mice	<i>Acomys</i>	<i>cahirinus</i>	Northeast African Spiny Mouse	NE Africa: Libya, Egypt, Sinai Peninsula, N Sudan, Ethiopia, and Djibouti; W and S distributional limits unresolved	762	Oblique view, dark commensal form	1982	Taylor EJ	UK, England, Surrey, Tolworth Laboratory Studio
Rodentia	Muridae	Old World rats and mice	<i>Acomys</i>	<i>russatus</i>	Golden Spiny Mouse	Egypt east of the Nile , S and E Sinai , Jordan, Israel , Saudi Arabia, N Yemen , and Oman.	1890	Side view of adult. Image on cover of Journal of Mammalogy 91(4)	May, 2004	Shenbrot, G	Israel, Negev, Mizpe Ramon

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Muridae	Old World rats and mice	<i>Apodemus</i>	<i>agrarius</i>	Striped Field Mouse	Palaearctic and Oriental regions in two disjunct segments. One from C Europe (from S Finland, Baltic region, through Poland and C Germany to NE Italy and through the Balkan countries to Greece, Romania, Bulgaria, and Turkish Thrace; east to the Caucasus, parts of Kazakhstan and Kyrgyzstan, and west of Lake Baikal region and adjacent Mongolia and NW China (Xinjiang). The other portion from the Amur River region in far E Russia extending through Korea (including some offshore islands) and westward through China from northern reaches of Nei Mongol and Heilongjiang in the northeast to W Yunnan; also in the small Senkaku Isl group of Japan and on Taiwan.	785	Oblique view	1979	Andera M	Czech Republic, Moravia
Rodentia	Muridae	Old World rats and mice	<i>Apodemus</i>	<i>flavicollis</i>	Yellow-necked Field Mouse	S England and Wales; on the continent from N Spain through most of Europe to 64E N in S Finland and S Sweden, and south to S Italy, Balkan region, and Greece; east through Belarus and Ukraine to Urals; throughout Turkey and east to W Armenia, Zagros Mtns of W Iran, and south to Syria, Lebanon, and C and N Israel. The species also occurs on some NE Aegean Isls off W coast of Turkey and S Greece, Adriatic islands, and Corfu in the Mediterranean. Absent from most of Iberian Peninsula and W France, Iceland, Ireland, Balearic Isls, and islands of Sardinia, Corsica, Sicily, and Cyprus; also does not occur in most of the Caucasus (except WArmenia) where it is apparently replaced by the closely related <i>A. ponticus</i> .	564	Oblique view	1978	Andera M	Czech Republic, South Bohemia
Rodentia	Muridae	Old World rats and mice	<i>Apodemus</i>	<i>sylvaticus</i>	Long-tailed Field Mouse	European and N African: Europe north to Scandinavia; south to NW Turkey (Thrace and NW Anatolia); and east to C Belarus, E Ukraine, and closely adjacent W Russia, which is the easternmost limit of the species. Range in N Africa extends from Atlas Mtns in Morocco east across Algiers to Tunisia. Also found on Iceland; Britain, Ireland, and numerous nearby islands; Aegean islands; some islands in the Tuscan Arch.; Sardinia, Corsica, and other Mediterranean islands.	565	Side view	1980	Andera M	Czech Republic, Plzen or South Bohemia, Sumava Mountains

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Muridae	Old World rats and mice	<i>Apodemus</i>	<i>uralensis</i>	Herb Field Mouse	C Europe (E Germany S Poland, Czech Republic, Slovakia, NE Austria, N Hungary, south to E Croatia, N Serbia and Montenegro, Bulgaria and N Romania); Baltic region (NW Lithuania, Latvia and Estonia); east through W Russia and Ukraine to E Kazakhstan, Siberian Altai in S Russia, NW China (Xinjiang), and the Altai of Mongolia; south in the Caucasus and throughout N Turkey; E and S boundary of range in C Asia unresolved.	948	Lateral view	1984	Andera M	Slovak Republic, Bratislava , Zitny ostrov
Rodentia	Muridae	Old World rats and mice	<i>Arvicanthus</i>	<i>niloticus</i>	African Arvicanthus	Grassland and bush of Sahelian and northern Sudanian savannas, steppe, and semidesert in subsaharan N Africa, primarily in anthropogenic habitats, from Senegal (north of Gambia River), S Mauritania eastward through Mali, Burkina Faso, C and S Niger , and C and S Chad to Sudan and western half and EC portion of Ethiopia; north along the Nile Valley through Egypt; south through NE Dem. Rep. Congo, Uganda, S Burundi, and W Tanzania into E Zambia, where the population is isolated from the nearest one in SW Tanzania. There is a record from N Malawi (1 skull only, living animals never found, and the species also occurs in SW Arabian Peninsula (SW Yemen and W Oman).	1390	Standing on rock, side view	October 10, 1996	Andera M	Czech Republic, Prague Zoological Park
Rodentia	Muridae	Old World rats and mice	<i>Arvicanthus</i>	<i>niloticus</i>	African Arvicanthus	Grassland and bush of Sahelian and northern Sudanian savannas, steppe, and semidesert in subsaharan N Africa, primarily in anthropogenic habitats, from Senegal (north of Gambia River), S Mauritania eastward through Mali, Burkina Faso, C and S Niger, and C and S Chad to Sudan and western half and EC portion of Ethiopia; north along the Nile Valley through Egypt; south through NE Dem. Rep. Congo, Uganda, S Burundi, and W Tanzania into E Zambia, where the population is isolated from the nearest one in SW Tanzania. There is a record from N Malawi, and the species also occurs in SW Arabian Peninsula. The only truly Saharan record is from SE Algeria (Hoggar).	1732	Anterior view of handheld animal	2010	Kinyua SN (contributed by Goheen, JR)	Kenya, Rift Valley province, Laikipia county
Rodentia	Muridae	Old World rats and mice	<i>Bandicota</i>	<i>bengalensis</i>	Lesser Bandicoot Rat	Probable natural range extends from N and SE Pakistan (the Punjab and Sind, respectively) through most of India, Sri Lanka, S lowlands of Nepal, and Bangladesh east to Burma. Introduced to Penang Isl off the W coast of Malay Peninsula, the Aceh region of N Sumatra and E Java, and Saudi Arabia.	764	Side view of captive	1974	Taylor EJ	UK, England, Surrey, Tolworth Laboratory Studio

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Muridae	Old World rats and mice	<i>Bandicota</i>	<i>savilei</i>	Savile's Bandicoot Rat	C Burma, Thailand (throughout the country north of the Isthmus of Kra and south of the Isthmus to the southern end of peninsular Thailand), Vietnam, Cambodia; and an unconfirmed photographic record from S Laos.	1412	Side View, Field Cat. No. 970501.36	1997	Francis CM	Laos
Rodentia	Muridae	Old World rats and mice	<i>Chrotomys</i>	<i>gonzalesi</i>	Isarog Chrotomys	Greater Luzon Faunal Region in the Philippine . Known only from Mt Isarog, Luzon, in lower and upper montane evergreen forest formations, 1350-1750 m.	1249	Side view, part of tail not in view	1988	Rickart E	Philippines, Luzon, Mount Isarog
Rodentia	Muridae	Old World rats and mice	<i>Dasymys</i>	<i>incomtus</i>	Common Dasymys	South Africa, Malawi, Zambia, Zimbabwe, C and S Mozambique, Angola, Dem. Rep. Congo, Uganda, Kenya, Tanzania, Ethiopia, S Sudan; limits unknown. Also recorded from N Botswana, but unclear whether these records represent <i>D. incomtus</i> , <i>D. cabrali</i> , or both species.	570	Captive		Willan K	South Africa, KwaZulu-Natal, Dargle
Rodentia	Muridae	Old World rats and mice	<i>Gerbilliscus</i>	<i>afra</i>	Cape Gerbil	Endemic to the Cape Macchia zone, Western Cape Province, South Africa; recorded from fynbos and succulent Karoo biomes.	078	Side view	1974	Visser J	South Africa, Northern Cape, Victoria West
Rodentia	Muridae	Old World rats and mice	<i>Gerbilliscus</i>	<i>leucogaster</i>	Bushveld Gerbil	N and W South Africa, Mozambique (including islands in the Bazaruto Arch. off the coast of S Mozambique), Zimbabwe, Botswana, Namibia, Malawi, Zambia, Angola, SW Tanzania, and S Dem. Rep. Congo.	550	Captive		Willan K	South Africa, Kwazulu-Natal, Ndumu Game Reserve
Rodentia	Muridae	Old World rats and mice	<i>Gerbillurus</i>	<i>paeba</i>	Paeba Hairy-footed Gerbil	South Africa (western half and Limpopo), W Mozambique, W Zimbabwe, Botswana, Namibia, and SW Angola.	077	Front view		Visser J	Namibia, Erongo, Swakopmund
Rodentia	Muridae	Old World rats and mice	<i>Gerbillurus</i>	<i>setzeri</i>	Setzer's Hairy-footed Gerbil	Namib Desert, from the Namib-Naukluft Natl. Park north through Namibia to extreme SW Angola.	1090	Side view of male		Visser J	
Rodentia	Muridae	Old World rats and mice	<i>Hadromys</i>	<i>yunnanensis</i>	Yunnan Bush Rat	Recorded only from Ruili County in W Yunnan, 970-1300 m (Yang and Wang, 1987).	2032	Front view showing foot and tail	2013	Harding JM	China, Yunnan, Diqing Zangzu Zizhizhou (Autonomous Prefecture), Pudacuo National Park, Bitahai (Bita Lake)
Rodentia	Muridae	Old World rats and mice	<i>Leggadina</i>	<i>forresti</i>	Forrest's Leggadina	Inland Australia; W half of Queensland, NW New South Wales, N South Australia, S Northern Territory, and localities in far eastern part of Western Australia.	418	Side view, captive from Innamincka, SA, Australia	1975	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Rodentia	Muridae	Old World rats and mice	<i>Lemniscomys</i>	<i>rosalia</i>	Single-striped Lemniscomys	N Namibia, South Africa (KwaZulu-Natal, Mpumalanga, Limpopo, and North West provinces), E Swaziland, Zimbabwe, C and N Botswana, Mozambique, Zambia, Malawi, Tanzania, and S Kenya; range inadequately resolved.	571	Captive		Willan K	Zimbabwe, Masvingo, Kyle Dam (Lake Mutirikwe) National (Recreational) Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Muridae	Old World rats and mice	<i>Leporillus</i>	<i>conditor</i>	Greater Stick-nest Rat	Australia; once ranged on mainland from lower Darling River to Nullarbor Plain in New South Wales, probably NW Victoria, South Australia, and SE corner of Western Australia, and presumed to be extinct; living population on Franklin Isl in Nuyt's Arch. of W South Australia; rats from a captive breeding program have been released onto Reevesby, Salutation, and St. Peter Isls in S Australia.	420	Oblique view of captive, from Nuyts Archipelago, South Australia	1972	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Rodentia	Muridae	Old World rats and mice	<i>Melomys</i>	<i>cervinipes</i>	Fawn-footed Melomys	Australia; extant range is closed forest and more open habitat along the E Australian coast from Cooktown region of Cape York in Queensland south to Gosford area of New South Wales. Late Pleistocene specimens indicate distribution once extended farther south to the Pyramids Cave region in Victoria.	566	Side view	1975	Anderson PK	Australia, QLD, Paluma
Rodentia	Muridae	Old World rats and mice	<i>Meriones</i>	<i>shawii</i>	Shaw's Jird	Mediterranean littoral from E Morocco through N Algeria, Tunisia, Libya, and Egypt to N Sinai, never found more than about 150 mi (240 km) inland.	745	Front view, close-up	1982	Taylor EJ	UK, England, Surrey, Tolworth Laboratory Studio
Rodentia	Muridae	Old World rats and mice	<i>Meriones</i>	<i>unguiculatus</i>	Mongolian Jird	Mongolia, and adjacent regions of Siberia (Transbaikalia) and of China from E Gansu, N Ningxia, N Shaanxi, N Shanxi, and Hebei, through C and N Nei Mongol and Liaoning.	556	Side view	1977	Andera M	Czech Republic, Prague Zoological Park
Rodentia	Muridae	Old World rats and mice	<i>Micaelamys</i>	<i>namaquensis</i>	Namaqua Micaelamys	E Angola, South Africa (except parts of Western, Northern, and Eastern Cape provinces, coastal KwaZulu-Natal Province, and Namib Desert), Botswana, Zimbabwe, S and C Mozambique (absent from central and coastal regions), S Malawi, and SE Zambia.	1101	Side view		Visser J	South Africa, Western Cape, Clanwilliam

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Muridae	Old World rats and mice	<i>Micromys</i>	<i>minutus</i>	Harvest Mouse	From NW Spain through most of Europe (including Thrace region of Turkey, but missing from the Alps, Portugal, and most of Sweden, Norway, Italy, and Spain), across Siberia to Ussuri region and Korea, north to about 65°E in European Russia and Yakutia, south to N edge of Caucasus and N Mongolia; isolated ranges in NW China (Xinjiang) and throughout S and NE China (from SE Xizang in west to Heilongjiang and Nei Mongol in far northeast); south to NW Vietnam, N Burma, and NE India (Meghalaya and Nagaland). Island distributions include Britain; Texel, Terschelling, and Ameland off coast of Netherlands in Wadden Sea; Japan (Honshu, Shikoku, Kyushu, and Tsushima), Quelpart Isl (Korea), and Taiwan. Possibly introduced to the Japanese Isls because no fossils have ever been found while all the Japanese endemic muroids are represented by Pleistocene and Holocene fossils. The species also occurs in Great Britain where it was also probably introduced.	763	Oblique view of animal climbing	1974	Taylor EJ	UK, England, Surrey, Tolworth Laboratory Studio
Rodentia	Muridae	Old World rats and mice	<i>Mus</i>	<i>minutoides</i>	Southern African Pygmy Mouse	Southern African Subregion: Zimbabwe, Mozambique (south of the Zambezi River), southern and eastern regions of South Africa (S Northern Cape, Western Cape, and Eastern Cape provinces; KwaZulu-Natal, Lesotho, Free State, C and E Limpopo provinces), and Swaziland; northern limits unresolved.	1102	Oblique view		Visser J	
Rodentia	Muridae	Old World rats and mice	<i>Mus</i>	<i>musculus</i>	House Mouse	Spread over the world's continents and islands (except Antarctica) through its close association with humans; in some areas restricted to human dwellings and habitats maintained by human activity; sometimes feral where introduced; and maintaining natural, wild populations in other regions.	092	Side view	1975	Master LL	USA, MI, Washtenaw Co., Ann Arbor
Rodentia	Muridae	Old World rats and mice	<i>Mus</i>	<i>musculus</i>	House Mouse	Spread over the world's continents and islands (except Antarctica) through its close association with humans; in some areas restricted to human dwellings and habitats maintained by human activity; sometimes feral where introduced; and maintaining natural, wild populations in other regions.	754	Side view of mouse in pantry	1980	Taylor EJ	UK, England, Surrey, Tolworth Laboratory Studio
Rodentia	Muridae	Old World rats and mice	<i>Myomyscus</i>	<i>verreauxii</i>	Verreaux' White-footed Rat	South Africa, Western Cape Province, from Olifants River in the west to Nature's Valley, Plettenberg Bay in the east.	093	Side view of captive	1975	Visser J	South Africa, Northern Cape, Victoria West

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Muridae	Old World rats and mice	<i>Myotomys</i>	<i>unisulcatus</i>	Bush Karroo Rat	Little Namaqualand in W Northern Cape Province, through the Great and Little Karroo, to Eastern Cape Province, South Africa.	1091	Side view		Visser J	
Rodentia	Muridae	Old World rats and mice	<i>Niviventer</i>	<i>fulvescens</i>	Indomalayan Niviventer	From S Himalayas (Nepal and N India) through Bangladesh, S China (including Hainan Isl and Hong Kong), and Indochina (including Con Son Isl and several other islands off coast of Vietnam) to the Sunda Shelf on Peninsular Thailand (and offshore Koh Chang), Malay Peninsula (and offshore Koh Samui), Sumatra, Java, and Bali; absent from Borneo and other islands on the Sunda Shelf.	1413	Close-up side view of head, Field Cat. No. 970517.103	1997	Francis CM	Laos
Rodentia	Muridae	Old World rats and mice	<i>Notomys</i>	<i>cervinus</i>	Fawn Hopping Mouse	Australia; SW Queensland, NW New South Wales, South Australia, and S Northern Territory.	419	Side view of captive	1977	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Rodentia	Muridae	Old World rats and mice	<i>Otomys</i>	<i>sp.</i>	vlei rat	S Africa	090	Side view		Visser J	South Africa, Namaqualand, Port Nolloth
Rodentia	Muridae	Old World rats and mice	<i>Pachyuromys</i>	<i>duprasi</i>	Fat-tailed Jird	N Sahara desert from Western Sahara and Morocco to N Egypt.	683	Side view of captive adult female	1964	Oaks EC	
Rodentia	Muridae	Old World rats and mice	<i>Parotomys</i>	<i>brantsii</i>	Brants's Whistling Rat	Western, Eastern, and Northern Cape provinces, South Africa, to SW Botswana and SE Namibia.	2244		22 April 2010	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park
Rodentia	Muridae	Old World rats and mice	<i>Parotomys</i>	<i>littledalei</i>	Littledale's Whistling Rat	N Western Cape and Northern Cape provinces, South Africa, to S and W Namibia.	1092	Oblique view		Visser J	
Rodentia	Muridae	Old World rats and mice	<i>Paucidentomys</i>	<i>vermidax</i>	Few-toothed Sulawesi Shrew Rat	Indonesia, mountains of South and West Sulawesi	1941	Side view of paratype, MZB 35001	2011	Rowe KC	Indonesia, Sulawesi Barat, Mamasa, Rantepangko, Mount Gandangdewata (2.882898 S, 119.386448 E, 1571 m)
Rodentia	Muridae	Old World rats and mice	<i>Paucidentomys</i>	<i>vermidax</i>	Few-toothed Sulawesi Shrew Rat	Indonesia, mountains of South and West Sulawesi	1942	Close up of head of paratype, MZB 35001	2011	Rowe KC	Indonesia, Sulawesi Barat, Mamasa, Rantepangko, Mount Gandangdewata (2.882898 S, 119.386448 E, 1571 m)
Rodentia	Muridae	Old World rats and mice	<i>Paucidentomys</i>	<i>vermidax</i>	Few-toothed Sulawesi Shrew Rat	Indonesia, mountains of South and West Sulawesi	1943	Dorsal view of skull of paratype, MZB 35001	2012	Paul, David	Australia, Victoria, Carlton, Carlton Gardens, Melbourne Museum
Rodentia	Muridae	Old World rats and mice	<i>Paucidentomys</i>	<i>vermidax</i>	Few-toothed Sulawesi Shrew Rat	Indonesia, mountains of South and West Sulawesi	1944	Ventral view of lower jaw of paratype, MZB 35001	2012	Paul, David	Australia, Victoria, Carlton, Carlton Gardens, Melbourne Museum
Rodentia	Muridae	Old World rats and mice	<i>Paucidentomys</i>	<i>vermidax</i>	Few-toothed Sulawesi Shrew Rat	Indonesia, mountains of South and West Sulawesi	1945	Ventral view of skull of paratype, MZB 35001	2012	Paul, David	Australia, Victoria, Carlton, Carlton Gardens, Melbourne Museum
Rodentia	Muridae	Old World rats and mice	<i>Paucidentomys</i>	<i>vermidax</i>	Few-toothed Sulawesi Shrew Rat	Indonesia, mountains of South and West Sulawesi	1946	Occlusal view of lower jaw of paratype, MZB 35001	2012	Paul, David	Australia, Victoria, Carlton, Carlton Gardens, Melbourne Museum
Rodentia	Muridae	Old World rats and mice	<i>Paucidentomys</i>	<i>vermidax</i>	Few-toothed Sulawesi Shrew Rat	Indonesia, mountains of South and West Sulawesi	1947	Lateral view of skull of paratype, MZB 35001	2012	Paul, David	Australia, Victoria, Carlton, Carlton Gardens, Melbourne Museum

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Muridae	Old World rats and mice	<i>Paucidentomys</i>	<i>vermidax</i>	Few-toothed Sulawesi Shrew Rat	Indonesia, mountains of South and West Sulawesi	1948	Lateral view of lower jaw of paratype, MZB 35001	2012	Paul, David	Australia, Victoria, Carlton, Carlton Gardens, Melbourne Museum
Rodentia	Muridae	Old World rats and mice	<i>Phloeomys</i>	<i>pallidus</i>	Northern Luzon Phloeomys	Greater Luzon Faunal Region. Endemic to N and C Luzon; widespread in primary and secondary tropical forests from sea level to at least 2000 m.	1365	Side view, front feet visible [hind feet and tail not visible]	1994	Huckaby DG	USA, DC, Washington, National Zoological Park
Rodentia	Muridae	Old World rats and mice	<i>Pseudomys</i>	<i>nanus</i>	Western Chestnut Pseudomys	Australia; W coast of Western Australia (also Barrow Isl), between Port Hedland and the Barkly Tableland in NE Western Australia, N Northern Territory, and NW Queensland (also South-West Isl in Gulf of Carpentaria); once ranged through W part of Western Australia.	423	Side view, captive from Arnhem Land, NT, Australia.	1978	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Rodentia	Muridae	Old World rats and mice	<i>Rattus</i>	<i>exulans</i>	Pacific Rat	E Bangladesh, C and S Burma, Thailand, Laos, Cambodia, C and S Vietnam, Yongxing Isl in the Xisha Arch (in South China Sea southeast of Hainan Isl between 16E and 18EN), E Taiwan and Miyakojima Isl in S Ryukyus, Sundaic region (incl. Mentawai Isls, and islands of Enggano, Nias, and Simeulule), Christmas Isl, Sulawesi, Philippines, Moluccas, and Nusa Tenggara (Lesser Sunda Isls); New Guinea Region, SW Pacific Isls Adele and Murray Isls off the coast of NW and NE Australia (not recorded from mainland), Micronesia, New Zealand, Polynesia (including Caroline Isls), Hawaiian Isls, and Easter Isl. Not documented from Andaman or Nicobar Isls.	761	Side view	1974	Taylor EJ	UK, England, Surrey, Tolworth Laboratory Studio
Rodentia	Muridae	Old World rats and mice	<i>Rattus</i>	<i>fuscipes</i>	Australian Bush Rat	Coastal, subcoastal, and offshore islands of SW Western Australia; S coast from Eyre Peninsula in South Australia to W Victoria; coastal and subcoastal Victoria from Otway Peninsula north to near Rockhampton in Queensland; coastal Queensland from Townsville to Cooktown.	421	Antero-dorsal view of captive, from Spring Mount, South Australia., R. f. greyi	1972	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Rodentia	Muridae	Old World rats and mice	<i>Rattus</i>	<i>norvegicus</i>	Brown Rat	Original distribution assumed to be SE Siberia, N China (Heilongjiang), and Hondo region (islands of Honshu, Shikoku, and Kyushu) of Japan, but introduced worldwide where it is more common in colder climates of higher N and S latitudes; in warmer regions and tropics restricted to habitats highly modified by humans (e. g., sewers, buildings, wharves, breakwaters, ports, and large cities). Considered extinct in Norway.	755	Female at nest with 11 new-born	1979	Taylor EJ	UK, England, Surrey, Tolworth Laboratory Studio

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Muridae	Old World rats and mice	<i>Rattus</i>	<i>norvegicus</i>	Brown Rat	Original distribution assumed to be SE Siberia, N China (Heilongjiang), and Hondo region (islands of Honshu, Shikoku, and Kyushu) of Japan, but introduced worldwide where it is more common in colder climates of higher N and S latitudes; in warmer regions and tropics restricted to habitats highly modified by humans (e. g., sewers, buildings, wharves, breakwaters, ports, and large cities). Considered extinct in Norway.	756	Three rats in warehouse	1981	Taylor EJ	UK, England, Surrey, Tolworth Laboratory Studio
Rodentia	Muridae	Old World rats and mice	<i>Rattus</i>	<i>norvegicus</i>	Brown Rat	Original distribution assumed to be SE Siberia, N China (Heilongjiang), and Hondo region (islands of Honshu, Shikoku, and Kyushu) of Japan, but introduced worldwide where it is more common in colder climates of higher N and S latitudes; in warmer regions and tropics restricted to habitats highly modified by humans (e. g., sewers, buildings, wharves, breakwaters, ports, and large cities). Considered extinct in Norway.	757	Oblique view of rat swimming	1980	Taylor EJ	UK, England, Surrey, Tolworth Laboratory Studio
Rodentia	Muridae	Old World rats and mice	<i>Rattus</i>	<i>norvegicus</i>	Brown Rat	Original distribution assumed to be SE Siberia, N China (Heilongjiang), and Hondo region (islands of Honshu, Shikoku, and Kyushu) of Japan, but introduced worldwide where it is more common in colder climates of higher N and S latitudes; in warmer regions and tropics restricted to habitats highly modified by humans (e. g., sewers, buildings, wharves, breakwaters, ports, and large cities). Considered extinct in Norway.	758	Side view, on sewer pipe	1980	Taylor EJ	UK, England, Surrey, Tolworth Laboratory Studio
Rodentia	Muridae	Old World rats and mice	<i>Rattus</i>	<i>rattus</i>	Roof Rat	Native to Indian Peninsula and introduced worldwide in the temperate zone and parts of the tropical and subantarctic zones Southernmost limit is the subantarctic Macquarie Isl where <i>R. rattus</i> was introduced by sealers during the 19th century.	759	Side view, on conduit	1978	Taylor EJ	UK, England, Surrey, Tolworth Laboratory Studio
Rodentia	Muridae	Old World rats and mice	<i>Rattus</i>	<i>rattus</i>	Roof Rat	Native to Indian Peninsula and introduced worldwide in the temperate zone and parts of the tropical and subantarctic zones Southernmost limit is the subantarctic Macquarie Isl where <i>R. rattus</i> was introduced by sealers during the 19th century.	760	Side view, climbing vertical power line	1981	Taylor EJ	UK, England, Surrey, Tolworth Laboratory Studio
Rodentia	Muridae	Old World rats and mice	<i>Rhabdomys</i>	<i>pumilio</i>	Xeric Four-striped Grass Rat	Xeric grasslands and savannas from W South Africa north through Namibia and C and S Botswana to SW Angola	568	Captive		Willan K	South Africa, KwaZulu-Natal, Pietermaritzburg
Rodentia	Muridae	Old World rats and mice	<i>Rhabdomys</i>	<i>pumilio</i>	Xeric Four-striped Grass Rat	Xeric grasslands and savannas from W South Africa north through Namibia and C and S Botswana to SW Angola	2245		15 April 2010	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Muridae	Old World rats and mice	<i>Rhombomys</i>	<i>opimus</i>	Great Gerbil	From S Mongolia and N China (Xinjiang, Gansu, Nei Mongolia) to Kazakhstan, Iran, Afghanistan, and SW Pakistan.	1248	Animal sitting upright, entirely in view		Rogovin K	Mongolia, Trans-Altai Gobi
Rodentia	Muridae	Old World rats and mice	<i>Rhynchomys</i>	<i>isarogensis</i>	Isarog Rhynchomys	Greater Luzon Faunal Region. Known only from Mt Isarog, Luzon, in montane forest formations from 1125 to 1750 m.	1250	Side view, entire animal in view	1988	Rickart E	Philippines, Luzon, Mount Isarog
Rodentia	Muridae	Old World rats and mice	<i>Zyzomys</i>	<i>woodwardi</i>	Kimberley RockRrat	Australia; known only from the north Kimberleys of Western Australia	422	Side view, captive, fromArnhem Land, NT, Australia.	1978	Aslin HJ	Australia, SA, Adelaide, Inst. Med. & Vet. Sci.
Rodentia	Myocastoridae	coypus	<i>Myocastor</i>	<i>coypus</i>	Coypu	S Brazil, Paraguay, Uruguay, Boliva, Argentina, Chile.	1019	Side view	1988	Forbes RB	USA, OR, Lane Co., Eugene, Alton Baker Park
Rodentia	Myocastoridae	coypus	<i>Myocastor</i>	<i>coypus</i>	Coypu	S Brazil, Paraguay, Uruguay, Boliva, Argentina, Chile.	1389	Lateral view, walking	May 12, 1996	Andera M	France, Provence-Alpes-Côte d'Azur, Camargue
Rodentia	Myocastoridae	coypus	<i>Myocastor</i>	<i>coypus</i>	Coypu	S Brazil, Paraguay, Uruguay, Boliva, Argentina, Chile.	1884	Side view of adult showing feet and tail; also known as a Nutria	June 24, 1992	Huckaby, DG	USA, TX, Tarrant Co., Fort Worth Zoo
Rodentia	Nesomyidae	Malagasy rats	<i>Dendromus</i>	<i>melanotis</i>	Gray African Climbing Mouse	From South Africa northward in the west through Botswana to C Angola; northward in the east through Zimbabwe, Mozambique, Zambia, Malawi, and Tanzania to Uganda; westward through Nigeria and Ghana to S Guinea; also from Ethiopia. Range limits unresolved.	1089	Front view of mouse sitting on branch		Visser J	
Rodentia	Nesomyidae	Malagasy rats	<i>Dendromus</i>	<i>sp.</i>	African climbing mouse	Africa	087	Side view	1974	Zool. Dept., Univ. of Natal, South Africa	South Africa, KwaZulu-Natal, Pietermaritzburg
Rodentia	Nesomyidae	Malagasy rats	<i>Malacothrix</i>	<i>typica</i>	Large-eared African Desert Mouse	Eastern portion of Southern African Subregion in semidesert regions (mean annual rainfall = 150-500 mm) where sandy plains, short grassy velds, and karroid shrubs on hard substrates predominate; ranges in C and E South Africa (Eastern, Western and Northern Cape Provs., Free State, Northwest Prov.), S Botswana, most of Namibia, and extreme SW Angola.	091	Side view	1974	Visser J	South Africa, Northern Cape, Victoria West
Rodentia	Nesomyidae	Malagasy rats	<i>Saccostomus</i>	<i>campestris</i>	Southern African Pouched Mouse	Arid to mesic southern savannahs and grasslands: from SW Tanzania across to W Angola; south through most of Malawi, Zambia, Zimbabwe, Botswana, and Namibia; to S Mozambique and S South Africa (Western and Eastern Cape provinces).	089	Side view	1974	Zool. Dept., Univ. of Natal, South Africa	Mozambique, Inhambane
Rodentia	Nesomyidae	Malagasy rats	<i>Saccostomus</i>	<i>mearnsi</i>	East African Pouched Mouse	Extreme S Ethiopia and S Somalia, through E Uganda and Kenya, to NE Tanzania.	1733	Walking on ground	2010	Goheen, JR	Kenya, Rift Valley province, Laikipia county
Rodentia	Nesomyidae	Malagasy rats	<i>Saccostomus</i>	<i>mearnsi</i>	East African Pouched Mouse	Extreme S Ethiopia and S Somalia, through E Uganda and Kenya, to NE Tanzania.	1734	Reclining on branch	2004	Kinyua SN (contributed by Goheen, JR)	Kenya, Rift Valley province, Laikipia county
Rodentia	Nesomyidae	Malagasy rats	<i>Steatomys</i>	<i>krebsii</i>	Kreb's African Fat Mouse	Patchy distribution in Southern African Subregion—C and SW Angola, NE Namibia (Caprivi Strip and vicinity), N Botswana, W Zambia, and South Africa (Western, Eastern and Northern Cape Provs., E Free State, Northwest Prov., and NW KwaZulu-Natal).	088	Oblique view	1975	Visser J	South Africa, Western Cape, Cape Point

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Octodontidae	degus & relatives	<i>Octodon</i>	<i>degus</i>	Degu	Chile, west slope of the Andes between Vallenar and Curico, to 1,200 m.	949	Oblique view	1986	Andera M	Czech Republic, Prague Zoological Park
Rodentia	Octodontidae	degus & relatives	<i>Octodon</i>	<i>degus</i>	Degu	Chile, west slope of the Andes between Vallenar and Curico, to 1,200 m.	1892	Side view of anterior half of adult. Image on cover of Journal of Mammalogy 92(6)	March 11, 2006	Vargas, F.	Chile, Metropolitan Santiago, Rinconada de Maipú
Rodentia	Octodontidae	degus & relatives	<i>Octodon</i>	<i>degus</i>	Degu	Chile, west slope of the Andes between Vallenar and Curico, to 1,200 m.	1893	Two adults interacting	November 30, 2008	Vargas, F.	Chile, Coquimbo, Bocatoma Los Molles
Rodentia	Octodontidae	degus & relatives	<i>Spalacopus</i>	<i>cyanus</i>	Coruro	Chile, west of the Andes between 27o and 36oS.	765	Oblique view showing upper incisors	1983	Hickman GC	Chile, Metropolitan Santiago
Rodentia	Pedetidae	spring hares	<i>Pedetes</i>	<i>capensis</i>	South African Spring Hare	South Africa, Namibia, Angola, Botswana, Mozambique, Zimbabwe, Zambia, S Dem. Rep. Congo.	1643	Side view, hind feet and tail on ground, night	September 11, 2005	Patterson BD	Botswana, Ngamiland, Moremi National Park
Rodentia	Pedetidae	spring hares	<i>Pedetes</i>	<i>capensis</i>	South African Spring Hare	South Africa, Namibia, Angola, Botswana, Mozambique, Zimbabwe, Zambia, S Dem. Rep. Congo.	2246		29 September 2004	Perry P	Botswana, North West, Okavango Delta
Rodentia	Sciuridae	squirrels	<i>Ammospermophilus</i>	<i>harrisii</i>	Harris Antelope Squirrel	Arizona to SW New Mexico, USA, and adjoining Sonora, Mexico	1340	Side view	1989	Best TL	USA, NM, Dona Ana Co., Organ Mtns
Rodentia	Sciuridae	squirrels	<i>Ammospermophilus</i>	<i>interprex</i>	Texas Antelope Squirrel	New Mexico and W Texas (USA) to Coahuila, Chihuahua, and Durango (Mexico).	798	Side view, tail arched over back	1978	Hafner DJ	USA, NM, Sandoval Co.
Rodentia	Sciuridae	squirrels	<i>Ammospermophilus</i>	<i>leucurus</i>	White-tailed Antelope Squirrel	E California and SE Oregon to Colorado and New Mexico (USA), south to Baja California Sur (Mexico).	112	Side view	1977	des Lauriers J	USA, CA, Riverside Co., Riverside
Rodentia	Sciuridae	squirrels	<i>Ammospermophilus</i>	<i>nelsoni</i>	Nelson's Antelope Squirrel	San Joaquin Valley (S California, USA).	1103	Dorsolateral view from front, showing underside of tail held over back	1989	Harris J	USA, CA, San Luis Obispo Co., Elkhorn Plain
Rodentia	Sciuridae	squirrels	<i>Atlantoxerus</i>	<i>getulus</i>	Barbary Ground Squirrel	Grand and Middle Atlas south to Agadir and N edge of Sahara (Morocco), NW Algeria.	1907	Side view	March 28, 2012	Harding, LE	Morocco, Chtouka Aït Baha, coastal sand dunes near Massa
Rodentia	Sciuridae	squirrels	<i>Atlantoxerus</i>	<i>getulus</i>	Barbary Ground Squirrel	Grand and Middle Atlas south to Agadir and N edge of Sahara (Morocco), NW Algeria.	1908	Rear view showing dorsum of tail	March 27, 2012	Harding, LE	Morocco, Tiznit, Anti Atlas Mountains, Tafraoute
Rodentia	Sciuridae	squirrels	<i>Callosciurus</i>	<i>erythraeus</i>	Pallas' Squirrel	West of Irrawaddy River in India, Burma, and SE China. East of Irrawaddy River in Burma, Thailand, Peninsular Malaysia, Indochina, S China, and Taiwan. Introduced into Argentina.	429	Side view of captive	1968	Jones GS	Taiwan
Rodentia	Sciuridae	squirrels	<i>Callosciurus</i>	<i>erythraeus</i>	Pallas's Squirrel	West of Irrawaddy River in India, Burma, and SE China. East of Irrawaddy River in Burma, Thailand, Peninsular Malaysia, Indochina, S China, and Taiwan. Introduced into Argentina (Aprila and Chicco, 1999).	2033	Adult sitting on branch	2013	Harding JM	China, Yunnan, Simao (Pu'er) Diqu (Prefecture), Simao
Rodentia	Sciuridae	squirrels	<i>Callosciurus</i>	<i>notatus</i>	Plantain Squirrel	From peninsular Malaysia and Thailand to Java, Bali, and Borneo; Lombok Isl; Salayer Isl (south of Sulawesi; Musser, 1987a considered this population an introduction, possibly from Java); widespread on smaller islands.	1676	Lateral view on branch; side markings and tail visible	December 8, 2007	Harding LE	Malaysia, Kuala Lumpur
Rodentia	Sciuridae	squirrels	<i>Callosciurus</i>	<i>prevostii</i>	Prevost's Squirrel	Peninsular Thailand to Sumatra, Borneo, and adjacent small islands; N Sulawesi. The population in Sulawesi may be introduced.	430	Side view of captive		Shoemaker AH	

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Sciuridae	squirrels	<i>Cynomys</i>	<i>gunnisoni</i>	Gunnison's Prairie Dog	SE Utah, SW Colorado, NE Arizona, and NW New Mexico (USA).	1183	Family group at burrow entrance, C. g. zuniensis	1991	Forbes RB	USA, NM, Bernalillo Co., Albuquerque
Rodentia	Sciuridae	squirrels	<i>Cynomys</i>	<i>gunnisoni</i>	Gunnison's Prairie Dog	SE Utah, SW Colorado, NE Arizona, and NW New Mexico (USA).	1184	Side view of two erect adults	1987	Forbes RB	USA, NM, Bernalillo Co., Albuquerque, ABQ BioPark (Rio Grande) Zoo
Rodentia	Sciuridae	squirrels	<i>Cynomys</i>	<i>ludovicianus</i>	Black-tailed Prairie Dog	Saskatchewan (Canada); Montana to E Nebraska, W Texas, New Mexico, and SE Arizona (USA); NE Sonora, and N Chihuahua (Mexico).	105	Side view	1976	Twiest GL	USA, SD, Custer Co., Wind Cave National Park
Rodentia	Sciuridae	squirrels	<i>Dremomys</i>	<i>everetti</i>	Bornean Mountain Ground Squirrel	Mountains of N and W Borneo (Kalimantan, Sarawak, Sabah), above 3,200 ft. (975 m).	1411	Oblique view on forest floor. wild	1998	Francis CM	Malaysia, Sabah, Mt. Kinabalu
Rodentia	Sciuridae	squirrels	<i>Glaucomys</i>	<i>sabrinus</i>	Northern Flying Squirrel	Alaska and Canada, NW USA to S California and W South Dakota (Black Hills), NE USA to S Appalachian Mtns.	1020	Side view, descending tree		Wells NM	
Rodentia	Sciuridae	squirrels	<i>Glaucomys</i>	<i>volans</i>	Southern Flying Squirrel	Texas, Kansas, and Minnesota (USA) to Nova Scotia (Canada) and E USA; montane populations scattered from NW Mexico to Honduras.	1021	Individual sitting		Wells NM	
Rodentia	Sciuridae	squirrels	<i>Glaucomys</i>	<i>volans</i>	Southern Flying Squirrel	Texas, Kansas, and Minnesota (USA) to Nova Scotia (Canada) and E USA; montane populations scattered from NW Mexico to Honduras.	1022	Individual in flight, view from below		Wells NM	
Rodentia	Sciuridae	squirrels	<i>Heliosciurus</i>	<i>rufobrachium</i>	Red-legged Sun Squirrel	Senegal, W Gambia, W Guinea Bissau, W Guinea, Sierra Leone, Liberia, S Côte d'Ivoire, S Ghana, S Togo, Benin, S Nigeria, Cameroon, Bioko and Rio Muni (Equatorial Guinea), SW Central African Republic, SE Sudan, Uganda, Rwanda, Burundi, SW and SE Kenya, E and NW Tanzania, Malawi, Mozambique, E Zimbabwe, Dem. Rep. Congo.	261	Side view	1972	Rathbun GB	Kenya, Coast province, Kilifi county, Malindi, Gedi Ruins
Rodentia	Sciuridae	squirrels	<i>Hylopetes</i>	<i>lepidus</i>	Gray-cheeked Flying Squirrel	Java and Borneo	1409	Side view, Field Cat. No. 920902.2	1998	Francis CM	Malaysia, Pahang, Kuala Lompat, Krau Wildlife Reserve
Rodentia	Sciuridae	squirrels	<i>Hylopetes</i>	<i>phayrei</i>	Indochinese Flying Squirrel	Burma; Thailand; Laos; S Vietnam; Fukien and Hainan (China).	1410	Juvenile, close-up, Field Cat. No. 970501.37	1997	Francis CM	Laos
Rodentia	Sciuridae	squirrels	<i>Marmota</i>	<i>caligata</i>	Hoary Marmot	C Alaska (USA), Yukon and Northwest Territories (Canada) south to W and NE Washington, C Idaho, and W Montana (USA).	427	Side view	1978	Murie JO	Canada, AB, Highwood Pass
Rodentia	Sciuridae	squirrels	<i>Marmota</i>	<i>caligata</i>	Hoary Marmot	C Alaska (USA), Yukon and Northwest Territories (Canada) south to W and NE Washington, C Idaho, and W Montana (USA).	1927	adult, standing on snow	June 23, 2010	Hale DW	USA, WA, Pierce co., Mount Rainier National Park, Glacier Basin
Rodentia	Sciuridae	squirrels	<i>Marmota</i>	<i>flaviventris</i>	Yellow-bellied Marmot	SC British Columbia and S Alberta (Canada) south to N New Mexico, S Utah, Nevada, and California (USA).	106	Oblique view	1975	des Lauriers J	USA, CA, Tuolumne Co., Yosemite National Park, Tioga Pass
Rodentia	Sciuridae	squirrels	<i>Marmota</i>	<i>flaviventris</i>	Yellow-bellied Marmot	SC British Columbia and S Alberta (Canada) south to N New Mexico, S Utah, Nevada, and California (USA).	1928	adult, yellow phase	July 26, 2004	Hale DW	USA, CO, La Plata co., Weminuche Wilderness, Chicago Basin
Rodentia	Sciuridae	squirrels	<i>Marmota</i>	<i>flaviventris</i>	Yellow-bellied Marmot	SC British Columbia and S Alberta (Canada) south to N New Mexico, S Utah, Nevada, and California (USA).	1929	adult, side view	September 5, 2010	Hale DW	USA, CO, La Plata co., Weminuche Wilderness, Vestal Basin

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Sciuridae	squirrels	<i>Marmota</i>	<i>marmota</i>	Alpine Marmot	Swiss, Italian, and French Alps; W Austria; S Germany; Carpathian (Romania) and Tatra Mtns (Czech Republic, Poland); introduced into French Pyrenees, E Austria and N Serbia and Montenegro.	1677	Lateral view	October 1, 2004	Harding LE	France, Rhône-Alpes, Haute-Savoie
Rodentia	Sciuridae	squirrels	<i>Marmota</i>	<i>monax</i>	Woodchuck	Alaska (USA) through S Canada to S Labrador to NE and SC USA; south in Rocky Mtns, possibly to N Idaho.	107	Side view	1967	Twiest GL	USA, OH, Lucas Co., Toledo
Rodentia	Sciuridae	squirrels	<i>Marmota</i>	<i>olympus</i>	Olympic Marmot	Olympic Mtns of W Washington (USA).	257	Side view	1975	Twiest GL	USA, WA, Olympic National Park
Rodentia	Sciuridae	squirrels	<i>Paraxerus</i>	<i>cepapi</i>	Smith's Bush Squirrel	S Angola, Zambia, SE Dem. Rep. Congo, Malawi, SW Tanzania, Mozambique, N Namibia, N Botswana, Zimbabwe, NE South Africa.	572	Perched on tree trunk, entire body visible		Willan K	South Africa, Limpopo or Mpumalanga, Kruger National Park
Rodentia	Sciuridae	squirrels	<i>Paraxerus</i>	<i>cepapi</i>	Smith's Bush Squirrel	S Angola, Zambia, SE Dem. Rep. Congo, Malawi, SW Tanzania, Mozambique, N Namibia, N Botswana, Zimbabwe, NE South Africa.	1678	Standing on rock; head, tail, and front foot visible	November 6, 2008	Harding LE	South Africa, Limpopo or Mpumalanga, Kruger National Park
Rodentia	Sciuridae	squirrels	<i>Paraxerus</i>	<i>ochraceus</i>	Ochre Bush Squirrel	S Ethiopia, Kenya, Tanzania.	2094	Adult male on branch	13 July 2009	BA Roberts	Kenya, Rift Valley province, Laikipia county, Mpala Ranch
Rodentia	Sciuridae	squirrels	<i>Paraxerus</i>	<i>ochraceus</i>	Ochre Bush Squirrel	S Ethiopia, Kenya, Tanzania.	2095	Adult male on branch	13 July 2009	BA Roberts	Kenya, Rift Valley province, Laikipia county, Mpala Ranch
Rodentia	Sciuridae	squirrels	<i>Petaurista</i>	<i>philippensis</i>	Indian Giant Flying Squirrel	Sri Lanka; India, north to Bombay and Rajasthan, S Bihar; Burma, Thailand; S China, including Hainan and Taiwan.	431	Side view of captive, P. p. grandis	1968	Jones GS	Taiwan
Rodentia	Sciuridae	squirrels	<i>Petaurista</i>	<i>philippensis</i>	Indian Giant Flying Squirrel	Sri Lanka; India, north to Bombay and Rajasthan, S Bihar; Burma, Thailand; S China, including Hainan and Taiwan.	2034	Side view of animal sitting on branch. Recently as P. yunnanensis, Yunnan Giant Flying Squirrel.	2013	Harding LE	China, Yunnan, Baoshan Diqu (Prefecture), Nankang Nature Reserve
Rodentia	Sciuridae	squirrels	<i>Ratufa</i>	<i>affinis</i>	Pale Giant Squirrel	Malay Peninsula, Sumatra, Borneo, and adjacent small islands.	574	Side view of young adult Indonesian captive	1980	Shoemaker AH	USA, SC, Richland Co., Columbia, Riverbanks Zoo and Garden
Rodentia	Sciuridae	squirrels	<i>Sciurotamias</i>	<i>davidianus</i>	Pere David's Rock Squirrel	S Gansu to Hebei and Shandong to S Liaoning, Shanxi, Shaanxi, Ningxia, Henan, Hubei, Guizhou, Guangxi, Anhui and SW Sichuan (China) (Zhang et al., 1997).	2035	Front view of animal on ground	2013	Harding LE	China, Yunnan, Diqing Zangzu Zizhizhou (Autonomous Prefecture), Pudacuo National Park, Shuduhu (Shudu Lake)
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>aberti</i>	Abert's Squirrel	SE Utah, S and W Colorado, extreme SE Wyoming, W and C New Mexico, and Arizona (USA); Chihuahua, Durango, and Sonora (NW Mexico).	424	Side view, perched on branch, S. a. kaibabensis	1972	Hall JG	USA, AZ, Grand Canyon National Park
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>aberti</i>	Abert's Squirrel	SE Utah, S and W Colorado, extreme SE Wyoming, W and C New Mexico, and Arizona (USA); Chihuahua, Durango, and Sonora (NW Mexico).	1185	Side view	1990	Koprowski JL	USA, AZ, Graham Co., Mount Graham
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>aberti</i>	Abert's Squirrel	SE Utah, S and W Colorado, extreme SE Wyoming, W and C New Mexico, and Arizona (USA); Chihuahua, Durango, and Sonora (NW Mexico).	1254	Side view, sitting in snow	1992	Forbes RB	USA, NM, Bernalillo Co., Sandia Mts., Sulphur Canyon Picnic Area
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>arizonensis</i>	Arizona Gray Squirrel	C and SE Arizona and WC New Mexico (USA); NE Sonora (Mexico).	1186	Side view, on large branch of tree	1990	Koprowski JL	USA, AZ, Cochise Co., Huachuca Mts., Ramsey Canyon

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>carolinensis</i>	Eastern Gray Squirrel	E Texas (USA) to Saskatchewan (Canada) and east to Atlantic Coast. Introduced into Britain, Scotland, Ireland, Italy, Australia, South Africa, and various localities in W North America.	094	Side view	1964	Twiest GL	USA, MI, Calhoun Co., Battle Creek
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>carolinensis</i>	Eastern Gray Squirrel	E Texas (USA) to Saskatchewan (Canada) and east to Atlantic Coast. Introduced into Britain, Scotland, Ireland, Italy, Australia, South Africa, and various localities in W North America.	095	Side view of melanistic form	1964	Twiest GL	USA, MI, Calhoun Co., Battle Creek
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>douglasii</i>	Douglas' Squirrel	Coast and Cascade ranges and Sierra Nevada of SW British Columbia (not Vancouver Isl) (Canada) to S California (USA).	1679	Lateral view on branch; side markings and tail visible	February 24, 2011	Harding LE	Canada, BC, Coquitlam
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>griseus</i>	Western Gray Squirrel	C Washington, W Oregon, and California (USA) to Baja California Norte (Mexico).	425	Sitting on hind feet, eating nut	1966	Sutton DA	USA, CA, Butte Co., Chico
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>griseus</i>	Western Gray Squirrel	C Washington, W Oregon, and California (USA) to Baja California Norte (Mexico).	1104	Oblique view of adult, feeding	1977	Roest AI	USA, CA, San Luis Obispo Co., Morro Bay State Park
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>griseus</i>	Western Gray Squirrel	C Washington, W Oregon, and California (USA) to Baja California Norte (Mexico).	1255	Side view, animal at full run/leap	1992	Forbes RB	USA, OR, Lane Co., Eugene
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>niger</i>	Eastern Fox Squirrel	Texas (USA) and adjacent Mexico, north to Manitoba (Canada) east to the Atlantic Coast.	096	Side view	1975	Twiest GL	USA, MI, Muskegon Co., Muskegon
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>niger</i>	Eastern Fox Squirrel	Texas (USA) and adjacent Mexico, north to Manitoba (Canada) east to the Atlantic Coast.	880	Side view		Shoemaker AH	USA, SC, Georgetown Co.
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>niger</i>	Eastern Fox Squirrel	Texas (USA) and adjacent Mexico, north to Manitoba (Canada) east to the Atlantic Coast.	1644	Quartering front view; head, feet, and tail visible	April 16, 2004	Patterson BD	USA, CA, Sacramento Zoo
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>niger</i>	Eastern Fox Squirrel	Texas (USA) and adjacent Mexico, north to Manitoba (Canada) east to the Atlantic Coast.	1645	Side view; head, tail, and feet visible	April 6, 2004	Patterson BD	USA, TX, Dallas
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>stramineus</i>	Guayaquil Squirrel	Extreme NW Peru and SW Ecuador in the area surrounding the Gulf of Guayaquil.	2051	Lateral view, tail visible. Introduced population. Image in Mammalian Species 894.	May 25, 2009	Merrick MJ	Peru, Lima, Parque de las Leyendas
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>vulgaris</i>	Eurasian Red Squirrel	Forested regions of Palearctic, from Iberia and Great Britain east to Kamchatka Peninsula and Sakhalin Isl (Russia); south to Mediterranean and Black Seas, N Mongolia, W and NE China.	1105	Side view of red-phase squirrel sitting, feeding	1989	Andera M	Czech Republic, Prague
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>vulgaris</i>	Eurasian Red Squirrel	Forested regions of Palearctic, from Iberia and Great Britain east to Kamchatka Peninsula and Sakhalin Isl (Russia); south to Mediterranean and Black Seas, N Mongolia, W and NE China.	1106	Side view of dark-phase squirrel sitting, feeding	1989	Andera M	Czech Republic, Prague
Rodentia	Sciuridae	squirrels	<i>Sciurus</i>	<i>vulgaris</i>	Eurasian Red Squirrel	Forested regions of Palearctic, from Iberia and Great Britain east to Kamchatka Peninsula and Sakhalin Isl (Russia); south to Mediterranean and Black Seas, N Mongolia, W and NE China.	1767	Side view of adult, showing both feet and tail	1991	Fink, KW - contributed by DG Huckaby	
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>armatus</i>	Uinta Ground Squirrel	SC Utah to S Montana, SE Idaho to W Wyoming (USA).	256	Side view, also as <i>Urocitellus armatus</i>	1977	Oaks EC	USA, UT, Cottonwood Canyon, E of Salt Lake City

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>beecheyi</i>	California Ground Squirrel	W Washington (USA) to Baja California Norte (Mexico).	101	Side view, also as <i>Otospermophilus beecheyi</i>		Audio Visual Office, US Fish and Wildlife Service	
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>beecheyi</i>	California Ground Squirrel	W Washington (USA) to Baja California Norte (Mexico).	1886	Side view of adult erect on hind feet, also as <i>Otospermophilus lateralis</i>	July 8 1991	Huckaby, DG	USA, CA, Mariposa Co., Yosemite National Park, below Vernal Falls
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>beecheyi</i>	California Ground Squirrel	W Washington (USA) to Baja California Norte (Mexico).	1909	Side view, erect on hind feet, also as <i>Otospermophilus beecheyi</i>	April 30, 2008	Warter, SL	USA, CA, Orange Co., Huntington Beach
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>beecheyi</i>	California Ground Squirrel	W Washington (USA) to Baja California Norte (Mexico).	1910	Side view, also as <i>Otospermophilus beecheyi</i>	April 30, 2008	Warter, SL	USA, CA, Orange Co., Huntington Beach
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>beecheyi</i>	California Ground Squirrel	W Washington (USA) to Baja California Norte (Mexico).	1911	Side view, erect on hind feet, also as <i>Otospermophilus beecheyi</i>	April 30, 2008	Warter, SL	USA, CA, Orange Co., Huntington Beach
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>beecheyi</i>	California Ground Squirrel	W Washington (USA) to Baja California Norte (Mexico).	1912	Side view, also as <i>Otospermophilus beecheyi</i>	April 30, 2008	Warter, SL	USA, CA, Orange Co., Huntington Beach
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>beldingi</i>	Belding's Ground Squirrel	E Oregon, SW Idaho, NE California, N Nevada, and NW Utah (USA).	1107	Side view, also as <i>Urocitellus beldingi</i>	1987	Roest AI	USA, CA, Yosemite National Park
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>beldingi</i>	Belding's Ground Squirrel	E Oregon, SW Idaho, NE California, N Nevada, and NW Utah (USA).	1887	Side view of animal lying on rock, also as <i>Urocitellus beldingi</i>	July 11, 1991	Huckaby, DG	USA, CA, Tuolumne Co., Yosemite National Park, Tuolumne Meadows
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>citellus</i>	European Ground Squirrel	SE Germany, Czech Republic, SW Poland through SE Europe to European Turkey, Moldova and W Ukraine.	1256	Curled, on straw, hibernating	1994	Andera M	Czech Republic, South Bohemia
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>columbianus</i>	Columbian Ground Squirrel	SE British Columbia and W Alberta (Canada) to NE Oregon, C Idaho, and C Montana (USA).	102	Side view, also as <i>Urocitellus columbianus</i>	1975	Twiest GL	USA, MT, Glacier National Park
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>elegans</i>	Wyoming Ground Squirrel	NE Nevada, SE Oregon, S Idaho, and SW Montana to C Colorado and W Nebraska (USA).	099	Side view, near burrow entrance, also as <i>Urocitellus elegans</i>	1975	Twiest GL	USA, WY, Yellowstone National Park
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>elegans</i>	Wyoming Ground Squirrel	NE Nevada, SE Oregon, S Idaho, and SW Montana to C Colorado and W Nebraska (USA).	1341	Side view at burrow entrance, also as <i>Urocitellus elegans</i>		Bergstrom BJ	USA, CO, Rocky Mountain National Park
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>franklinii</i>	Franklin's Ground Squirrel	N Great Plains; Alberta, Saskatchewan, and Manitoba (Canada), south to Kansas, Illinois, and Indiana (USA).	104	Side view, also as <i>Poliocitellus franklinii</i>	1974	Master LL	Canada, MB, Pinawa
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>lateralis</i>	Golden-mantled Ground Squirrel	Montane W North America, from C British Columbia to S New Mexico in the Rocky Mtns, and the Columbia River south to S California and Nevada.	100	Side view, also as <i>Callospermophilus lateralis</i>	1970	Brunson JT	USA, CO, Bear Lake
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>lateralis</i>	Golden-mantled Ground Squirrel	Montane W North America, from C British Columbia to S New Mexico in the Rocky Mtns, and the Columbia River south to S California and Nevada.	1108	Oblique view of a much darker and redder squirrel than #100, also as <i>Callospermophilus lateralis</i>	1976	Harris J	USA, CA, Inyo Co., White Mts.
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>lateralis</i>	Golden-mantled Ground Squirrel	Montane W North America, from C British Columbia to S New Mexico in the Rocky Mtns, and the Columbia River south to S California and Nevada.	1726	Side view, also as <i>Callospermophilus lateralis</i>	August 5, 2011	Tanis BP	USA, Colorado, Larimer Co., near Estes Park, Rocky Mountain National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>lateralis</i>	Golden-mantled Ground Squirrel	Montane W North America, from C British Columbia to S New Mexico in the Rocky Mtns, and the Columbia River south to S California and Nevada.	1727	Front view showing feet, also as <i>Callospermophilus lateralis</i>	August 6, 2011	Tanis BP	USA, Colorado, Larimer Co., near Estes Park, Rocky Mountain National Park
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>lateralis</i>	Golden-mantled Ground Squirrel	Montane W North America, from C British Columbia to S New Mexico in the Rocky Mtns, and the Columbia River south to S California and Nevada.	1885	Side view of moving adult, also as <i>Callospermophilus lateralis</i>	August, 1996	Huckaby, DG	USA, OR, Klamath Co., Crater Lake NP
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>parryii</i>	Arctic Ground Squirrel	NW Canada; Alaska (USA); NE Yakutia, Anadyrsk, Krai, and Chukotka (Russia).	426	Side view of two squirrels feeding, also as <i>Urocitellus parryii</i>	1967	Murie A (contributed by JO Murie)	
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>parryii</i>	Arctic Ground Squirrel	NW Canada; Alaska (USA); NE Yakutia, Anadyrsk, Krai, and Chukotka (Russia).	1930	front view of adult on hind feet, also as <i>Urocitellus parryii</i>	June 21, 2009	Hale DW	USA, AK, Denali National Park
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>parryii</i>	Arctic Ground Squirrel	NW Canada; Alaska (USA); NE Yakutia, Anadyrsk, Krai, and Chukotka (Russia).	1931	quartering view of adult, also as <i>Urocitellus parryii</i>	June 21, 2009	Hale DW	USA, AK, Denali National Park
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>tereticaudus</i>	Round-tailed Ground Squirrel	Deserts of SE California, S Nevada, W Arizona (USA), NE Baja California and Sonora (Mexico).	1187	Oblique view from above, animal resting on ground in shade, also as <i>Xerospermophilus tereticaudus</i>	1990	Koprowski NM (contributed by JL Koprowski)	USA, AZ, Pima Co., Tucson
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>tridecemlineatus</i>	Thirteen-lined Ground Squirrel	Great Plains, from C Texas to E Utah, Ohio (USA) and SC Canada.	103	Oblique view, also as <i>Ictidomys tridecemlineatus</i>	1976	Twiest GL	USA, NE, Cherry Co., Valentine
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>tridecemlineatus</i>	Thirteen-lined Ground Squirrel	Great Plains, from C Texas to E Utah, Ohio (USA) and SC Canada.	573	Close-up side view, also as <i>Ictidomys tridecemlineatus</i>	1975	Carleton MD	USA, MI
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>variegatus</i>	Rock Squirrel	S Nevada to SW Texas and Utah (USA) to Puebla (C Mexico).	951	Oblique view, also as <i>Otospermophilus variegatus</i>	1983	Fontaine RP	USA, CA
Rodentia	Sciuridae	squirrels	<i>Spermophilus</i>	<i>washingtoni</i>	Washington Ground Squirrel	SE Washington, NE Oregon (USA).	1109	Side view, standing on hind legs, near Snake River, also as <i>Urocitellus washingtoni</i>	1988	Betts BJ	USA, WA
Rodentia	Sciuridae	squirrels	<i>Sundasciurus</i>	<i>lowii</i>	Low's Squirrel	Malay Peninsula, Sumatra and nearby islands, Borneo, Rhio Archipelago, Natuna Islands	1364	Side view, on tree branch, carrying food in mouth	1994	Huckaby DG	USA, DC, Washington, National Zoological Park
Rodentia	Sciuridae	squirrels	<i>Tamias</i>	<i>amoenus</i>	Yellow-pine Chipmunk	C British Columbia (Canada) south to C California east to C Montana and W Wyoming (USA).	1913	Side view of adult	May 29, 2012	Harding JM	Canada, BC, central coast region west of Anahim Lake, Hotnarco Falls
Rodentia	Sciuridae	squirrels	<i>Tamias</i>	<i>amoenus</i>	Yellow-pine Chipmunk	C British Columbia (Canada) south to C California east to C Montana and W Wyoming (USA).	1914	Close-up of side of head	May 29, 2012	Harding JM	Canada, BC, central coast region west of Anahim Lake, Hotnarco Falls
Rodentia	Sciuridae	squirrels	<i>Tamias</i>	<i>canipes</i>	Gray-footed Chipmunk	Mountains of SE New Mexico and W Texas (USA).	1342	Side view, in captivity	1991	Best TL	USA, NM, Lincoln Co., Jicarilla
Rodentia	Sciuridae	squirrels	<i>Tamias</i>	<i>cinereicollis</i>	Gray-collared Chipmunk	Mountains of C and E Arizona and C and SW New Mexico (USA).	1343	Side view	1992	Best TL	USA, NM, Socorro Co., Bear Trap Canyon
Rodentia	Sciuridae	squirrels	<i>Tamias</i>	<i>minimus</i>	Least Chipmunk	C Yukon (Canada) south through Sierra Nevada and S New Mexico, east to Michigan (USA) and W Quebec (Canada).	108	Side view	1975	Twiest GL	USA, CO, Rocky Mountain National Park
Rodentia	Sciuridae	squirrels	<i>Tamias</i>	<i>quadrivittatus</i>	Colorado Chipmunk	Mountains of Colorado and E Utah south to NE Arizona and S New Mexico (USA).	109	Side view	1975	Twiest GL	USA, CO, Rocky Mountain National Park

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Sciuridae	squirrels	<i>Tamias</i>	<i>rufus</i>	Hopi Chipmunk	E and S Utah, extreme W Colorado, and NE Arizona, USA.	1344	Side view	1992	Best TL	USA, UT, Grand Co., Arches Nat. Park
Rodentia	Sciuridae	squirrels	<i>Tamias</i>	<i>speciosus</i>	Lodgepole Chipmunk	USA: Sierra Nevada from Mt. Lassen to San Bernardino Mtns., California and W Nevada	1345	Rear and side view	1993	Best TL	USA, CA, Shasta Co., Lassen Volcanic National Park
Rodentia	Sciuridae	squirrels	<i>Tamias</i>	<i>striatus</i>	Eastern Chipmunk	S Manitoba and Nova Scotia (Canada) to Louisiana, Alabama, and Georgia, east to Atlantic Coast (USA).	110	Side view		Elliott L	USA, NY, Franklin Co., Paul Smiths (Adirondack Mountains)
Rodentia	Sciuridae	squirrels	<i>Tamias</i>	<i>striatus</i>	Eastern Chipmunk	S Manitoba and Nova Scotia (Canada) to Louisiana, Alabama, and Georgia, east to Atlantic Coast (USA).	259	Showing full cheek-pouches	1975	Elliott L	USA, NY, Franklin Co., Paul Smiths (Adirondack Mountains)
Rodentia	Sciuridae	squirrels	<i>Tamias</i>	<i>townsendii</i>	Townsend's Chipmunk	SW British Columbia (Canada), W Washington and Oregon to the Rogue River (USA).	258	Side view		Andersen DC	USA, WA, Whatcom Co., Diablo Lake
Rodentia	Sciuridae	squirrels	<i>Tamias</i>	<i>townsendii</i>	Townsend's Chipmunk	SW British Columbia (Canada), W Washington and Oregon to the Rogue River (USA).	950	Side view (closer than in #258), animal on fence	1986	Forbes RB	USA, OR, Multnomah Co., Portland, Audubon House
Rodentia	Sciuridae	squirrels	<i>Tamiasciurus</i>	<i>douglasii</i>	Douglas' Squirrel	Coast and Cascade ranges and Sierra Nevada of SW British Columbia (not Vancouver Isl) (Canada) to S California (USA).	952	Oblique view of animal on branch	1985	Forbes RB	USA, OR, Multnomah Co., Portland, Audubon House
Rodentia	Sciuridae	squirrels	<i>Tamiasciurus</i>	<i>hudsonicus</i>	Red Squirrel	Alaska (USA), throughout Canada (south of tundra); including Vancouver Isl, W USA in mountain states; NE USA, south to NW South Carolina.	111	Side view	1972	Master LL	USA, NY, Essex Co., Lake Placid
Rodentia	Sciuridae	squirrels	<i>Tamiasciurus</i>	<i>hudsonicus</i>	Red Squirrel	Alaska (USA), throughout Canada (south of tundra); including Vancouver Isl, W USA in mountain states; NE USA, south to NW South Carolina.	260	Side view, T. h. ventorum	1975	des Lauriers J	USA, WY, Sublette Co., near Big Piney
Rodentia	Sciuridae	squirrels	<i>Tamiasciurus</i>	<i>hudsonicus</i>	Red Squirrel	Alaska (USA), throughout Canada (south of tundra); including Vancouver Isl, W USA in mountain states; NE USA, south to NW South Carolina.	826	Side view, in winter		Wolff JO	USA, AK
Rodentia	Sciuridae	squirrels	<i>Tamiasciurus</i>	<i>hudsonicus</i>	Red Squirrel	Alaska (USA), throughout Canada (south of tundra); including Vancouver Isl, W USA in mountain states; NE USA, south to NW South Carolina.	827	View of extensive midden consisting of spruce cone-bracts, summer		Wolff JO	USA, AK
Rodentia	Sciuridae	squirrels	<i>Tamios</i>	<i>swinhoei</i>	Swinhoe's Striped Squirrel	Extreme SW Gansu south through Tibet, Sichuan and Yunnan (China) to N Burma and N Vietnam; isolated population in Hebei (China).	2036	Close up of anterior end of adult feeding on branch	2013	Harding LE	China, Yunnan, Diqing Zangzu Zizhizhou (Autonomous Prefecture), Pudacuo National Park, Shudu Lake
Rodentia	Sciuridae	squirrels	<i>Xerus</i>	<i>inauris</i>	South African Ground Squirrel	S Angola, Namibia, Botswana, W Zimbabwe, South Africa.	1680	Sitting and eating in grass; head, forelimbs, and side stripe visible	October 27, 2008	Harding LE	Namibia, Western Kalahari Desert
Rodentia	Sciuridae	squirrels	<i>Xerus</i>	<i>inauris</i>	South African Ground Squirrel	S Angola, Namibia, Botswana, W Zimbabwe, South Africa.	2247		15 April 2010	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park
Rodentia	Sciuridae	squirrels	<i>Xerus</i>	<i>inauris</i>	South African Ground Squirrel	S Angola, Namibia, Botswana, W Zimbabwe, South Africa.	2248		18 April 2010	Perry P	South Africa, Northern Cape, Kalahari Gemsbok National Park
Rodentia	Sciuridae	squirrels	<i>Xerus</i>	<i>rutilus</i>	Unstriped Ground Squirrel	SE Sudan, E and S Ethiopia, Djibouti, Somalia, Kenya, NE Uganda, NE Tanzania.	766	Side view, sitting upright	1978	Collins CT (contributed by DG Huckaby)	Kenya, Rift Valley province, Samburu county, Samburu National Reserve

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Rodentia	Spalacidae	fossorial rats	<i>Cannomys</i>	<i>badius</i>	Lesser Bamboo Rat	E Nepal, through NE India, Bhutan, SE Bangladesh, Burma, S China, NW Vietnam, Thailand, and Cambodia.	869	Oblique view of face with mouth open, in grassy vegetation	1983	Phillips CJ	Thailand
Rodentia	Spalacidae	fossorial rats	<i>Myospalax</i>	<i>myospalax</i>	Altai Zokor	Altai Mtns and upper basin of Ob and Irtysh River drainages in S Russia, and E Kazakhstan (entire N region of Cisaltai plain and foothills as well as the W and C Altai).	555	Oblique view of captive	1967	Anderson PK	Russia, Novosibirsk
Rodentia	Spalacidae	fossorial rats	<i>Myospalax</i>	<i>myospalax</i>	Altai Zokor	Altai Mtns and upper basin of Ob and Irtysh River drainages in S Russia, and E Kazakhstan (entire N region of Cisaltai plain and foothills as well as the W and C Altai).	1251	Three-quarter view from front, feet in view but not tail		Rogovin K	Russia, Altai
Rodentia	Spalacidae	fossorial rats	<i>Spalax</i>	<i>sp.</i>	mole rat	Asia	672	Side view	1981	Hickman GC	
Rodentia	Spalacidae	fossorial rats	<i>Spalax</i>	<i>sp.</i>	mole rat	Asia	673	Close-up of head, showing incisors and forefeet	1981	Hickman GC	
Rodentia	Spalacidae	fossorial rats	<i>Tachyoryctes</i>	<i>sp.</i>	African mole rat	Africa	696	Oblique view	1981	Hickman GC	
Rodentia	Spalacidae	fossorial rats	<i>Tachyoryctes</i>	<i>sp.</i>	African mole rat	Africa	697	Side view of mole-rat digging	1981	Hickman GC	
Scandentia	Tupaiaidae	tree shrews	<i>Tupaia</i>	<i>montana</i>	Mountain Treeshrew	Mountains of Sarawak and W Sabah (Malaysia); probably N Kalimantan (Indonesia).	1688	Lateral view of adult	2011	Harding LE	Malaysia, Sabah, Mt. Kinabalu, 2300 m
Scandentia	Tupaiaidae	tree shrews	<i>Tupaia</i>	<i>tana</i>	Large Tree Shrew	Malaysia (Sabah, Sarawak, Banggi) and Indonesia (Kalimantan, Sumatra, Batu Isls, Lingga Isls, Bangka, Belitung, Tambelan, Serasan).	1888	Side view of standing adult	June 25, 1994	Huckaby, DG	USA, DC, Washington, National Zoological Park
Sirenia	Dugongidae	dugongs	<i>Dugong</i>	<i>dugon</i>	Dugong	Tropical coastal waters of Indian and W Pacific Oceans.	599	Side view of adult and young	1978	Anderson PK	Australia, WA, Shark Bay
Sirenia	Dugongidae	dugongs	<i>Dugong</i>	<i>dugon</i>	Dugong	Tropical coastal waters of Indian and W Pacific Oceans.	1218	Side view of entire skeleton	1990	Huckaby DG	USA, DC, Washington, National Museum of Natural History
Sirenia	Dugongidae	dugongs	<i>Hydrodamalis</i>	<i>gigas</i>	Steller's Sea Cow	extinct; Known only from the Commander Isls, Bering Sea.	1219	Side view of skeleton except for part of tail	1990	Huckaby DG	USA, DC, Washington, National Museum of Natural History
Sirenia	Trichechidae	manatees	<i>Trichechus</i>	<i>manatus</i>	West Indian Manatee	Caribbean coastal areas and river systems from Virginia, USA to Espirito Santo, Brazil.	290	Front view, underwater	1978	Nat. Fish & Wildlife Laboratory (contrib. by J Powell)	USA, FL, Citrus Co., Crystal River
Sirenia	Trichechidae	manatees	<i>Trichechus</i>	<i>manatus</i>	West Indian Manatee	Caribbean coastal areas and river systems from Virginia, USA to Espirito Santo, Brazil.	291	Close-up view, feeding on underwater vegetation	1977	Nat. Fish & Wildlife Laboratory (contrib. by J Powell)	USA, FL, Citrus Co., Crystal River
Sirenia	Trichechidae	manatees	<i>Trichechus</i>	<i>manatus</i>	West Indian Manatee	Caribbean coastal areas and river systems from Virginia, USA to Espirito Santo, Brazil.	292	View of spatulate tail	1978	Nat. Fish & Wildlife Laboratory (contrib. by J Powell)	USA, FL, Citrus Co., Crystal River
Sirenia	Trichechidae	manatees	<i>Trichechus</i>	<i>manatus</i>	West Indian Manatee	Caribbean coastal areas and river systems from Virginia, USA to Espirito Santo, Brazil.	1139	Dorsal view of skull and mandible		Forbes RB	USA, NM, Bernalillo Co., Albuquerque, University of New Mexico, Museum of Southwestern Biology
Sirenia	Trichechidae	manatees	<i>Trichechus</i>	<i>manatus</i>	West Indian Manatee	Caribbean coastal areas and river systems from Virginia, USA to Espirito Santo, Brazil.	1140	Lateral view of skull and mandible		Forbes RB	USA, NM, Bernalillo Co., Albuquerque, University of New Mexico, Museum of Southwestern Biology
Sirenia	Trichechidae	manatees	<i>Trichechus</i>	<i>manatus</i>	West Indian Manatee	Caribbean coastal areas and river systems from Virginia, USA to Espirito Santo, Brazil.	1141	Ventral view of skull and dorsal view of mandible		Forbes RB	USA, NM, Bernalillo Co., Albuquerque, University of New Mexico, Museum of Southwestern Biology

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Sirenia	Trichechidae	manatees	<i>Trichechus</i>	<i>manatus</i>	West Indian Manatee	Caribbean coastal areas and river systems from Virginia, USA to Espirito Santo, Brazil.	1309	View from side and above of two individuals in a shallow pool	1994	Best TL	USA, FL, Citrus Co., Homosassa State Park
Sirenia	Trichechidae	manatees	<i>Trichechus</i>	<i>manatus</i>	West Indian Manatee	Caribbean coastal areas and river systems from Virginia, USA to Espirito Santo, Brazil.	1889	Side view of mounted skeleton	June, 1990	Huckaby, DG	USA, DC, Washington, National Museum of Natural History
Sirenia	Trichechidae	manatees	<i>Trichechus</i>	<i>manatus</i>	West Indian Manatee	Caribbean coastal areas and river systems from Virginia, USA to Espirito Santo, Brazil.	2025	Lateral view of mounted skeletons of adult and calf		Villemarette Josh	USA, OK, Oklahoma City, Museum of Osteology
Soricomorpha	Soricidae	shrews	Blarina	carolinensis	Southern Short-tailed Shrew	S Illinois east to N Virginia, and south through E Texas and N Florida (USA).	020	Side view	1974	Altig R	USA, MS, Oktibbeha Co.
Soricomorpha	Soricidae	shrews	Blarina	carolinensis	Southern Short-tailed Shrew	S Illinois east to N Virginia, and south through E Texas and N Florida (USA).	644	Ventral view of skull, dorsal view of lower jaw	1979	Van Devender RW	USA, NC, Watauga Co., Boone
Soricomorpha	Soricidae	shrews	Crocidura	cyanea?	Reddish-gray Musk Shrew	South Africa, Namibia, Angola, Botswana, Mozambique, Zimbabwe; records further north uncertain.	491	Side view		Willan K	South Africa, KwaZulu-Natal, Thornville
Soricomorpha	Soricidae	shrews	Crocidura	leucodon	Bicolored Shrew	France to the Volga and Caucasus; Elburz Mtns; Asia Minor; Israel; Lebanon; Lesbos Isl (Aegean Sea).	492	Side view	1978	Andera M	Czech Republic, South Moravia
Soricomorpha	Soricidae	shrews	Crocidura	mariquensis	Swamp Musk Shrew	Swamp Musk Shrew	023	Side view of captive	1974	Zool. Dept., Univ. of Natal, South Africa	South Africa, KwaZulu-Natal, Pietermaritzburg
Soricomorpha	Soricidae	shrews	Crocidura	suaveolens	Lesser White-toothed Shrew	Palaearctic from Spain to Siberia; Atlantic isls (Scilly, Jersey, Sark, Ushant, Yeu); many Mediterranean isls including Corsica, Crete, Cyprus, and Menorca.	493	Side view	1980	Andera M	Czech Republic, Plzen or South Bohemia, Sumava Mountains
Soricomorpha	Soricidae	shrews	Cryptotis	mam	Mam Small-eared Shrew	Guatemala, Huehuetenango, Altos Cuchumatanes	2063	Anterior view, showing front feet and head	January 8, 2008	Ordonez-Garza N	Guatemala, Huehuetenango, Aldea del Rancho, 3020 m
Soricomorpha	Soricidae	shrews	Cryptotis	parva	North American Least Shrew	Extreme SE Canada through EC and SW USA and Mexico S to Chiapas and W to Nayarit.	957	Side view		Cervantes-Reza FA	Mexico, Edomex., Lago de Texcoco, 2250 m
Soricomorpha	Soricidae	shrews	Cryptotis	tropicalis	Tropical Small-eared Shrew	Eastern highlands of Chiapas (Mexico) east and south into highlands of Belize and Guatemala.	2049	Dorsal view of live animal in container	January 5, 2009	Woodman N	Guatemala, Huehuetenango, 3.5 km N La Trinidad, 1580 m
Soricomorpha	Soricidae	shrews	Cryptotis	venezuelensis	Venezuelan Small-eared Shrew	Cloud forests of the Serrania del Litoral, Venezuela	2322	Holotype	5 November 2010	M Quiroga-Carmona	Venezuela, Aragua, Tovar municipality, sector Cerro Geremba of the Pico Codazzi Natural Monument
Soricomorpha	Soricidae	shrews	Cryptotis	venezuelensis	Venezuelan Small-eared Shrew	Cloud forests of the Serrania del Litoral, Venezuela	2323	Holotype	5 November 2010	M Quiroga-Carmona	Venezuela, Aragua, Tovar municipality, sector Cerro Geremba of the Pico Codazzi Natural Monument
Soricomorpha	Soricidae	shrews	Cryptotis	venezuelensis	Venezuelan Small-eared Shrew	Cloud forests of the Serrania del Litoral, Venezuela	2324	Holotype	5 November 2010	M Quiroga-Carmona	Venezuela, Aragua, Tovar municipality, sector Cerro Geremba of the Pico Codazzi Natural Monument
Soricomorpha	Soricidae	shrews	Cryptotis	venezuelensis	Venezuelan Small-eared Shrew	Cloud forests of the Serrania del Litoral, Venezuela	2325	Holotype	5 November 2010	M Quiroga-Carmona	Venezuela, Aragua, Tovar municipality, sector Cerro Geremba of the Pico Codazzi Natural Monument
Soricomorpha	Soricidae	shrews	Myosorex	varius	Forest Shrew	South Africa, from West and Eastern Cape across Northern Cape, KwaZulu-Natal and Free State to Mpumalanga and Gauteng Provinces; also Lesotho and Swaziland.	021	Side view		Visser J	South Africa, Western Cape, Silvermine

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Soricomorpha	Soricidae	shrews	Neomys	anomalus	Mediterranean Water Shrew	Temperate woodlands of Europe, from Portugal to Poland and east to Voronezh, Russia: N Asia Minor and N Iran.	496	Side view	1980	Andera M	Czech Republic, Plzen or South Bohemia, Sumava Mountains
Soricomorpha	Soricidae	shrews	Neomys	fodiens	Eurasian Water Shrew	Temperate woodlands of Europe, from Portugal to Poland and east to Voronezh, Russia: N Asia Minor and N Iran.	497	Side view	1978	Andera M	Czech Republic, Olomouc, Jeseniky Mountains
Soricomorpha	Soricidae	shrews	Sorex	alpinus	Alpine Shrew	Montane forests of C Europe; including Pyrenees, Carpathians, Tatra, Sudeten, Harz, and Jura Mtns.	494	Oblique view	1978	Andera M	Czech Republic, Olomouc, Jeseniky Mountains
Soricomorpha	Soricidae	shrews	Sorex	alpinus	Alpine Shrew	Montane forests of C Europe; including Pyrenees, Carpathians, Tatra, Sudeten, Harz, and Jura Mtns.	1027	Oblique view	1988	Andera M	Czech Republic, Plzen or South Bohemia, Sumava Mountains
Soricomorpha	Soricidae	shrews	Sorex	araneus	Common Shrew	C, E, and N Europe including the British Isls (with some isolated populations in France, Italv and Spain). east to Siberia.	784	Side view	1982	Andera M	Czech Republic, Bohemia
Soricomorpha	Soricidae	shrews	Sorex	arcticus	Arctic Shrew	Yukon and Northwest Territory to Quebec (Canada); Dakota, Wisconsin, Michigan, and Minnesota (USA).	1391	Young adult, prior to winter molt	2000	Maier T and N Perry	USA, MT, northeastern part
Soricomorpha	Soricidae	shrews	Sorex	cinereus	Cinereus Shrew	North America throughout Alaska and Canada and southward along the Rocky and Annalachian Mtns to 45°.	1392	Side view of dead specimen on paper	1999	Maier T and N Perry	USA, MA, central part
Soricomorpha	Soricidae	shrews	Sorex	minutus	Eurasian Pygmy Shrew	Eurasian Pygmy Shrew	495	Side view	1976	Andera M	Czech Republic, South Bohemia
Soricomorpha	Soricidae	shrews	Sorex	palustris	American Water Shrew	Montane and boreal areas of North America below the tree line from Alaska to the Sierra Nevada, Rocky and Appalachian Mtns.	1287	Side view	1995	Forbes RB	USA, OR, Clackamas Co., Mt. Hood
Soricomorpha	Soricidae	shrews	Sorex	vagrans	Vagrant Shrew	Riparian and montane areas of the N Great Basin and Columbia Plateau, north to S British Columbia and Vancouver Isl (Canada); east to W Montana, W Wyoming, and Wasatch Mtns (Utah); C Nevada to Sierra Nevada (California)	1288	Dorsolateral view, tail and feet visible	1995	Forbes RB	USA, OR, Multnomah Co., Sauvic Island
Soricomorpha	Soricidae	shrews	Suncus	murinus	Asian House Shrew	Afghanistan, Pakistan, India, Sri Lanka, Nepal, Bhutan, Burma, China, Taiwan, Japan, continental and peninsular Indomalayan Region; introduced into Guam, the Maldive Isls, Philippines, and probably many other islands; introduced in historical times into coastal Africa (Egypt to Tanzania), Madagascar, the Comores, Mauritius, and Réunion, and into coastal Arabia (Iraq, Bahrain, Oman, Yemen, Saudi Arabia).	022	Side view		Eisenberg JF	USA, DC, Washington, National Zoological Park
Soricomorpha	Talpidae	moles	Condylura	cristata	Star-nosed Mole	Georgia and NW South Carolina (USA) to Nova Scotia and Labrador (Canada); Great Lakes region to SE Manitoba.	649	Close-up of head showing nasal rays	1981	Hickman GC	USA, NY, Oswego Co., Oswego
Soricomorpha	Talpidae	moles	Condylura	cristata	Star-nosed Mole	Georgia and NW South Carolina (USA) to Nova Scotia and Labrador (Canada); Great Lakes region to SE Manitoba.	650	Side view, swimming in aquarium	1981	Hickman GC	USA, NY, Oswego Co., Oswego
Soricomorpha	Talpidae	moles	Neurotrichus	gibbsii	Shrew-mole	SW British Columbia (Canada) to WC California (USA).	727	Close-up of animal's head emerging from hole in tree	1969	Scheffer VB	USA, WA, King Co., Bellevue
Soricomorpha	Talpidae	moles	Neurotrichus	gibbsii	Shrew-mole	SW British Columbia (Canada) to WC California (USA).	728	Oblique view of captive eating	1969	Scheffer VB	USA, WA, King Co., Bellevue
Soricomorpha	Talpidae	moles	Parascalops	breweri	Hairy-tailed Mole	NE United States and SE Canada.	646	Ventral view of skull, dorsal view of lower jaw	1979	Van Devender RW	USA, NC, Watauga Co., Boone

Order	Family	Common Name of Family	Genus	Specific Epithet	Common name of Species	Distribution of Species	MIL #	Description of Image	Date Image Taken	Photographer	Location Where Image Taken
Soricomorpha	Talpidae	moles	Parascalops	breweri	Hairy-tailed Mole	NE United States and SE Canada.	852	Side view of dead specimen on wooden ledge	1979	Gordon DC	USA, NY, Monroe Co., Rush
Soricomorpha	Talpidae	moles	Scalopus	aquaticus	Eastern Mole	N Tamaulipas and N Coahuila (Mexico) through E USA to Massachusetts and Minnesota.	647	Close-up view of ventral side of head & view of forelimbs	1981	Hickman GC	
Soricomorpha	Talpidae	moles	Scalopus	aquaticus	Eastern Mole	N Tamaulipas and N Coahuila (Mexico) through E USA to Massachusetts and Minnesota.	648	Ventral view of skull, dorsal view of lower jaw	1979	Van Devender RW	USA, NC, Watauga Co., Boone
Soricomorpha	Talpidae	moles	Scapanus	orarius	Coast Mole	SW British Columbia (Canada) to NW California, WC Idaho, N Oregon, C and SE Washinton (USA).	346	Dorsolateral view	1978	Senger CM	USA, WA, Whatcom Co., Bellingham
Soricomorpha	Talpidae	moles	Talpa	europaea	European Mole	Temperate Europe including Britain to the Ob and Irtys Rivers (Russia) in the east.	645	Close-up of head	1981	Hickman GC	UK, England, Nottingham
Soricomorpha	Talpidae	moles	Talpa	europaea	European Mole	Temperate Europe including Britain to the Ob and Irtys Rivers (Russia) in the east.	1028	Side view	1988	Andera M	Czech Republic, Plzen or South Bohemia, Sumava Mountains
Soricomorpha	Talpidae	moles	Talpa	europaea	European Mole	Temperate Europe including Britain to the Ob and Irtys Rivers (Russia) in the east.	1193	Field with mounds made by this mole, close-up and distant examples	1993	Andera M	Czech Republic, Plzen or South Bohemia, Sumava Mountains
Tubulidentata	Orycteropodidae	aardvarks	Orycteropus	afer	Aardvark	Savannah zones of West Africa to E Sudan, Ethiopia and Eritrea; Kenya; Somalia; N and W Uganda to Tanzania; Rwanda; N, E, and C Dem. Rep. Congo; W Angola; Namibia; Botswana; Zimbabwe; Zambia; Mozambique; South Africa.	596	Female searching for termites	1978	Shoshani JH	Kenya, Rift Valley province, Nakuru county, shore of Lake Naivasha
Tubulidentata	Orycteropodidae	aardvarks	Orycteropus	afer	Aardvark	Savannah zones of West Africa to E Sudan, Ethiopia and Eritrea; Kenya; Somalia; N and W Uganda to Tanzania; Rwanda; N, E, and C Dem. Rep. Congo; W Angola; Namibia; Botswana; Zimbabwe; Zambia; Mozambique; South Africa.	2249	Juvenile	22 February 2008	Perry P	Tanzania, Serengeti National Park